

CONVERSION FACTORS

Primary Forest Product Conversion Factors					
	Units of Common Measure	Species	x	Factor	= m³
	Mfbm	Softwood		5.663	1
	Mfbm	Hardwood		5.663	1
	Cords	Softwood		2.322	1
	Cords	Hardwood		1.926	1
	Tonnes	Softwood		1.167	1
	Tonnes	Hardwood		0.963	1
	m3 (solid)	Softwood		1	1
	m3 (solid)	Hardwood		1	1
	m3 (stacked)	Softwood		0.64099997	1
	m3 (stacked)	Hardwood		0.531	1
	fbm	Softwood		0.005663	1
	fbm	Hardwood		0.005663	1
	tons	Softwood		1.0587	1
	tons	Hardwood		0.8736	1

Secondary Forest Product Conversion Factors					
Product	Units of Common Measure	Species	x	Factor	= m³
Lumber	Mfbm	Softwood		2.36	1
Lumber	Mfbm	Hardwood		2.36	1
Lumber	m3 (solid)	Softwood		1	1
Lumber	m3 (solid)	Hardwood		1	1
Lumber	fbm	Softwood		0.00236	1
Lumber	fbm	Hardwood		0.00236	1
HardBoard	MSF	Softwood		0.295	1
HardBoard	MSF	Hardwood		0.295	1
HardBoard	MSF	Hardwood/Softwood		0.295	1
Wood Pulp	Tonnes	Softwood		1	1
Wood Pulp	Tonnes	Hardwood		1	1
Paper	Tonnes	Softwood		1	1
Pulp Quality Chips	Tonnes	Softwood		1.2698	1
Pulp Quality Chips	Tonnes	Hardwood		1.07	1
Pulp Quality Chips	m3 (solid)	Softwood		1	1
Pulp Quality Chips	m3 (solid)	Hardwood		1	1
Pulp Quality Chips	ODMT	Softwood		2.439	1
Pulp Quality Chips	ODMT	Hardwood		1.905	1
Firewood	Cords	Softwood		2.2087	1
Firewood	Cords	Hardwood		1.8406	1
Firewood	Tonnes	Softwood		1.167	1
Firewood	Tonnes	Hardwood		0.963	1

**Source: Registry of Buyers
Date: June 13, 2001**

CONVERSION FACTORS

Secondary Forest Product Conversion Factors						
Product	Units of Common Measure	Species	x	Factor	=	m³
Firewood	m3 (solid)	Softwood		1		1
Firewood	m3 (solid)	Hardwood		1		1
Pit Props, Poles And Pilings	Mfbm	Softwood		5.663		1
Pit Props, Poles And Pilings	Tonnes	Softwood		0.968		1
Pit Props, Poles And Pilings	m3 (solid)	Softwood		1		1
Pit Props, Poles And Pilings	fbm	Softwood		0.005663		1
Pit Props, Poles And Pilings	cu. ft.	Softwood		0.0283		1
Boxwood	Mfbm	Softwood		2.36		1
Boxwood	fbm	Softwood		0.00236		1
Laths	Laths 1000's	Softwood		5.3094		1
Laths	Laths 1000's	Hardwood		5.3094		1
Mine Timbers	Mfbm	Hardwood		2.36		1
Mine Timbers	fbm	Hardwood		0.00236		1
Shingles	squares	Softwood		0.059		1
Barrel Staves & Headings	Mfbm	Softwood		2.36		1
Barrel Staves & Headings	fbm	Softwood		0.00236		1
Railway Ties	Mfbm	Hardwood		2.36		1
Railway Ties	fbm	Hardwood		0.00236		1
Flooring	Mfbm	Softwood		2.36		1
Flooring	Mfbm	Hardwood		2.36		1
Flooring	fbm	Softwood		0.00236		1
Flooring	fbm	Hardwood		0.00236		1
Flooring	sq. ft.	Softwood		0.00236		1
Flooring	sq. ft.	Hardwood		0.00236		1
Flooring	m2	Softwood		0.02		1
Flooring	m2	Hardwood		0.02		1
House Logs	Mfbm	Softwood		5.663		1
House Logs	fbm	Softwood		0.005663		1
Fence Posts	no. of pieces	Softwood		0.0222		1
Baskets	Laths 1000's	Hardwood		5.3094		1
Energy chips	Tonnes	Softwood		1.167		1
Energy chips	Tonnes	Hardwood		0.963		1
Export Pulp	Cords	Softwood		2.209		1
Export Pulp	Cords	Hardwood		1.926		1
Export Pulp	Tonnes	Softwood		1.167		1
Export Pulp	Tonnes	Hardwood		0.963		1
Export Pulp	m3 (solid)	Softwood		1		1
Export Pulp	m3 (solid)	Hardwood		1		1
Export Pulp	m3 (stacked)	Softwood		0.60900003		1
Export Pulp	m3 (stacked)	Hardwood		0.531		1
Export Sawlog	Mfbm	Softwood		5.663		1
Export Sawlog	Mfbm	Hardwood		5.663		1
Export Sawlog	Cords	Softwood		2.322		1
Export Sawlog	Cords	Hardwood		2.322		1
Export Sawlog	Tonnes	Softwood		1.167		1
Export Sawlog	Tonnes	Hardwood		0.963		1
Export Sawlog	m3 (solid)	Softwood		1		1

Source: Registry of Buyers
Date: June 13, 2001

CONVERSION FACTORS

Secondary Forest Product Conversion Factors						
Product	Units of Common Measure	Species	x	Factor	=	m³
Export Sawlog	m3 (solid)	Hardwood		1		1
Export Sawlog	fbm	Softwood		0.005663		1
Export Sawlog	fbm	Hardwood		0.005663		1
Export Studwood	Cords	Softwood		2.322		1
Export Studwood	Tonnes	Softwood		1.167		1
Export Studwood	m3 (solid)	Softwood		1		1
Export Studwood	m3 (stacked)	Softwood		0.64099997		1
Export Veneer	Mfbm	Softwood		5.663		1
Export Veneer	Mfbm	Hardwood		5.663		1
Export Veneer	Tonnes	Softwood		1.167		1
Export Veneer	Tonnes	Hardwood		0.963		1
Export Veneer	m3 (solid)	Softwood		1		1
Export Veneer	m3 (solid)	Hardwood		1		1
Export Veneer	m3 (stacked)	Softwood		0.64099997		1
Export Veneer	m3 (stacked)	Hardwood		0.64099997		1
Export Veneer	fbm	Softwood		0.005663		1
Export Veneer	fbm	Hardwood		0.005663		1
Export Pulp Quality Chips	Tonnes	Softwood		1.2195		1
Export Pulp Quality Chips	Tonnes	Hardwood		1.07		1
Export Pulp Quality Chips	ODMT	Softwood		2.439		1
Export Pulp Quality Chips	ODMT	Hardwood		1.905		1
Sawdust	Tonnes	Softwood		1.167		1
Sawdust	cu. yds.	Softwood		0.242		1
Fuel Chips	Tonnes	Softwood		1.167		1
Fuel Chips	Tonnes	Hardwood		0.963		1
Fuel Chips	m3 (solid)	Softwood		1		1
Fuel Chips	m3 (solid)	Hardwood		1		1
Fuel Chips	ODMT	Softwood		2.439		1
Fuel Chips	ODMT	Hardwood		1.905		1
Slabwood	Cords	Softwood		2		1
Slabwood	Cords	Hardwood		2		1
Decorative bark	Tonnes	Softwood		1.167		1
Decorative bark	cu. yds.	Softwood		0.242		1
Hogged wood	Tonnes	Softwood		1.167		1
Hogged wood	Tonnes	Hardwood		0.963		1
Hogged wood	m3 (solid)	Softwood		1		1
Hogged wood	m3 (solid)	Hardwood		1		1
shavings	Tonnes	Softwood		1.167		1
shavings	cu. yds.	Softwood		0.242		1
shavings	bales shavings	Softwood		0.2		1
fuel pellets	Tonnes	Softwood		1.167		1
components	Mfbm	Softwood		5.663		1
components	Mfbm	Hardwood		5.663		1
fence rails	no. of pieces	Softwood		0.0227		1
Boxwood	fbm	Hardwood		0.00236		1

Source: Registry of Buyers
Date: June 13, 2001