TULAREMIA

Case Definition

Confirmed Case:

Clinical illness with laboratory confirmation of infection:

- Isolation of *Francisella tularensis* from an appropriate clinical specimen.
 OR
- A significant (e.g. fourfold or greater) change in serum antibody titre to *F. tularensis* antigen.

Probable Case:

Clinical illness with laboratory evidence:

- Detection of *F. tularensis* in a clinical specimen by fluorescent assay.
 OR
- Detection of *F. tularensis* nucleic acid. **OR**
- \geq 1:128 microagglutination titre or \geq 1:160 tube agglutination in a single serum specimen.

Clinical Evidence

Characterized by several distinct forms:

<u>Ulceroglandular</u>: cutaneous ulcer with regional lymphadenopathy

<u>Glandular</u>: regional lymphadenopathy with no ulcer; oculoglandular conjunctivitis with preauricular lymphadenopathy; oropharyngeal stomatitis or pharyngitis; or tonsillitis and cervical lymphadenopathy <u>Intestinal</u>: intestinal pain, vomiting, and diarrhea;

<u>Other:</u> pneumonic primary pleuropulmonary disease; typhoidal febrile illness without early localizing signs and symptoms

Reporting Requirements

• Report confirmed or probable cases to DHW Surveillance Team via Panorama.

Additional Forms

None.

Data Entry

Complete data entry in Panorama.