

# PEAT MOSS

# IN NOVA SCOTIA

BY A. R. ANDERSON

Information Circular 18
Second Edition

Nova Scotia
Department of Natural Resources
Mines and Energy Branches
Halifax, Nova Scotia 1993

#### Peat Moss

#### Introduction

Peat is the partially decomposed remains of plants and animals which have accumulated in oxygen poor, water saturated freshwater environments. The partial decomposition of organic debris which occurs at the time of deposition is referred to as humification. In normal soil forming environments, humification transforms organic debris to humus, however, in a water logged environment that is poor in nutrients and oxygen, the organic debris is transformed into peat.

The deposits consist of a mixture of organic remains which reflect the types of plants growing in the wetland at the time of deposition. They are commonly formed from Sphagnum moss, sedges, reeds, shrubs, wood and other organic matter. In general, mosses are the major constituent of Nova Scotia peat.

Most of the peatlands in Nova Scotia occur as bogs, of which several types are present in the Province. They range from extensive blanket bogs in northern Cape Breton Island to small, flat deposits found throughout the Province. In general, the deposits have been forming since the last glacial period (about 11 000-13 000 years ago), accumulating at a rate of approximately 30 cm per thousand years.

## **Production and Markets**

In the past, North American peatlands were considered to be wastelands,

however, since 1945 a substantial peat moss industry has developed in Eastern North America, particularly in Quebec, New Brunswick, Maine and Nova Scotia.

Approximately 90 per cent of Canada's peat export is to the United States, with most of the remainder going to Europe and Japan. Of particular interest is the potential in the overseas markets. For example, recent growth in Japanese consumption has resulted in a 20-30 per cent increase in demand for high grade blonde peat in Atlantic Canada. Similarly, depletion of the peat resource in Europe (particularly the Netherlands and Germany) is generating interest in North American peat, which may prove of value to Nova Scotia in the future.

#### Uses

The bulk of world peat production is used for horticultural purposes, as a soil amendment, and as a growing medium. It is used primarily in the following three forms: as a raw material, in peat-soil mixes, and as compost mixtures. Specialty products include peat pots, and grow-in-bags. Other applications of peat include distillation, yeast cultivation, energy production and the manufacture of ferrosilicons.

## Nova Scotia Production

Nova Scotia currently has one active peat moss producer, Annapolis Valley Peat Moss Company Limited. Located in the Annapolis Valley, the operation began production using hand block cutting and drying. Early peat production from the site was in the order of 2000-5000 bales annually. Vacuum harvesters were first used at the site in 1954 and production jumped to 35 000-50 000 bales annually. Current peat moss production totals approximately 200 000 bales annually. Products being made include compressed peat moss, soil mixes and grow-in-bags. Table 1 indicates that the major export destinations are the United States and Japan. Other export destinations have included Saudi Arabia, Holland, Germany and England.

Table 1. Destinations for Nova Scotia peat moss, 1993.

Destination	% of Production
Japan	47
United States	42
Canada	10
Ireland	0.5
Bermuda	0.5

#### **Peat Resources of Nova Scotia**

Nova Scotia has approximately 161 810 ha of peatland (*Table 2*). The deposits are found throughout the Province, but the majority of the resource is concentrated in a small number of regions. In the early 1980s, the Nova Scotia Department of Mines and Energy completed a peat resource inventory program for the Province. Although

time did not permit all deposits to be surveyed, several areas with good potential for moss grade peat were identified.

Table 2. Regional distribution of peat resources in Nova Scotia.

Region	Area of Resource (ha)
Southwestern Nova Scotia	86 900
Central Nova Scotia	10 300
Eastern Nova Scotia	29 450
Northern Nova Scotia	9 800
Cape Breton Island	25 360
Total	161 810

Figure 1 and Table 2 indicate that most of the peatland resource of the Province is found in the southwestern portion of Nova Scotia.

#### Southwestern Nova Scotia

The peatlands of Yarmouth, Queens and Shelburne Counties are primarily concentrated southwest of Lake Rossignol, between Liverpool and Yarmouth (Fig. 1). The occurrence of surficial or moss grade peat is fairly ubiquitous in this region. The average thickness of this layer is 1 m with a maximum thickness of 4 m. An estimated 102 million m³ of moss grade peat have been identified in the region. This is equivalent to 310 million bales of processed moss. It is inferred that there may be as much as 540 million m³ of moss grade peat over the entire region.

#### Central Nova Scotia

The peat resources of Hants and Kings Counties are estimated to cover 10 300 ha. The deposits in this area vary considerably in size and peat quality.

## Hants County

Hants County is estimated to have 5800 ha of peatland of which 2300 ha have been assessed for harvest potential. The peatlands in this region are predominantly large, well defined, raised bog complexes with very thick layers of moss grade peat. On average the peat is 3 m thick, with deposits often reaching 8 m or more in depth. Reserves within the measured deposits are estimated to be 44 million m<sup>3</sup> of moss grade peat (130 million bales).

#### Kings County

The peat deposits of Kings County are generally found in the southwestern portion of the County, however the most economic deposits are found between Kentville and Kingston. One deposit is currently being mined (see Nova Scotia Production) and others have been partially drained and are used for vegetable production.

#### Eastern Nova Scotia

Approximately 29 450 ha of peatland are found in Antigonish, Guysborough and Halifax Counties. The peatlands in eastern Nova Scotia tend to be distributed along a narrow (10-15 km) band running from Canso to Porters Lake, Halifax County, along the uplands




Figure 1. Major peat occurrences in Nova Scotia.

south of the St. Marys River and Musquodoboit Valley watersheds. The peatlands generally are well developed raised bogs with thick peat moss layers over most of their extent.

#### Guysborough County

Approximately 14 400 ha of peatland are found in Guysborough County. The majority of the deposits are distributed along the coast from Canso to the St. Marys River and inland in groups of

small domed bogs. In general the deposits have well developed layers of moss grade peat.

## Halifax County

The Halifax County deposits near the Moose River Gold Mines are considered to be viable peat moss production sites because of substantial reserves and proximity to a transportation route. These peat deposits are raised, concentrically patterned bogs 240 ha in

size and containing about 6.3 million m<sup>3</sup> of peat.

#### Northern Nova Scotia

Cumberland, Colchester and Pictou Counties are estimated to have nearly 10 000 ha of peatland. A major portion of this, 6000 ha, is found in the Isthmus of Chignecto and the northwestern uplands of Cumberland County. The resources of Colchester and Pictou Counties are found primarily to the north on coastal regions and to the south as part of the same band of peatland complexes that stretch from Canso to Halifax. Moss peat reserves are primarily found in Cumberland County and Pictou County.

#### Cumberland County

Cumberland County peatlands are well defined raised bogs. An exception is the very large wetland complexes in the marshland areas of the Isthmus of Chignecto, however these shallow deposits have controlled water levels (dams) which prohibit their development.

# Pictou County

Approximately 1800 ha of peatland are found in this region. The most notable deposit is the Mount William Bog outside Westville. The bog is small and partially disturbed from earlier peat moss harvesting and drainage attempts. Its surface contains a dense shrub layer and tree cover. The bog has about 0.5 million m³ of peat moss resource of economic quality.

## Cape Breton Island

Cape Breton Island has approximately 25 000 ha of peatland. Estimated peat resources exceed 429 million m<sup>3</sup> of which 16 per cent is fuel grade. The average depth of deposits in the region is 1.7 m.

#### **Peat Moss Resource Potential**

Peat of moss grade can be found throughout the Province. Most deposits appear to contain a substantial layer of moss peat overlying fuel grade peat. For the most part the composition of this peat is pure or nearly pure Sphagnum moss. The grade of the peat is generally quite high. The most common type is H<sub>3</sub> peat, which is a light, fibrous material with very high water retention capabilities.

To date, approximately 30 deposits have been identified as showing good potential for commercial moss peat development. There are many more deposits to be inventoried, and smaller deposits or groups of deposits with suitable reserves. There is a potential for over 8000 ha of harvestable moss grade deposits in Nova Scotia containing approximately 137 million m<sup>3</sup> of peat moss (Table 3). Assuming a 75 per cent recovery, this would be equivalent to 410 million bales of peat moss. Current annual production amounts only to about 0.05 per cent of this total, leaving great potential for the Province.

Table 3. Potential peat moss reserves of Nova Scotia.

Region		Potential Reserves (million) (million)		
	ha	m³	bales	
Southwestern	4550	57	172	
Central	1350	37	110	
Northern	1500	21	63	
Eastern	650	14	41	
Cape Breton Islan	d <u>400</u>	_8	23	
Total	8450	137	409	

Peat produced and consumed in North America is primarily for the retail market. In order to be successful in this price sensitive market, producers must maintain low production costs. A competitive advantage for the Nova Scotia peat deposits is their proximity to transportation services. The deep water ports of Halifax, Yarmouth, Sydney, Shelburne and Liverpool enhance the potential for export markets.

# Mineral Rights

Peat is not classified as a mineral, and therefore belongs to the landowner. Crown owned peatlands are administered by the Nova Scotia Department of Natural Resources, Land Services Branch, Land Resources Division, through a Tender for Proposals for Exploration Licence, and if successful, a Peat Land Production Lease. Any altering of waterways requires the approval of the Nova Scotia Department of the Environment.

# Selected Bibliography

- Anderson, A. R. and Broughm, W., 1988: An evaluation of Nova Scotia peatland resources; Nova Scotia Department of Mines and Energy, Bulletin 6, 109 p.
- Price Waterhouse, 1986: A market study of the horticultural uses of peat; Ontario Ministry of Agriculture and Food, Toronto, Ontario.
- Sutherland, D. R. and Shea, F. S., 1976: Assessment of peat moss occurrences in Guysborough, Antigonish, Pictou, Colchester and Cumberland Counties, Nova Scotia; Nova Scotia Department of Mines, Bulletin 3.
- Weverin, H. A. and Cameron, J. R., 1949: Peat and peat mosses in Nova Scotia; Nova Scotia Department of Mines.



#### Department of Natural Resources

Honourable Don Downe Minister

Halifax, Nova Scotia, 1993

Nova Scotia Department of Natural Resources, Mines and Energy Branches, Information Circular No. 18, Second Edition

OPERATION

COOPERATION AGREEMENT ON MINERAL DEVELOPMENT ENTENTE DE COOPÉRATION : LE DEVELOPPEN

Canada and Nova Scotia, Working for a Stronger Mineral Industry

**Canadä** 



# For additional information contact:

Nova Scotia Department of Natural Resources 1701 Hollis Street P. O. Box 698 Halifax, Nova Scotia B3J 2T9

Telephone: 902-424-4161

Fax: 902-424-7735

