


Week 18 (April 27 to May 3, 2014)







Figure 1: Summary of laboratory detected circulating respiratory pathogens, Nova Scotia, 2013–2014

Week 18 (April 27 to May 3, 2014)



Week 18 (April 27 to May 3, 2014)







Figure 4: Number of specimens tested for influenza and percent positive, Nova Scotia Provincial Public Health Laboratory Network, 2013–2014*



*Data presented in this figure refers to week specimen was tested.

ble 1: Influenza case cou		-					-		-	
	DHA 1	DHA 2	DHA 3	DHA 4	DHA 5	DHA 6	DHA 7	DHA 8	DHA 9	Nova Scotia
Influenza A 2009 pH1N1										
Current Week	0	0	0	0	0	0	0	0	0	0
Cumulative 2013 - 2014	5	5	5	9	6	4	14	9	71	128
Influenza A (not yet sub-typed)										
Current Week	0	0	0	0	0	0	0	0	0	0
Cumulative 2013 - 2014	1	1	2	0	3	0	1	12	14	34
Influenza A Seasonal (H3)										
Current Week	0	0	0	0	0	0	0	0	0	0
Cumulative 2013 - 2014	1	3	3	0	0	0	0	0	2	9
Influenza B										
Current Week	0	0	0	4	0	3	1	2	2	12
Cumulative 2013 - 2014	0	0	1	9	0	3	1	5	11	30

Week 18 (April 27 to May 3, 2014)






Figure 6: Influenza rate per 100,000 population by type and DHA, cumulative, Nova Scotia, 2013–2014




Table 2: ILI reporting from emergency departments and FluWatch sentinel physicians, Nova Scotia, 2013-2014

	ER SURVEILLANCE				NTINEL SURVEILLANCE*	
	%ILI	Reporting	g ERs		%ILI	Reporting Sentinels
DHA 1	0.5	3	of 3		0.0	2 of 6
DHA 2	0.1	3	of 3		-	0 of 0
DHA 3	0.0	3	of 3		0.0	1 of 1
DHA 4	0.9	2	of 2		-	0 of 0
DHA 5	0.1	5	of 5		-	0 of 2
DHA 6	0.0	1	of 1		-	0 of 2
DHA 7	2.0	5	of 6		0.0	1 of 1
DHA 8	1.9	5	of 8		0.0	2 of 4
DHA 9	0.2	5	of 7		0.0	2 of 14
IWK	4.8	1	of 1			
Nova Scotia (excl. IWK) [.]	0.6	3	2 of 38	84.2%		
Nova Scotia (incl. IWK)	0.9	3	3 of 39	84.6%		8 of 30 26.7%

*Fluw atch sentinels

†Excludes the children's ER from IWK

Week 18 (April 27 to May 3, 2014)

able 3: Hospitalizations, ICU Admissions and Deaths for in	fluenza positive patient	ts, Nova Sco	otia, 2013-2014
	Hospitalized*	ICU	Death
Influenza A 2009 pH1N1			
Current Week	0	0	0
Cumulative 2013 - 2014	79	18	7
Influenza A (not yet sub-typed)			
Current Week	0	0	0
Cumulative 2013 - 2014	19	7	2
Influenza A Seasonal (H3)			
Current Week	0	0	0
Cumulative 2013 - 2014	3	3	0
Influenza B			
Current Week	3	0	0
Cumulative 2013 - 2014	14	0	0
Current Week Total	3	0	0
Season Total	115	28	9

* Note: Hospitalized cases exclude ICU admissions




Figure 7: P	Percentage o	of ER visits	with ILI, N	Nova Scotia,	2013–2014
-------------	--------------	--------------	-------------	--------------	-----------

Week 18 (April 27 to May 3, 2014)

RESPIRATORY SYNCYTIAL VIRUS (RSV)

Figure 8: Number of positive RSV specimens by report week, Nova Scotia, 2013–2014





Figure 9: Cumulative number of positive RSV specimens by age group and sex, Nova Scotia, 2013-2014



Age group

Week 18 (April 27 to May 3, 2014)

OTHER RESPIRATORY PATHOGENS

Table 4: Total number of specimens tested and number (%) positive for other respiratory pathogens, by report week and cumulative season, Nova Scotia, 2013–2014

	Surveillance Week				Cumulative		
				 	Season-to-Date	Totals	
Number and percent positive for:	n tested	n positive	% positive	n tested	n positive	% positive	
Adenovirus	10	0	0.0	688	1	0.1	
Bocavirus	10	0	0.0	688	3	0.4	
Chlamydophila pneumoniae	12	0	0.0	429	5	1.2	
Coronavirus	10	0	0.0	688	23	3.3	
Enterovirus	10	0	0.0	688	0	0.0	
Metapneumovirus	10	1	10.0	688	43	6.3	
Mycoplasma pneumoniae	12	1	8.3	429	51	11.9	
Parainfluenza	10	0	0.0	688	44	6.4	
Pertussis	17	0	0.0	241	5	2.1	
Respiratory syncytial virus A	10	0	0.0	688	2	0.3	
Respiratory syncytial virus B	10	0	0.0	688	7	1.0	
Respiratory syncytial virus not typed	56	5	8.9	1180	133	11.3	
Rhinovirus	10	0	0.0	688	68	9.9	

Week 18 (April 27 to May 3, 2014)

APPENDIX: Definitions used in Influenza Surveillance, 2013-2014

1) ILI in the general population:

Acute onset of respiratory illness with fever and cough and with one or more of the following - sore throat, arthralgia, myalgia, or prostration which is likely due to influenza. In children under 5, gastrointestinal symptoms may also be present. In patients under 5 or 65 and older, fever may not be prominent.

2) Outbreaks of influenza / ILI by setting:

Schools and Daycares:

Greater than 10% absenteeism (or absenteeism that is higher (e.g. >5-10%) than expected level as determined by school or public health authority) which is likely due to ILI.

Hospitals and residential institutions:

Two or more cases of ILI within a seven-day period, including at least one laboratory confirmed case. Institutional outbreaks should be reported within 24 hours of identification. Residential institutions include but not limited to long-term care facilities (LTCF) and prisons.

Other Settings:

Two or more cases of ILI within a seven-day period, including at least one laboratory confirmed case; i.e. closed communities.

3) National FluWatch Definitions for Influenza Activity Levels:

Influ	enza activity levels	are defined as:
1 =	No activity:	i.e. no laboratory-confirmed influenza detections in the reporting week, however, sporadically occurring ILI* may be reported
2 =	Sporadic:	sporadically occurring ILI* and lab confirmed influenza detection(s) with no outbreaks detected within the influenza surveillance region [†]
3 =	Localized:	 (1) evidence of increased ILI* and (2) lab confirmed influenza detection(s) together with (3) outbreaks in schools, hospitals, residential institutions and/or other types of facilities occurring in less than 50% of the influenza surveillance region⁺
4 =	Widespread:	 (1) evidence of increased ILI* and (2) lab confirmed influenza detection(s) together with (3) outbreaks in schools, hospitals, residential institutions and/or other types of facilities occurring in greater than or equal to 50% of the influenza surveillance region⁺

* ILI data may be reported through sentinel physicians, emergency room visits or health line telephone calls.
* Sub-regions within the province or territory as defined by the provincial/territorial epidemiologist.

Week 18 (April 27 to May 3, 2014)

- 4) District Health Authorities (DHAs), Nova Scotia:
 - DHA 1 South Shore Health
 - DHA 2 South West Health
 - DHA 3 Annapolis Valley Health
 - DHA 4 Colchester East Hants Health Authority
 - DHA 5 Cumberland Health Authority
 - DHA 6 Pictou County Health Authority
 - DHA 7 Guysborough Antigonish Strait Health Authority
 - DHA 8 Cape Breton District Health Authority
 - DHA 9 Capital Health