

IN SUMMARY...

Activity levels**

• Central (Zone 4) is reporting localized activity. All other Zones are reporting no activity.

Laboratory-confirmed cases***

- There are 2 influenza cases reported for week 51 (one of these was previously counted in week 50). There have been 8 lab confirmed cases of influenza this season (1 influenza A H3 and 7 influenza A not subtyped).
- Positive test results were received for rhinovirus.

Severity

• There has been 1 ICU admission of laboratory confirmed influenza and 1 influenza death**** for the 2015-2016 influenza season.


Syndromic surveillance

- The ILI rate for Nova Scotia this reporting period was 0.7.
- 97% of emergency departments reported ILI data for this period.


*Reporting weeks run from Sunday to Saturday. The 2015-2016 influenza season is defined using PHAC's influenza surveillance weeks. This year runs from August 30, 2015 (Week 35) to August 27, 2016 (Week 34); **Activity level data is obtained from CNPHI, see appendix for definitions.; ***Week 51 does not include laboratory data from the IWK ****Deaths include individuals with a positive influenza test result, influenza may not have been the major contributing cause of death or hospitalization.

LABORATORY-CONFIRMED CASES

Figure 1: Number of respiratory specimens tested positive, and select percent positives, by report week, 2015-2016 season, Nova Scotia.



*Data for this figure is obtained from provincial laboratories. All other data, unless otherwise stated, has been obtained from ANDS. Reporting lags may cause the data in this figure to not reconcile with others.






Table 1: Number of total laboratory-confirmed influenza cases, current week and cumulative 2015-2016 season, by zones in Nova Scotia.

Current Week					Cummulative 2015-2016					
Zone*	Zone* Influenza A					Influenza A				
	Total	A(H1) pdm09	A (H3)	A not subtyped	Influenza B	Total	A(H1) pdm09	A (H3)	A not subtyped	Influenza B
1 - Western	0	0	0	0	0	1	0	1	0	0
2 - Northern	0	0	0	0	0	0	0	0	0	0
3 - Eastern	0	0	0	0	0	1	0	0	1	0
4 - Central	2	0	0	2	0	6	0	0	6	0
Nova Scotia Total	2	0	0	2	0	8	0	1	7	0


*Zones are defined in the appendix.

 Table 2: Number of total laboratory-confirmed influenza cases, current week and cumulative 2015-2016

 season, by age group in Nova Scotia.

	Current Week				Cummulative 2015-2016					
Age	Age Influenza A					Influenza A				
· ·	Total	A(H1) pdm09	A (H3)	A not subtyped	Influenza B	Total	A(H1) pdm09	A (H3)	A not subtyped	Influenza B
0-4	1	0	0	1	0	2	0	0	2	0
5-19	1	0	0	1	0	1	0	0	1	0
20-44	0	0	0	0	0	0	0	0	0	0
45-64	0	0	0	0	0	2	0	0	2	0
65+	0	0	0	0	0	3	0	1	2	0
Nova Scotia Total	2	0	0	2	0	8	0	1	7	0






Severity


 Table 3: Hospitalizations, ICU admissions and deaths for influenza positive patients, current week and cumulative, 2015-2016 season, Nova Scotia.

Dathagan	Curre	ent surveillance	week	Cumulative 2015-2016		
Pathogen	Hospitalized*	ICU	Death**	Hospitalized	ICU	Death
Influenza A (H1) pdm09	0	0	0	0	0	0
Influenza A unsubtyped	2	0	0	4	1	1
Influenza A (H3)	0	0	0	1	0	0
Influenza B	0	0	0	0	0	0
Nova Scotia Total	2	0	0	5	1	1

*Hospitalizations do not include ICU admissions; **Deaths include individuals with a positive influenza test result, influenza may not have been the major contributing cause of death or hospitalization.*

SYNDROMIC SURVEILLANCE





Surveillance week ending

Table 4: Current week ILI reporting from emergency departments by zones, 2015-2016 season, Nova Scotia.

Zone	ILI (%)	Number of reporting ERs	Number of ERs	ERs reporting (%)	
1 - Western	0.2	9	9	100.0	
2 - Northern	0.2	8	8	100.0	
3 - Eastern	1.0	13	14	92.9	
4 - Central	1.1	7	7	100.0	
IWK	4.5	2	2	100.0	
Nova Scotia Total (excl IWK)	0.4	37	38	97.4	
Nova Scotia Total (incl IWK)	0.7	39	40	97.5	

OTHER RESPIRATORY PATHOGENS

Table 5: Total number of specimens tested and number (%) positive for other respiratory pathogens, by report week and cumulative season, Nova Scotia, 2015–2016

Pathogen		Surveillance	Week	Cumulative Season-to-Date Totals			
	n tested	n positive	% positive	n tested	n positive	% positive	
Adenovirus	6	0	0.0	239	11	4.6	
Bocavirus	6	0	0.0	239	2	0.8	
Chlamydophila pneumoniae	N/A	N/A	N/A	336	2	0.6	
Coronavirus	6	0	0.0	239	0	0.0	
Enterovirus	6	0	0.0	239	1	0.4	
Metapneumovirus	6	0	0.0	239	0	0.0	
Mycoplasma pneumoniae	N/A	N/A	N/A	336	88	26.2	
Parainfluenza	6	0	0.0	239	9	3.8	
Pertussis	N/A	N/A	N/A	396	36	9.1	
Respiratory Syncytial Virus	32	0	0.0	564	0	0.0	
Rhinovirus	6	2	33.3	239	43	18.0	

APPENDIX: DEFINITIONS USED IN INFLUENZA SURVEILLANCE, AND USEFUL LINKS, 2015-2016

ACRONYM LIST

CNPHI Canadian Network for Public Health Intelligence

- **DHA** District Health Authority
- **ICU** Intensive care unit
- ILI Influenza-like illness
- LTCF Long-term care facility
- **RSV** Respiratory syncytial virus

ILI CASE DEFINITION

Acute onset of respiratory illness with fever and cough and with one or more of the following – sore throat, arthralgia, myalgia or prostration which is likely due to influenza. In children under 5, gastrointestinal symptoms may also be present. In patients under 5 or 65 and older, fever may not be prominent.

OUTBREAK DEFINITIONS

Schools and daycares	Greater than 10% absenteeism (or absenteeism that is higher (e.g. >5-10%) than
	expected level as determined by the school or public health authority) which is likely
	due to ILI.
Hospitals and	Two or more cases of ILI within a seven-day period, including at least one laboratory
residential institutions	confirmed case. Institutional outbreaks should be reported within 24 hours of
	identification. Residential institutions include, but are not limited to, long-term care
	facilities (LTCF) and prisons.
Other settings	Two or more cases of ILI within a seven-day period, including at least one laboratory
	confirmed case (i.e. closed communities).

NATIONAL FLUWATCH DEFINITIONS FOR INFLUENZA ACTIVITY LEVELS

No activity	No laboratory-confirmed influenza detections in the reporting week, however,						
NO activity							
	sporadically occurring ILI* may be reported						
Sporadic	Sporadically occurring ILI* and lab confirmed influenza detection(s) with no						
	outbreaks detected within the influenza surveillance region						
Localized	(1) Evidence of increased ILI* and						
	(2) lab confirmed influenza detection(s) together with						
	(3) outbreaks occurring in schools, hospitals, residential institutions and/or other						
	types of facilities occurring in less than 50% of the influenza surveillance						
	region						
Widespread	(1) Evidence of increased ILI* and						
	(2) lab confirmed influenza detection(s) together with						
	(3) outbreaks occurring in schools, hospitals, residential institutions and/or other						
	types of facilities occurring in greater than or equal to 50% of the influenza						
	surveillance region						

LINKS TO OTHER WEEKLY INFLUENZA REPORTING BODIES

Canada: http://www.phac-aspc.gc.ca/fluwatch/

World: <u>https://www.who.int/influenza/surveillance_monitoring/updates/latest_update_GIP_surveillance/en/index.html</u> US: www.cdc.gov/flu/weekly