

**RESPIRATORY WATCH** 

Week 8 (February 21 to February 27, 2016)\*


## IN SUMMARY...

Activity levels**
Western (Zone 1) and Central (Zone 4) are reporting localized activity. Eastern (Zone 3) is
reporting sporadic activity.
Laboratory-confirmed cases***
<ul> <li>There were 13 influenza cases reported this week. There have been 55 lab confirmed cases of influenza this season (1 influenza A H3 and 53 influenza A not subtyped) and 1 Influenza B.</li> <li>Positive test results were received for metapneumovirus, mycoplasma pneumoniae and RSV.</li> </ul>
Severity
<ul> <li>There has been 3 ICU admission of laboratory confirmed influenza and 2 influenza deaths**** for the 2015-2016 influenza season.</li> </ul>
Syndromic surveillance
The ILI rate for Nova Scotia this reporting period was 1.7.
<ul> <li>95% of emergency departments reported ILI data for this period.</li> </ul>
*Penarting weeks run from Sunday to Saturday. The 2015-2016 influenza season is defined using PHAC's influenza surveillance weeks. This


\*Reporting weeks run from Sunday to Saturday. The 2015-2016 influenza season is defined using PHAC's influenza surveillance weeks. This year runs from August 30, 2015 (Week 35) to August 27, 2016 (Week 34); \*\*Activity level data is obtained from CNPHI, see appendix for definitions.; \*\*\*Week 51 does not include laboratory data from the IWK \*\*\*\*Deaths include individuals with a positive influenza test result, influenza may not have been the major contributing cause of death or hospitalization.


## LABORATORY-CONFIRMED CASES

Figure 1: Number of respiratory specimens tested positive, and select percent positives, by report week, 2015-2016 season, Nova Scotia.



\*Data for this figure is obtained from provincial laboratories. All other data, unless otherwise stated, has been obtained from ANDS. Reporting lags may cause the data in this figure to not reconcile with others.






# Table 1: Number of total laboratory-confirmed influenza cases, current week and cumulative 2015-2016 season, by zones in Nova Scotia.


	Current Week						Cummulative 2015-2016				
Zone*	Influenza A				Influenza A		Influenza A				
	Total	A(H1) pdm09	A (H3)	A not subtyped	Influenza B	Total	A(H1) pdm09	A (H3)	A not subtyped	Influenza B	
1 - Western	2	0	0	2	0	3	0	1	2	0	
2 - Northern	0	0	0	0	0	8	0	0	8	0	
3 - Eastern	4	0	0	4	0	15	0	0	15	0	
4 - Central	6	0	0	6	1	28	0	0	28	1	
Nova Scotia Total	12	0	0	12	1	54	0	1	53	1	

\*Zones are defined in the appendix.

Table 2: Number of total laboratory-confirmed influenza cases, current week and cumulative 2015-2016 season, by age group in Nova Scotia.

	Current Week					Cummulative 2015-2016				
Age		Influe	nza A				Influe	nza A		
	Total	A(H1) pdm09	A (H3)	A not subtyped	Influenza B	Total	A(H1) pdm09	A (H3)	A not subtyped	Influenza B
0-4	0	0	0	0	0	6	0	0	6	0
5-19	0	0	0	0	0	4	0	0	4	0
20-44	0	0	0	0	1	5	0	0	5	1
45-64	5	0	0	5	0	19	0	0	19	0
65+	7	0	0	7	0	20	0	1	19	0
Nova Scotia Total	12	0	0	12	1	54	0	1	53	1






## **Severity**


 Table 3: Hospitalizations, ICU admissions and deaths for influenza positive patients, current week and cumulative, 2015-2016 season, Nova Scotia.

Detherron	Curr	rent surveillance v	veek	Cumulative 2015-2016		
Pathogen	Hospitalized*	ICU	Death**	Hospitalized	ICU	Death
Influenza A (H1) pdm09	0	0	0	1	0	0
Influenza A unsubtyped	3	1	0	31	3	2
Influenza A (H3)	0	0	0	0	0	0
Influenza B	0	0	0	0	0	0
Nova Scotia Total	3	1	0	32	3	2

\*Hospitalizations do not include ICU admissions; \*\*Deaths include individuals with a positive influenza test result, influenza may not have been the major contributing cause of death or hospitalization.\*

## **SYNDROMIC SURVEILLANCE**





Surveillance week ending

Table 4: Current week ILI reporting from emergency departments by zones, 2015-2016 season, Nova Scotia.
---

Zone	ILI (%)	Number of reporting ERs	Number of ERs	ERs reporting (%)
1 - Western	0.8	9	9	100.0
2 - Northern	0.5	7	8	87.5
3 - Eastern	1.7	13	14	92.9
4 - Central	2.7	7	7	100.0
IWK	10.6	2	2	100.0
Nova Scotia Total (excl IWK)	0.9	36	38	94.7
Nova Scotia Total (incl IWK)	1.7	38	40	95.0

# **OTHER RESPIRATORY PATHOGENS**

Table 5: Total number of specimens tested and number (%) positive for other respiratory pathogens, by report week and cumulative season, Nova Scotia, 2015–2016

Pathogen	Surveillance Week			Cumulative Season-to-Date Totals			
	n tested	n positive	% positive	n tested	n positive	% positive	
Adenovirus	9	0	0.0	307	14	4.6	
Bocavirus	9	0	0.0	312	3	1.0	
Chlamydophila pneumoniae	7	0	0.0	561	2	0.4	
Coronavirus	9	0	0.0	307	2	0.7	
Enterovirus	9	0	0.0	307	2	0.7	
Metapneumovirus	9	3	33.3	307	4	1.3	
Mycoplasma pneumoniae	7	1	14.3	561	126	22.5	
Parainfluenza	9	0	0.0	307	12	3.9	
Pertussis	16	0	0.0	563	53	9.4	
Respiratory Syncytial Virus	71	11	15.5	1064	38	3.6	
Rhinovirus	9	0	0.0	307	47	15.3	

## APPENDIX: DEFINITIONS USED IN INFLUENZA SURVEILLANCE, AND USEFUL LINKS, 2015-2016

## **ACRONYM LIST**

**CNPHI** Canadian Network for Public Health Intelligence

- **DHA** District Health Authority
- **ICU** Intensive care unit
- ILI Influenza-like illness
- LTCF Long-term care facility
- **RSV** Respiratory syncytial virus

## **ILI CASE DEFINITION**

Acute onset of respiratory illness with fever and cough and with one or more of the following – sore throat, arthralgia, myalgia or prostration which is likely due to influenza. In children under 5, gastrointestinal symptoms may also be present. In patients under 5 or 65 and older, fever may not be prominent.

### **OUTBREAK DEFINITIONS**

Sahaala and dayaaraa	Creater than $10\%$ abcontacion (or abcontacion that is higher (or $x > 5, 10\%$ ) than
Schools and daycares	Greater than 10% absenteeism (or absenteeism that is higher (e.g. >5-10%) than
	expected level as determined by the school or public health authority) which is likely
	due to ILI.
Hospitals and	Two or more cases of ILI within a seven-day period, including at least one laboratory
residential institutions	confirmed case. Institutional outbreaks should be reported within 24 hours of
	identification. Residential institutions include, but are not limited to, long-term care
	facilities (LTCF) and prisons.
Other settings	Two or more cases of ILI within a seven-day period, including at least one laboratory
	confirmed case (i.e. closed communities).

## NATIONAL FLUWATCH DEFINITIONS FOR INFLUENZA ACTIVITY LEVELS

No activity	No laboratory-confirmed influenza detections in the reporting week, however, sporadically occurring ILI* may be reported
Sporadic	Sporadically occurring ILI* and lab confirmed influenza detection(s) with <b>no</b> <b>outbreaks</b> detected within the influenza surveillance region
Localized	<ol> <li>Evidence of increased ILI* and</li> <li>lab confirmed influenza detection(s) together with</li> <li>outbreaks occurring in schools, hospitals, residential institutions and/or other types of facilities occurring in less than 50% of the influenza surveillance region</li> </ol>
Widespread	<ol> <li>Evidence of increased ILI* and</li> <li>lab confirmed influenza detection(s) together with</li> <li>outbreaks occurring in schools, hospitals, residential institutions and/or other types of facilities occurring in greater than or equal to 50% of the influenza surveillance region</li> </ol>

## LINKS TO OTHER WEEKLY INFLUENZA REPORTING BODIES

Canada: http://www.phac-aspc.gc.ca/fluwatch/

World: <u>https://www.who.int/influenza/surveillance\_monitoring/updates/latest\_update\_GIP\_surveillance/en/index.html</u> US: www.cdc.gov/flu/weekly