

## In Summary...

<b>Activity levels*</b>
<ul style="list-style-type: none"> <li>Sporadic activity was reported in Northern and Eastern Zone. No Activity was reported for Western and Central Zone during weeks 25-29.</li> </ul>
<b>Laboratory-confirmed cases**</b>
<ul style="list-style-type: none"> <li>There were 2 new cases of Influenza A and 0 new cases of Influenza B reported during this 5-week period.</li> <li>There have been 3,437 laboratory confirmed cases of Influenza A and 14 laboratory confirmed cases of Influenza B reported during the 2022-2023 influenza season.</li> <li>There were also 6 Adenovirus, 1 Bocavirus, 2 Coronavirus***, 30 Enterovirus/Rhinovirus, 12 Parainfluenza, 8 Respiratory Syncytial Virus cases identified during this 5-week reporting period.</li> </ul>
<b>Severity</b>
<ul style="list-style-type: none"> <li>There were no hospitalizations reported for influenza during weeks 25-29.</li> <li>During the 2022-2023 influenza season there have been:             <ul style="list-style-type: none"> <li>529 hospitalizations (non-ICU)</li> <li>36 ICU admissions</li> <li>70 deaths**** of laboratory confirmed influenza</li> </ul> </li> </ul>
<b>Novel Coronavirus (COVID-19)</b>
<ul style="list-style-type: none"> <li>For current epidemiology of COVID-19 please refer to: <a href="https://novascotia.ca/coronavirus/alerts-notices/#epidemiologic-summaries">https://novascotia.ca/coronavirus/alerts-notices/#epidemiologic-summaries</a></li> </ul>
<b>Syndromic surveillance</b>
<ul style="list-style-type: none"> <li>The percentage of visits for influenza like illness (ILI) ranged between 0.3%-0.7% during this 5-week reporting period.</li> </ul>

**Notes:** A reporting week runs from Sunday to Saturday. The 2022-2023 influenza season is defined using PHAC's influenza surveillance weeks. This year runs from the start of week 35 (August 28, 2022) to week 34 (August 26, 2023).

Due to lag in notifications, some influenza cases, and outcomes (hospitalizations, ICU admissions and deaths) are reported to the Department of Health and Wellness outside the reporting period they occurred in; these cases will be included in cumulative counts.

Outcome categories (hospitalized, hospitalized-ICU, Deceased) are mutually exclusive, and the most severe outcome will be reported for an individual. If a case experiences a more severe outcome in a later reporting period, it is possible for case counts to decrease in a less severe outcome (e.g., move from ICU to death)

\*Activity level is obtained from CNPHI, see appendix for definitions.


\*\*There has been a change in testing methods with the implementation of multiplex respiratory virus PCR for 2019-nCoV. This may increase the number of cases detected through the flu season.

\*\*\*Excludes novel coronavirus (2019-nCoV)

\*\*\*\*Deaths include individuals with laboratory confirmed influenza. Influenza may or may not have been the major contributing cause of death or hospitalization.

LABORATORY-CONFIRMED INFLUENZA CASES

Figure 1: Number of laboratory confirmed influenza cases by report week, 2022-2023 season, Nova Scotia



Notes: There has been a change in testing methods with the implementation of multiplex respiratory virus PCR for 2019-nCoV. This may increase the number of cases detected through the 2022-2023 flu season.

Table 1: Number of laboratory-confirmed influenza cases by zone, current week and cumulative 2022-2023 season in Nova Scotia

ZONE	WEEK 25-29			CUMULATIVE 2022-2023		
	TOTAL	INFLUENZA A	INFLUENZA B	TOTAL	INFLUENZA A	INFLUENZA B
Western	0	0	0	896	895	1
Northern	1	1	0	1106	1105	1
Eastern	1	1	0	638	636	2
Central	0	0	0	811	801	10
<b>Nova Scotia Total</b>	<b>2</b>	<b>2</b>	<b>0</b>	<b>3451</b>	<b>3437</b>	<b>14</b>

Notes: Due to lag in notifications, some influenza cases and outcomes (hospitalizations, ICU admissions and deaths) are reported to the Department of Health and Wellness outside the reporting period they occurred in; these cases will be included in cumulative counts. A case of influenza A report date was changed due to an error and reclassified

**Table 2: Number of laboratory-confirmed influenza cases by age (years), current week, and cumulative 2022-2023 season in Nova Scotia**

AGE (YEARS)	WEEK 25-29			CUMULATIVE 2022-2023		
	TOTAL	INFLUENZA A	INFLUENZA B	TOTAL	INFLUENZA A	INFLUENZA B
0-4	0	0	0	395	392	3
5-19	1	1	0	691	688	3
20-44	0	0	0	807	803	4
45-64	1	1	0	569	569	0
65+	0	0	0	989	985	4
<b>Nova Scotia Total</b>	<b>2</b>	<b>2</b>	<b>0</b>	<b>3451</b>	<b>3437</b>	<b>14</b>

*Notes: Due to lag in notifications, some influenza cases and outcomes (hospitalizations, ICU admissions and deaths) are reported to the Department of Health and Wellness outside the reporting period they occurred in, these cases will be included in cumulative counts.*

**Table 3: Hospitalizations, ICU admissions and deaths for influenza positive patients, current week and cumulative, 2022-2023 season, Nova Scotia**

AGE (YEARS)	WEEK 25-29			CUMULATIVE 2022-2023		
	Hospitalized	Hospitalized - ICU	Deceased*	Hospitalized	Hospitalized - ICU	Deceased*
0-4	0	0	0	57	4	0
5-19	0	0	0	42	2	0
20-44	0	0	0	44	1	4
45-64	0	0	0	83	8	10
65+	0	0	0	303	21	56
<b>Nova Scotia Total</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>529</b>	<b>36</b>	<b>70</b>


*Notes: Due to lag in notifications, some influenza cases, and outcomes (hospitalizations, ICU admissions and deaths) are reported to the Department of Health and Wellness outside the reporting period they occurred in; these cases will be included in cumulative counts.*

*Outcome categories (hospitalized, hospitalized-ICU, Deceased) are mutually exclusive, and the most severe outcome will be reported for an individual. If a case experiences a more severe outcome in a later reporting period, it is possible for case counts to decrease in a less severe outcome (e.g., move from ICU to death)*

*\* Deaths include individuals with laboratory confirmed influenza. Influenza may or may not have been the major contributing cause of death or hospitalization.*


**SYNDROMIC SURVEILLANCE**

**Figure 2: Percentage of emergency department visits due to ILI by report week, 2022-2023 season, with trend-line comparison to 2021-2022 season, Nova Scotia**




**OTHER RESPIRATORY PATHOGENS**

**Figure 3: Number of positive specimens tested for RSV by report week, 2022-2023 season, Nova Scotia**



*Notes: RSV is not a notifiable disease in Nova Scotia.*

**Figure 4: Number of positive specimens tested for other respiratory pathogens by report week, 2022-2023 season, Nova Scotia**



*Notes: Other respiratory pathogen includes Adenovirus, Bocavirus, Chlamydomphila pneumonia, Coronavirus, Enterovirus, Metapneumovirus, Mycoplasma pneumoniae, Parainfluenza, Pertussis, Rhinovirus. Data for this figure are obtained from provincial laboratories.*

**Table 4: Number of positive RSV specimens by age group, current report week and cumulative 2022-2023 season, Nova Scotia**

AGE GROUP	WEEK 25-29	Cumulative 2022-2023
0-5 months	0	295
6-11 months	3	106
12-23 months	0	222
2-5 years	2	335
6-15 years	1	114
16-64 years	1	506
65+ years	1	851
<b>Totals (n)</b>	<b>8</b>	<b>2429</b>

Week 25-29 (June 18, 2023 to July 22, 2023)

**Table 5: Number of positive specimens tested for other respiratory pathogens, current report week and cumulative 2022-2023 season, Nova Scotia**

Pathogen	WEEK 25-29	CUMULATIVE 2022-2023
Adenovirus	6	62
Bocavirus	1	1
Chlamydomphila pneumoniae	0	2
Coronavirus*	2	63
Enterovirus/Rhinovirus	30	293
Metapneumovirus	0	45
Mycoplasma pneumoniae	0	0
Parainfluenza	12	73
Pertussis	0	16

\*Notes: EXCLUDES novel coronavirus (2019-nCoV)

All cases of pertussis were not community acquired but the result of direct exposure in a research study

**APPENDIX: DEFINITIONS USED IN INFLUENZA SURVEILLANCE AND USEFUL LINKS, 2022-2023**

**ACRONYM LIST**

**CNPHI** Canadian Network for Public Health Intelligence

**ICU** Intensive care unit

**ILI** Influenza-like illness

**RSV** Respiratory syncytial virus

**ILI CASE DEFINITION**

Acute onset of respiratory illness with fever and cough and with one or more of the following – sore throat, arthralgia, myalgia or prostration which is likely due to influenza. In children under 5, gastrointestinal symptoms may also be present. In patients under 5 or 65 and older, fever may not be prominent.

**NATIONAL FLUWATCH DEFINITIONS FOR INFLUENZA ACTIVITY LEVELS**

<b>No activity</b>	No laboratory-confirmed influenza detections in the reporting week, however, sporadically occurring ILI* may be reported
<b>Sporadic</b>	Sporadically occurring ILI* and lab confirmed influenza detection(s) with <b>no outbreaks</b> detected within the influenza surveillance region
<b>Localized</b>	(1) Evidence of increased ILI* and (2) lab confirmed influenza detection(s) together with (3) outbreaks occurring in schools, hospitals, residential institutions and/or other types of facilities occurring in less than 50% of the influenza surveillance region
<b>Widespread</b>	(1) Evidence of increased ILI* and (2) lab confirmed influenza detection(s) together with (3) outbreaks occurring in schools, hospitals, residential institutions and/or other types of facilities occurring in greater than or equal to 50% of the influenza surveillance region

**LINKS TO OTHER WEEKLY INFLUENZA REPORTING BODIES**

Canada: <http://www.phac-aspc.gc.ca/fluwatch/>  
 World: <https://www.who.int/teams/global-influenza-programme/surveillance-and-monitoring/influenza-updates/current-influenza-update>  
 US: [www.cdc.gov/flu/weekly](http://www.cdc.gov/flu/weekly)