

RESPIRATORY WATCH

Week 45 (November 3, 2024 to November 9, 2024)

Highlights of this reporting period¹

The 2024-2025 season runs from August 25, 2024 to August 29, 2025

Activity levels²

- Influenza activity continued to be low during this reporting period with 1 PCR positive case compared with 2 cases in the previous reporting period.
 - During the same reporting period in 2023/24, 11 PCR positive cases were reported
- COVID-19 activity is similar this week compared to last week, with 126 positive cases reported this week.
 - The number of PCR positive cases in this reporting period is 61% lower than the same reporting period in the 2023/24 season (N=318).
- RSV activity continues to be low with only 5 PCR positive cases during this reporting period.
 - The number of PCR positive cases in this reporting period is lower than the number of cases in same reporting period in the 2023/24 season (N=33).

Influenza, COVID-19, and respiratory syncytial virus (RSV) activity during this reporting period and the 2024/25 season

2024/25 3043011									
	Influenza			COVID-19		RSV			
	This reporting period	2024/25 season		This reporting period		2024/25 season	This reporting period		2024/25 season
Laboratory testing									
New laboratory-confirmed cases	1	12		126		2203	5		25
Percent positivity (%) ³	0.2	-	ļ	10.9		-	0.4		-
Severe outcome ⁴ Hospitalizations (non-ICU) ICU admissions Deaths	0 0 0	4 0 0		0 0 0		291 32 32			
Outbreaks			ļ						
Acute-care facility	0	0	ļ	3		17	0		0
Long-term care facility	0	0		1		72	0		0

During this reporting period, the percentage of emergency room visits for influenz like illness (ILI) was 1.2% which is similar to the previous reporting period	ıza
--	-----

¹ See data notes in Appendix.


² Use of multiplex polymerase chain reaction (PCR) respiratory virus testing may affect the number of tests conducted and number of cases identified and reported.

³ Percent positivity is useful for understanding current pathogen spread in the community.

⁴ New hospitalizations, ICU admissions, and deaths in recent surveillance weeks may be undercounted because of reporting delays. Outcomes are not reported for RSV because it is not a notifiable condition in Nova Scotia.

Influenza

Figure 1: Laboratory-confirmed influenza cases (N=12) and percent positivity by surveillance week, 2024/25 season, compared with previous seasons, Nova Scotia⁵



⁵ Minimum is zero during reporting weeks with no positive specimen in seasons 2019/20 to 2023/24. There were no influenza cases reported during the 2020-2021 season.

Table 1: Number of laboratory-confirmed influenza cases during current reporting period and cumulative 2024/25 season, by zone, Nova Scotia⁶

7	Current reporting period			Cumulative (2024/25)		
Zone	Influenza A	Influenza B	Total	Influenza A	Influenza B	Total
Western	0	0	0	1	0	1
Northern	1	0	1	5	1	6
Eastern	0	0	0	2	0	2
Central	0	0	0	3	0	3
Nova Scotia Total	1	0	1	11	1	12

Table 2: Number of laboratory-confirmed influenza cases during current reporting period and cumulative 2024/25 season, by age groups, Nova Scotia⁶

Ago group (voors)	Current reporting period			Cumulative (2024/25)		
Age group (years)	Influenza A	Influenza B	Total	Influenza A	Influenza B	Total
0-4	0	0	0	2	0	2
5-19	0	0	0	0	1	1
20-44	0	0	0	1	0	1
45-64	1	0	1	5	0	5
≥ 65	0	0	0	3	0	3
Nova Scotia Total	1	0	1	11	1	12


Table 3: Cumulative number of hospitalizations, ICU admissions, and deaths among lab-confirmed influenza positive patients, 2024/25 season, Nova Scotia⁷

Ago group (upars)	Cumulative (2024/25)				
Age group (years)	Hospitalizations	ICU	Deaths		
0-4	2	0	0		
5-19	0	0	0		
20-44	0	0	0		
45-64	2	0	0		
≥ 65	0	0	0		
Nova Scotia Total	4	0	0		

⁶ Local public health continuously enters and updates influenza case data. Counts may differ from previous surveillance weeks.


⁷ Individuals may be included in multiple columns if they have more than one severe outcome (i.e., categories are not mutually exclusive). Recent hospitalizations, ICU admissions, and deaths may be undercounted due to delays in reporting.

Figure 2: Number of influenza hospitalizations and ICU admissions by surveillance week, 2024/25 season, Nova Scotia⁸



⁸ Cases who are hospitalized and admitted to the ICU in the same surveillance week will be included in both the hospitalization and ICU counts for that surveillance week. Recent hospitalizations and ICU admissions may be undercounted due to delays in reporting.

Figure 3: Cumulative number of hospitalizations and ICU admissions for influenza by surveillance week, 2024/25 season compared with previous seasons, Nova Scotia⁹



⁹ Figure 3 presents the cumulative number of cases who were admitted to hospital and/or ICU during the season. Cases are counted once. There were no reported cases of influenza during the 2020-2021 season.

COVID-19

Figure 4: Number of laboratory-confirmed COVID-19 cases (N=2203) and percent positivity, 2024/25 season, compared with previous seasons, Nova Scotia




Table 4: Number of laboratory-confirmed COVID-19 cases during current reporting period and cumulative 2024/25 season, by zone, Nova Scotia¹⁰


Zone	Current reporting period	Cumulative (2024/25)
Western	20	429
Northern	36	503
Eastern	19	401
Central	51	870
Nova Scotia Total	126	2203

¹⁰ Local public health continuously enters and updates COVID-19 case data. Counts may differ from previous surveillance weeks.

Table 5. Number of laboratory-confirmed COVID-19 cases during current reporting period and cumulative 2024/25 season, by age group, Nova Scotia¹¹

Age group (years)	Current reporting period	Cumulative (2024/25)
0-4	4	42
5-19	2	56
20-44	19	243
45-64	18	374
≥ 65	83	1488
Nova Scotia Total	126	2203

Figure 5: Number of COVID-19 hospitalizations and ICU admissions by week, 2024/25 season, Nova Scotia¹²




¹¹ Local public health continuously enters and updates COVID-19 case data. Counts may differ from previous surveillance weeks.

¹² Cases who are hospitalized and admitted to the ICU in the same surveillance week will be included in both the hospitalization and ICU counts for that surveillance week. Recent hospitalizations and ICU admissions may be undercounted due to delays in reporting.

Table 6: Cumulative number of hospitalizations, ICU admissions, and deaths among COVID-19 positive patients, 2024/25 season, Nova Scotia¹³

Age group (vegre)	Cumulative (2024/25)				
Age group (years)	Hospitalizations	ICU admissions	Deaths		
0-4	4	0	0		
5-19	1	0	0		
20-44	6	0	0		
45-64	26	10	4		
≥ 65	254	22	28		
Nova Scotia Total	291	32	32		

Figure 6: Cumulative number of COVID-19 hospitalizations and ICU admissions, by surveillance week, 2024/25 season compared with previous seasons, Nova Scotia¹⁴



¹³ Cases can have more than one severe outcome (e.g., be hospitalized and then admitted to the ICU); therefore, cases may be counted multiple times if they have more than one severe outcome (i.e., categories are not mutually exclusive). Recent hospitalizations, ICU admissions, and deaths may be undercounted due to delays in reporting


¹⁴ Figure 6 presents the cumulative number of cases who were admitted to hospital and/or ICU during the season. Cases are counted once.

RSV Respiratory Syncytial Virus (RSV) 15

Table 7: Number of laboratory-confirmed RSV cases by age group, current reporting period and cumulative 2024/25 season, Nova Scotia

Age group	Current reporting period	Cumulative (2024/25)
0-5 months	1	3
6-11 months	0	1
12-23 months	3	5
2-4 years	1	6
5-19 years	0	0
20-64 years	0	3
≥ 65 years	0	7
Nova Scotia Total	5	25

Figure 7: Laboratory-confirmed RSV cases (N=25) by week, 2024/25 season, compared with previous seasons, Nova Scotia¹⁶




¹⁵ RSV is not a notifiable condition in Nova Scotia

¹⁶ There were no reported RSV cases during the 2020-2021 season. The implementation of the multiplex respiratory virus PCR testing in 2022/23 may increase the number of cases detected.


Respiratory Outbreaks

Figure 8. Number of new acute care facility respiratory outbreaks by surveillance week and respiratory virus (influenza, COVID-19 and RSV), 2024/25 season, Nova Scotia¹⁷



¹⁷ Acute care facility outbreak definitions are described in the Appendix. Local public health continuously enters and updates outbreak data. Counts may differ from previous surveillance weeks.


Figure 9. Number of new long-term care facility (LTCF) respiratory outbreaks by surveillance week and respiratory virus (influenza, COVID-19 and RSV), 2024/25 season, Nova Scotia¹⁸



¹⁸ LTCF outbreak definitions are described in the Appendix. Local public health continuously enters and updates outbreak data. Counts may differ from previous surveillance weeks. Counts previously reported for surveillance week 41 were incorrect because of a data entry error and have been corrected.

Syndromic Surveillance

Figure 10: Percentage of emergency department visits due to influenza-like illness (ILI) by surveillance week, 2024/25 season, compared with previous seasons, Nova Scotia



Other Respiratory Illness

Table 8: Number of positive specimens for other respiratory viruses, current reporting period and cumulative 2024/25 season, Nova Scotia

PATHOGEN	Current reporting period	Cumulative (2024/25)
Adenovirus	3	11
Bocavirus	1	1
Coronavirus*	0	3
Enterovirus/Rhinovirus	15	137
Metapneumovirus	0	0
Parainfluenza	0	2

^{*}Excludes COVID-19

Appendix – data notes and definitions

Data Notes

- A surveillance week runs from Sunday to Saturday. Nova Scotia's 2024/25 season aligns with the <u>Public</u> Health Agency of Canada (PHAC) FluWatch surveillance weeks.
 - o This year runs from August 25, 2024 (Week 35) to August 29, 2025 (Week 34).
- Notifications of hospitalizations, ICU admissions, and deaths may lag, and deaths are particularly
 affected. Additionally, data are incomplete for the most recent reporting period because local public
 health report COVID-19 and influenza outcomes on Wednesdays. Figures presenting outcomes by week
 do not include data for the most recent surveillance week.
- Definitions for hospitalizations and deaths related to each of COVID-19 and influenza were changed in August 2024. These case definitions are found in the <u>Surveillance guidelines</u>.
- RSV is not a notifiable disease in Nova Scotia.
- Testing eligibility guidelines and the use of multiplex PCR testing affect the number of cases identified and reported.
 - A multiplex PCR tests for multiple respiratory pathogens simultaneously. Routine multiplex PCR tests include, but is not limited to, influenza, RSV, and COVID-19. See <u>Nova Scotia's Respiratory Surveillance Plan</u> for a full list of what is tested.
 - In the 2022-2023 season, access to multiplex PCR testing in Nova Scotia increased testing accessibility which likely increased detection in community influenza and RSV.
 - Testing is limited to <u>specific populations</u> and the counts reported in this report under-represent the actual number of cases in the community.

Definitions used in respiratory surveillance, and useful links, 2024/25

See: <u>Nova Scotia's Respiratory Response Plan</u> and <u>Nova Scotia's Respiratory Surveillance Plan for Public</u> Health

Acronyms

ICU Intensive care unit
 ILI Influenza-like illness
 RSV Respiratory syncytial virus
 PCR Polymerase chain reaction
 LTCF Long term care facilities

Outbreak Definitions

Pathogen	Acute care facility	Long-term care facility (LCTF)
	≥ 2 symptomatic residents where at	≥ 2 resident cases of ILI (influenza-like
Influenza	least one is a laboratory confirmed case of influenza, epidemiologically linked within the patient care unit in a 7-day period	illness), where at least one is a laboratory confirmed case of influenza, within the LTCF in a 7-day period
COVID-19	≥ 2 symptomatic residents where at least one is a laboratory confirmed case of COVID-19, epidemiologically linked within the patient care unit in a 10-day period	≥ 2 laboratory-confirmed resident cases AND at least one is a facility acquired case, with all cases epidemiologically linked within the LTCF in a 10-day period

Week 45 (November 3, 2024 to November 9, 2024)

Respiratory Syncytial Virus (RSV)	≥ 2 symptomatic residents where at	≥ 2 symptomatic residents where at least
	least one is a laboratory confirmed	one is a laboratory confirmed case of
	case of RSV, epidemiologically linked	RSV, epidemiologically linked within the
vii us (NSV)	within the patient care unit in a 7-day period	LTCF in a 7-day period
	period	

ILI Case Definition

Acute onset of respiratory illness with fever and cough and with one or more of the following – sore throat, arthralgia, myalgia or prostration which is likely due to influenza. In children under 5, gastrointestinal symptoms may also be present. In patients < 5 or ≥ 65 years, fever may not be prominent.

Other case definitions

See: <u>Surveillance Guidelines | novascotia.ca</u>

Links to other weekly influenza reports

Canada: <u>Weekly influenza reports - Canada.ca</u> World: <u>Global Influenza Programme (who.int)</u>

US: FluView | FluView | CDC