

RESPIRATORY WATCH

Weeks 32-33 (August 3, 2025 to August 16, 2025)

Highlights of this two week reporting period¹

The 2024-2025 season runs from August 25, 2024 to August 29, 2025

Activity levels²

- Influenza activity in this reporting period (weeks 32 and 33)(N=7) was higher than the previous reporting period (weeks 30 and 31)(N=2).
 - The total number of PCR positive cases in this reporting period (N=7) was lower than the number in the same reporting period in the 2023/24 season (N=12).
- COVID-19 activity in this reporting period (weeks 32 and 33)(N=65) was higher than the previous reporting period (weeks 30 and 31)(N=28).
 - The total number of PCR positive cases in this reporting period (N=65) was lower than the number in the same reporting period in the 2023/24 season (N=295).
- RSV activity in this reporting period (weeks 32 and 33)(N=0) was similar to the previous reporting period (weeks 30 and 31)(N=1).
 - The total number of PCR-positive cases in this reporting period (N=0) was similar to the number in the same reporting period in the 2023/24 season (N=3).

Influenza, COVID-19, and respiratory syncytial virus (RSV) activity during this two week reporting period and the 2024/25 season

	Influ	enza	cov	ID	-19	R	SV³	1
	This reporting period	2024/25 season	This reporting period		2024/25 season	This reporting period		2024/25 season
Laboratory testing								
New laboratory-confirmed cases	7	6180	65		4549	0		2357
Percent positivity (%) ⁴	0.7	-	6.5		-	0.0		-
Severe outcome ⁵								
Hospitalizations (non-ICU)	0	1182	0		727			
ICU admissions	0	121	0		74			
Deaths	0	135	0		123			
Outbreaks ⁶								
Acute-care facility	0	30	0		48	0		5
Long-term care facility	1	91	6		151	0		30

LI activity ⁷	During this reporting period, the percentages of emergency room visits for influenza like illness (ILI) were 0.1% in week 32 and 0.3% in week 33, which were similar to weeks 30 (0.2%) and 31 (0.3%).
--------------------------	--

¹ See data notes in Appendix.

² Use of multiplex polymerase chain reaction (PCR) respiratory virus testing may affect the number of tests conducted and number of cases identified and reported.

³ RSV cases with prolonged illness may be counted more than once if they have multiple laboratory tests.

⁴ Percent positivity is useful for understanding current pathogen spread in the community.


⁵ New hospitalizations, ICU admissions, and deaths in recent surveillance weeks may be undercounted because of reporting delays. Outcomes are not reported for RSV because it is not a notifiable condition in Nova Scotia.

⁶ Local public health continuously enters and updates outbreak data. Counts may differ from previous surveillance weeks.

⁷ ILI percentages may vary from previous surveillance weeks as emergency departments continuously enter and update data.

Influenza

Figure 1: Laboratory-confirmed influenza cases (N=6180) and percent positivity by surveillance week, 2024/25 season, compared with previous seasons, Nova Scotia⁸



⁸ Minimum is zero during reporting weeks with no positive specimen in seasons 2019/20 to 2023/24. There were no influenza cases reported during the 2020-2021 season. Local public health continuously enters and updates influenza case data and counts may differ from previous surveillance weeks.

Table 1: Number of laboratory-confirmed influenza cases during current reporting period and cumulative 2024/25 season, by zone, Nova Scotia⁹

Zono	Currer		eporting period		Cumulative (2024/25)		
Zone	Influenza A	Influenza B	Total	Influenza A	Influenza B	Total	
Western	1	0	1	1393	110	1503	
Northern	2	1	3	1433	242	1675	
Eastern	1	0	1	1328	31	1359	
Central	1	1	2	1527	116	1643	
Nova Scotia Total	5	2	7	5681	499	6180	

Table 2: Number of laboratory-confirmed influenza cases during current reporting period and cumulative 2024/25 season, by age groups, Nova Scotia⁸

Ago group (voors)	Current reporting period			Cumulative (2024/25)			
Age group (years)	Influenza A	Influenza B	Total	Influenza A	Influenza B	Total	
0-4	0	0	0	475	42	517	
5-19	0	0	0	647	200	847	
20-44	2	0	2	990	176	1166	
45-64	1	1	2	1316	53	1369	
≥ 65	2	1	3	2253	28	2281	
Nova Scotia Total	5	2	7	5681	499	6180	


Table 3: Cumulative number of hospitalizations, ICU admissions, and deaths among lab-confirmed influenza positive patients, 2024/25 season, Nova Scotia¹⁰

Ago group (voors)	Cumulative (2024/25)					
Age group (years)	Hospitalizations	ICU	Deaths			
0-4	48	2	0			
5-19	83	3	1			
20-44	80	11	3			
45-64	234	49	27			
≥ 65	737	56	104			
Nova Scotia Total	1182	121	135			

⁹ Local public health continuously enters and updates influenza case data and counts may differ from previous surveillance weeks.


¹⁰ Individuals may be included in multiple columns if they have more than one severe outcome (i.e., categories are not mutually exclusive). Recent hospitalizations, ICU admissions, and deaths may be undercounted due to delays in reporting.

Figure 2: Number of influenza hospitalizations and ICU admissions by surveillance week, 2024/25 season, Nova Scotia¹¹



¹¹ Cases who are hospitalized and admitted to the ICU in the same surveillance week will be included in both the hospitalization and ICU counts for that surveillance week. Recent hospitalizations and ICU admissions may be undercounted due to delays in reporting.

Figure 3: Cumulative number of hospitalizations and ICU admissions for influenza by surveillance week, 2024/25 season compared with previous seasons, Nova Scotia¹²



¹² Figure 3 presents the cumulative number of cases who were admitted to hospital and/or ICU during the season. Cases are counted once. There were no reported cases of influenza during the 2020-2021 season.

COVID-19

Figure 4: Number of laboratory-confirmed COVID-19 cases (N=4549) and percent positivity, 2024/25 season, compared with previous seasons, Nova Scotia¹³




Table 4: Number of laboratory-confirmed COVID-19 cases during current reporting period and cumulative 2024/25 season, by zone, Nova Scotia¹³


Zone	Current reporting period	Cumulative (2024/25)
Western	16	988
Northern	15	1036
Eastern	18	816
Central	16	1709
Nova Scotia Total	65	4549

¹³ Local public health continuously enters and updates COVID-19 case data. Counts may differ from previous surveillance weeks.

Table 5. Number of laboratory-confirmed COVID-19 cases during current reporting period and cumulative 2024/25 season, by age group, Nova Scotia¹⁴

Age group (years)	Current reporting period	Cumulative (2024/25)
0-4	1	124
5-19	1	121
20-44	2	513
45-64	9	738
≥ 65	52	3053
Nova Scotia Total	65	4549

Figure 5: Number of COVID-19 hospitalizations and ICU admissions by week, 2024/25 season, Nova Scotia¹⁵




¹⁴ Local public health continuously enters and updates COVID-19 case data. Counts may differ from previous surveillance weeks.

¹⁵ Cases who are hospitalized and admitted to the ICU in the same surveillance week will be included in both the hospitalization and ICU counts for that surveillance week. Recent hospitalizations and ICU admissions may be undercounted due to delays in reporting.

Table 6: Cumulative number of hospitalizations, ICU admissions, and deaths among COVID-19 positive patients, 2024/25 season, Nova Scotia¹⁶

Ass success (viscous)	Cumulative (2024/25)					
Age group (years)	Hospitalizations	ICU admissions	Deaths			
0-4	16	2	0			
5-19	8	2	0			
20-44	18	3	3			
45-64	74	14	7			
≥ 65	611	53	113			
Nova Scotia Total	727	74	123			

Figure 6: Cumulative number of COVID-19 hospitalizations and ICU admissions, by surveillance week, 2024/25 season compared with previous seasons, Nova Scotia¹⁷



¹⁶ Cases can have more than one severe outcome (e.g., be hospitalized and then admitted to the ICU); therefore, cases may be counted multiple times if they have more than one severe outcome (i.e., categories are not mutually exclusive). Recent hospitalizations, ICU admissions, and deaths may be undercounted due to delays in reporting


¹⁷ Figure 6 presents the cumulative number of cases who were admitted to hospital and/or ICU during the season. Cases are counted once.

Respiratory Syncytial Virus (RSV) 18,19

Table 7: Number of laboratory-confirmed RSV cases by age group, current reporting period and cumulative 2024/25 season, Nova Scotia²⁰

Age group	Current reporting period	Cumulative (2024/25)
0-5 months	0	243
6-11 months	0	151
12-23 months	0	248
2-4 years	0	371
5-19 years	0	166
20-64 years	0	421
≥ 65 years	0	747
Nova Scotia Total	0	2347

Figure 7: Laboratory-confirmed RSV cases (N=2357) by week, 2024/25 season, compared with previous seasons, Nova Scotia²¹



¹⁸ RSV cases with prolonged illness may be counted more than once if they have multiple laboratory tests.


¹⁹ RSV is not a notifiable condition in Nova Scotia. Counts may differ from previous surveillance weeks because of reporting delays.

²⁰ The total number of cases is less than the total count in Figure 7 because age is not reported for all cases.

²¹ There were no reported RSV cases during the 2020-2021 season. The implementation of the multiplex respiratory virus PCR testing in 2022/23 may increase the number of cases detected.


Respiratory Outbreaks

Figure 8. Number of new acute care facility respiratory outbreaks by surveillance week and respiratory virus (influenza, COVID-19 and RSV), 2024/25 season, Nova Scotia²²



²² Acute care facility outbreak definitions are described in the Appendix. Local public health continuously enters and updates outbreak data. Counts may differ from previous surveillance weeks.


Figure 9. Number of new long-term care facility (LTCF) respiratory outbreaks by surveillance week and respiratory virus (influenza, COVID-19 and RSV), 2024/25 season, Nova Scotia²³



²³ LTCF outbreak definitions are described in the Appendix. Local public health continuously enters and updates outbreak data. Counts may differ from previous surveillance weeks.

Syndromic Surveillance

Figure 10: Percentage of emergency department visits due to influenza-like illness (ILI) by surveillance week, 2024/25 season, compared with previous seasons, Nova Scotia²⁴



Other Respiratory Illness

Table 8: Number of positive specimens for other respiratory viruses, current reporting period and cumulative 2024/25 season, Nova Scotia

PATHOGEN	Current reporting period	Cumulative (2024/25)
Adenovirus	1	44
Bocavirus	1	5
Coronavirus*	0	68
Enterovirus/Rhinovirus	7	422
Metapneumovirus	0	45
Parainfluenza	1	79

^{*}Excludes COVID-19

²⁴ ILI percentages may vary from previous surveillance weeks as emergency departments continuously enter and update data.

Appendix – data notes and definitions

Data Notes

- A surveillance week runs from Sunday to Saturday. Nova Scotia's 2024/25 season aligns with the <u>Public</u> Health Agency of Canada (PHAC) FluWatch surveillance weeks.
 - o This year runs from August 25, 2024 (Week 35) to August 29, 2025 (Week 34).
- Notifications of hospitalizations, ICU admissions, and deaths may lag by several weeks, and deaths are
 particularly affected. Additionally, data are incomplete for the most recent reporting period because of
 lags in local public health reporting of COVID-19 and influenza outcomes. Figures presenting outcomes by
 week may not include data for the most recent surveillance week.
- Definitions for hospitalizations and deaths related to each of COVID-19 and influenza were changed in August 2024. These case definitions are found in the <u>Surveillance guidelines</u>.
- RSV is not a notifiable disease in Nova Scotia.
- Testing eligibility guidelines and the use of multiplex PCR testing affect the number of cases identified and reported.
 - A multiplex PCR tests for multiple respiratory pathogens simultaneously. Routine multiplex PCR tests include, but is not limited to, influenza, RSV, and COVID-19. See <u>Nova Scotia's Respiratory Surveillance Plan</u> for a full list of what is tested.
 - In the 2022-2023 season, access to multiplex PCR testing in Nova Scotia increased testing accessibility which likely increased detection in community influenza and RSV.
 - Testing is limited to <u>specific populations</u> and the counts reported in this report under-represent the actual number of cases in the community.

Definitions used in respiratory surveillance, and useful links, 2024/25

See: <u>Nova Scotia's Respiratory Response Plan</u> and <u>Nova Scotia's Respiratory Surveillance Plan for Public</u> Health

Acronyms

ICU Intensive care unit
 ILI Influenza-like illness
 RSV Respiratory syncytial virus
 PCR Polymerase chain reaction
 LTCF Long term care facilities

Outbreak Definitions

Pathogen	Acute care facility	Long-term care facility (LCTF)
	≥ 2 symptomatic residents where at	≥ 2 resident cases of ILI (influenza-like
Influenza	least one is a laboratory confirmed case of influenza, epidemiologically linked within the patient care unit in a 7-day period	illness), where at least one is a laboratory confirmed case of influenza, within the LTCF in a 7-day period
COVID-19	≥ 2 symptomatic residents where at least one is a laboratory confirmed case of COVID-19, epidemiologically linked within the patient care unit in a 10-day period	≥ 2 laboratory-confirmed resident cases AND at least one is a facility acquired case, with all cases epidemiologically linked within the LTCF in a 10-day period

Weeks 32-33 (August 3, 2025 to August 16, 2025)

Respiratory Syncytial Virus (RSV)	≥ 2 symptomatic residents where at least one is a laboratory confirmed case of RSV, epidemiologically linked within the patient care unit in a 7-day period	≥ 2 symptomatic residents where at least one is a laboratory confirmed case of RSV, epidemiologically linked within the LTCF in a 7-day period
--------------------------------------	--	--

ILI Case Definition

Acute onset of respiratory illness with fever and cough and with one or more of the following – sore throat, arthralgia, myalgia or prostration which is likely due to influenza. In children < 5 years, gastrointestinal symptoms may also be present. In patients < 5 or ≥ 65 years, fever may not be prominent.

Other case definitions

See: <u>Surveillance Guidelines | novascotia.ca</u>

Links to other weekly influenza reports

Canada: <u>Weekly influenza reports - Canada.ca</u> World: <u>Global Influenza Programme (who.int)</u>

US: FluView | FluView | CDC