



Office Use Only
Received via email October 15, 2025

Aquaculture Renewal Application

Licence/Lease No: 0983

Licence/lease holder:

Applicant: Kelly Cove Salmon Ltd Contact Person: Jennifer Hewitt

Nova Scotia Registry of Joint Stocks Number: _____

Revenue Canada Business Number: _____

Telephone No. (Work): 9025218604 (Home): _____ (Cell): _____

Fax No.: _____ E-mail: Jennifer.Hewitt@cookeaqua.com

Mailing Address: 432 Unit B York Street

Bridgewater, NS Postal Code: B4V 0B4

Civic Address: _____

_____ Postal Code: _____

Application Materials

A complete application includes the following:

- Renewal fee (payable to Minister of Finance) according to Section 77 of the Aquaculture Licence and Lease Regulations for Nova Scotia made under Section 64, Chapter 25 of the Acts of 1996, *the Fisheries and Coastal Resources Act*
- Application Form
- Development Plan according to application
- Copy of up-to-date Shareholder's Register which sets out the shareholdings of the company (if applicable)

Public Notice and Disclosure

As part of the process for deciding on an aquaculture application, the Nova Scotia Department of Fisheries and Aquaculture ("Fisheries and Aquaculture") will disclose application information to other government bodies, including, if applicable, the Nova Scotia Aquaculture Review Board for use at an adjudicative hearing relating to the application.

Submit completed applications to:

Nova Scotia Department of Fisheries and Aquaculture, Aquaculture Division
1575 Lake Road, Shelburne, NS B0T 1W0
E-mail: aquaculture@novascotia.ca



Office Use Only

In accordance with departmental policy, which seeks to promote public involvement in the process for deciding on aquaculture applications, Fisheries and Aquaculture may disclose application information – not including, however, personal or business confidential information – on the departmental website.

Privacy Statement

The personal and business confidential information collected as part of an aquaculture application will only be used or disclosed by Fisheries and Aquaculture for the purpose of deciding on the application.

All application information collected is subject to the Freedom of Information and Protection of Privacy Act (“FOIPOP”) and will only be used or disclosed in accordance with FOIPOP.

By signing and submitting this form, I acknowledge that I have read, understand, and accept the above statements regarding the collection, use, and disclosure of the information provided on this form.

Signature of Applicant

[Redacted Signature]

Date

Oct 15/25

Signature of Nova Scotia Department of Fisheries and Aquaculture Designate

[Redacted Signature]

Date

October 15, 2025

Submit completed applications

to: Ver. 170723-1

Nova Scotia Department of Fisheries and Aquaculture, Aquaculture Division
.1575 Lake Road, Shelburne, NS B0T 1W0
E-mail: aquaculture@novascotia.ca

NS0983 Boston Rock – Licence Renewal

**Finfish Marine Aquaculture
Development Plan for
Site #0983
Boston Rock
County of Digby
Province of Nova Scotia**

September 24, 2025



Prepared for:
Kelly Cove Salmon Ltd.
P.O. Box 33
Bridgewater, NS
B4V 2W6

Prepared by:
Sweeney International Marine Corp.
46 Milltown Blvd.
St. Stephen, NB
E3L 1G3
Canada
Tel: (506) 467-9014
Fax: (506) 467-9503
www.simcorp.ca



SIMCorp File #SW2025-032



Sweeney International Marine Corp.
SIMCorp Environmental Sciences Lab
46 Milltown Blvd.
St. Stephen, NB
Canada
E3L 1G3
Tel: (506) 467-9014
Fax: (506) 467-9503
www.simcorp.ca

September 24, 2025

SIMCorp File # SW2025-032

[REDACTED]
Kelly Cove Salmon Ltd.
P.O. Box 33
Bridgewater, NS
B4V 2W6

Dear Ms. Hewitt:

Reference: **Application for licence renewal of aquaculture site #0983, Boston Rock, Nova Scotia**

Please find enclosed the supporting materials for the above-mentioned application for a renewal of licence for the Boston Rock marine aquaculture site #0983, in Shelburne Harbour, NS.

If you have any questions or comments on the above-noted report, please do not hesitate to contact our office at 506.467.9014.

Sincerely

[REDACTED]
Senior Marine Environmental Biologist
Sweeney International Marine Corp.
[REDACTED]

cc: [REDACTED] (SIMCorp)
[REDACTED] (SIMCorp)
[REDACTED] (KCS)
Lynn Winfield (NSDFA)



LIST OF SELECTED ACCRONYMS

KCS	– Kelly Cove Salmon Ltd.
SIMCorp	– Sweeney International Marine Corp.
AAR	– <i>Aquaculture Activities Regulation</i>
CAI	– Cooke Aquaculture Inc.
DFO	– Department of Fisheries and Oceans Canada
EMP	– Environmental Monitoring Program
FCR	– Feed Conversion Ratio
FMP	– Farm Management Plan
GMG	– GMG Fish Services Ltd.
HDPE	– High-density polyethylene
NSDFA	– Nova Scotia Department of Fisheries and Aquaculture

PROJECT TEAM AND CONTACT INFORMATION

The project team, their qualifications, and roles with respect to the preparation of this report are summarized as follows:

Team Member	Affiliation	Role	Qualification
[REDACTED]	KCS	Corporate Support	Global Chief Sustainability Officer
[REDACTED]	KCS	Corporate Support	Compliance Manager
[REDACTED]	KCS	Corporate Support	Production Manager NS
[REDACTED]	SIMCorp	Corporate Support	Chief of Operations
[REDACTED]	SIMCorp	Senior Marine Environmental Biologist, Atlantic Region	MSc
[REDACTED]	KCS	Survey Plan Preparation	P Eng

CONTACT INFORMATION

Proponent:

Company Name: Kelly Cove Salmon Ltd.
Principal Contact: Jennifer Hewitt
Mailing Address: P.O. Box 33
Bridgewater, NS, B4V 2V6
Telephone: (902) 875-8603
Facsimile: (506) 755-1492
Cellular: [REDACTED]
E-mail: Jennifer.Hewitt@cookeaqua.com

Project Management:

Company Name: Sweeney International Marine Corp.
Principal Contact: [REDACTED]
Mailing Address: 46 Milltown Blvd.
St. Stephen, New Brunswick, E3L 1G3
Telephone: (506) 467-9014
Facsimile: (506) 467-9503
Cellular: [REDACTED]
E-mail: [REDACTED]

TABLE OF CONTENTS

PAGE

FACTORS TO BE CONSIDERED IN DECISIONS RELATED TO MARINE AQUACULTURE SITES....	1
SECTION 1.0 OPTIMUM USE OF MARINE RESOURCES	1
SECTION 2.0 THE CONTRIBUTION OF THE PROPOSED OPERATION TO COMMUNITY AND PROVINCIAL ECONOMIC DEVELOPMENT	5
2.1 Production Plan.....	5
2.2 Infrastructure.....	6
2.3 Services and Suppliers.....	6
2.4 Employment.....	7
2.5 Other Economic Contributions to the Local Community and Province.....	7
2.6 Adverse Economic Impacts	8
SECTION 3.0 FISHERIES ACTIVITIES IN THE PUBLIC WATERS SURROUNDING THE PROPOSED AQUACULTURAL OPERATION	9
3.1 Impact on Fisheries Activities.....	9
3.1.1 Commercial Fisheries.....	9
3.1.2 Recreational Fisheries.....	10
3.1.3 Indigenous Fisheries	10
3.2 Impact on Fisheries Activities.....	10
3.2.1 Environmental Impact Mitigation Strategies	10
SECTION 4.0 OCEANOGRAPHIC AND BIOPHYSICAL CHARACTERISTICS OF THE PUBLIC WATERS.....	12
4.1 Oceanographic Environment.....	12
4.1.1 Wind.....	12
4.1.2 Waves	15
4.1.3 Extreme Storm Events and Storm Surge	17
4.1.4 Currents.....	17
4.1.5 Temperature	19
4.1.6 Oxygen.....	20
4.1.7 KCS Mitigation Strategy.....	20
4.2 Environmental Monitoring	21
4.3 Site Design	21
SECTION 5.0 THE OTHER USERS OF THE PUBLIC WATERS SURROUNDING THE PROPOSED AQUACULTURAL OPERATION	25
5.1 Impacts to Other Users Including Wildlife	25
5.1.1 Adjacent Property Owners	25
5.2 Impacts by Other Users Including Wildlife	28
5.2.1 Wildlife.....	28
5.2.2 People Interaction	28

SECTION 6.0 THE PUBLIC RIGHT OF NAVIGATION	30
6.1 Navigation Protection Program Approval.....	30
6.1.1 Notice of Works.....	30
6.1.2 Project Description	30
SECTION 7.0 THE SUSTAINABILITY OF WILD SALMON	31
7.1 Identification of Local Salmon Populations.....	31
7.2 Support of the Sustainability of Wild Salmon.....	31
7.2.1 Potential Impacts to the Wild Salmon Population	31
7.2.1.1 Infrastructure	32
7.2.1.2 Containment Strategy	32
7.2.1.3 Breach Response.....	33
7.2.2 Restoration Efforts.....	33
SECTION 8.0 THE NUMBER AND PRODUCTIVITY OF OTHER AQUACULTURE SITES IN THE PUBLIC WATERS SURROUNDING THE PROPOSED AQUACULTURAL OPERATION.....	34
8.1 Identification of Other Aquaculture Sites.....	34
8.2 Interactions with Other Aquaculture Operations	35
SECTION 9.0 DEVELOPMENT VIABILITY.....	36
9.1 Financial Ability	36
9.2 Technical Ability	37
9.3 Compliance History	39
LIST OF CONTACTS.....	40
REFERENCES.....	41

LIST OF TABLES

Table 1. Proposed coordinates of lease #0983 in Shelburne Harbour	3
Table 2. 2025 Production Cycle	5
Table 3. Transfer Plan Details	5
Table 4. Potential Environmental Impact Hazards & Mitigation plans	11
Table 5. Maximum Wind Speed and Direction Measured at the Shelburne Sandy Point Weather Station between 2020 and 2024.....	15
Table 6. KCS Technical Team	38
Table 7. Contacts	40

LIST OF FIGURES

Figure 1. Location of Boston Rock #0983 in Shelburne Harbour.....	4
Figure 2. Cooke Aquaculture Atlantic Canada Supplier Locations	7
Figure 3. Wind-rose Plot of Shelburne Sandy Point Weather Station Data Collected Between January 1, 2020 and December 31, 2024.....	13
Figure 4. Frequency of Wind Speed Observed at the Shelburne Sandy Point Weather Station between January 1, 2020 and December 31, 2024	14
Figure 5. Maximum wave height at 10-year return period and direction (from) for site #0983	16
Figure 6. Maximum wave height at 50-year return period and direction (from) for site #0983	16
Figure 7. Depth-Averaged Current Speeds and Directions at Site #0983.....	18
Figure 8. Water Temperatures Near Site #0983	19
Figure 9. Dissolved Oxygen Near Site #0983	20
Figure 10. Boston Rock Site Development Plan Showing Cage Configuration	22
Figure 11. Boston Rock Cross-Sectional Plan A.....	23
Figure 12. Boston Rock Cross-Sectional Plan B.....	24
Figure 13. Plan View of the Proposed Boundary Amendment of the Boston Rock Aquaculture Site Showing Nearby Property Owners	26
Figure 14. Resource Map of the Area around the Boston Rock Site	27
Figure 15. Marine Chart Showing Other Aquaculture Operations within Shelburne Harbour	34

APPENDICES

- Appendix A - Wildlife Interaction Plan
- Appendix B - NPP Approval



FACTORS TO BE CONSIDERED IN DECISIONS RELATED TO MARINE AQUACULTURE SITES

Section 1.0 OPTIMUM USE OF MARINE RESOURCES

Marine aquaculture site #0983, called Boston Rock, is in Shelburne Harbour, Shelburne County, Nova Scotia. Kelly Cove Salmon Ltd. (KCS), the Atlantic Canada farming division of Cooke Aquaculture Inc. (CAI), took over the Boston Rock site from Ocean Trout Canada in 2021.

The licence for marine aquaculture site #0983 will expire in 2026. KCS would like to continue farming site #0983 and, therefore, is making application for a licence renewal.

The Boston Rock site has most recently been operated as a nursery site for Atlantic salmon with ten, 100-m cages. KCS is dependant on the production of the Boston Rock site as a major contributor to its Nova Scotian operations. The Boston Rock site directly employs 5 site workers, indirectly supports several other positions within KCS, and contributes to the provincial GDP and federal, provincial, and municipal taxes.

The general area of site #0983 appears on Canadian Hydrographic Service (CHS) Nautical chart #4209 (Lockport Harbour and Shelburne Harbour) and Canadian topographic map 020P11 (Lockport). The coordinates of the corners of the proposed lease area are presented in Table 1. The existing Boston Rock aquaculture site is compliant with NPP requirements.

Site #0983 is in Shelburne Harbour, approximately 1.4 km north-northwest of the Sandy Point wharf (Fig. 1). The site is approximately 1.4 km southwest of the Shelburne ship wharf. The area is notable for its fisheries and tourism. Other users of Shelburne Harbour include commercial vessels and container ships, cruise ships, pleasure craft operators, paddlers, fishermen, tourists, outdoor enthusiasts, marine wildlife, and migratory birds (Fig. 14). Being an existing site that has operated for several years, little change is expected with respect to environmental, social, or cultural concerns.

The Boston Rock marine aquaculture site is in salmon fishing area (SFA) 21 within the range of the Nova Scotia Southern Upland designated unit of Atlantic salmon. This designated unit has experienced drastic declines in population over the last several decades. The LaHave River, the index population for SFA 21, is ~ 98 km northeast of the Boston Rock aquaculture site. In stewardship of the nearshore environment, and recognizing potential risks to wild salmon in Nova Scotia, KCS has adopted many measures, best-practices, and state-of-the-art technologies known to greatly reduce potential impacts to wild salmon. KCS is constantly improving aquaculture practices with new and proven technologies. KCS routinely provides updated training and refreshes the knowledge of their operators in the leading best practices. Cage integrity is addressed with state-of-the-art, engineered netting and anchoring materials, extensive computational modelling of real and potential farm environments, regular and frequent failure testing, and replacement of critical components and materials. All smolt stocked into marine farms can be tracked back to the operator via DNA as per the enhanced



regulations in NS. KCS and its parent company, Cooke Aquaculture Inc., are committed to salmon conservation, as evidenced by their involvement as founding members of the Fundy Salmon Recovery Project, which is working toward restoration of Inner Bay of Fundy salmon populations.

Aquaculture in Shelburne Harbour has been able to successfully co-exist with other resources, providing increased employment and industry diversity. KCS is Cooke Aquaculture's farming division, and Cooke employs approximately 300 people in Nova Scotia through its various divisions. Boston Rock is an existing site and does not displace or adversely affect other industries in the area. Extensive benthic and water-quality monitoring programs are in place at the site. KCS uses numerous operational measures to ensure wildlife interaction is as minimal and neutral as possible.

The following report and associated documents have been prepared and/or compiled by Sweeney International Marine Corp. (SIMCorp) for KCS in support of a licence renewal of #0983. SIMCorp is assisting KCS in this application through the preparation of this report and other supporting roles. All correspondence should be copied to SIMCorp.




Table 1. Proposed coordinates of lease #0983 in Shelburne Harbour

APPROXIMATE SITE CO-ORDINATES (NAD 83)		
Corner	Latitude	Longitude
1	43° 44' 31.10"	65° 19' 44.70"
2	43° 44' 29.99"	65° 19' 35.62"
3	43° 44' 17.21"	65° 19' 38.60"
4	43° 44' 18.32"	65° 19' 47.67"
Site center	43° 44' 24.16"	65° 19' 41.65"



Figure 1. Location of Boston Rock #0983 in Shelburne Harbour





Section 2.0 THE CONTRIBUTION OF THE PROPOSED OPERATION TO COMMUNITY AND PROVINCIAL ECONOMIC DEVELOPMENT

2.1 Production Plan

KCS wishes to use the Boston Rock site as a nursery site. The proposed production detailed in Table 2 is intended to be stocked at site #0983 in November 2025. Fish will be transferred to other farms to continue their grow-out. The anticipated final transfer date is in Table 3.

Prior to the introduction of smolt, site #0983 will temporarily house broodstock from the McNutt's Island site #1345. It is anticipated that the broodstock will be transferred off site #0983 in early November 2025, and shortly thereafter the smolt will enter.

Table 2. 2025 Production Cycle

Species and Strain	Stock Source (hatchery)	Number of Cages and Type	Cage Size (m)	Rearing & Predator Net Depth (m)		Total Number of Fish Introduced	Mean Weight of Fish Introduced (g)	Length of Grow-out Period	Maximum Stocking Density (kg/m ³)	Maximum Biomass (kg)	Total Amount of Feed (kg)	Average Harvest Weight (kg)
Atlantic Salmon, Saint John River Strain	Buckman's Creek, Rollo Bay, Oak Bay, Elmsville	10	100	Predator	10	770,000	100	10 months	9	616,000	754,600	0.8
		HDPE		Rearing	9							

Table 3. Transfer Plan Details

Transfer Date	Date of Re-entry
Estimated June 30, 2026	Unknown

*Projected maximum values for production cycle is assuming a mortality of 10% and an FCR of 1.4:1.

**Biomass will be stocked evenly among cages.



2.2 Infrastructure

All active finfish farms in Nova Scotia are required to have a Farm Management Plan (FMP), which is approved by NSDFA. The plan covers fish-health management, containment management, farm operations, and environmental monitoring.

Boston Rock is an existing, approved site that currently has infrastructure to support the operations already in place, including ten (10) net pens.

The containment management is an essential part of a marine finfish farm. The cages at Boston Rock are engineered to minimize wildlife interactions with farmed fish. Above-water bird rings and netting are installed to discourage bird encounters. Underwater predator netting during winter months eliminates incidents of predation.

GMG is the fish-services division of CAI and a sister company to KCS. GMG provides the moorings for installation, and the specifications were determined by modelling of the oceanographic conditions encountered at this location. CAI engineering staff determined all the infrastructure components are adequate as per NSDFA regulations. The cages and moorings were modeled using guidance from the following engineering standards:

- NS 9415:2009 – “Marine fish farms: Requirements for site survey, risk analyses, design, dimensioning, production, installation and operation”
- “Marine Scotland: A Technical Standard for Scottish Finfish Aquaculture”
- ISO16488 – “International Standard: Marine fish farms – open net cage – design and operation”
- API RP 2SK – “Design and Analysis of Stationkeeping Systems for Floating Structures”
- DNV-OS-E301 – “Position Mooring”

Each area of the grid was designed to withstand different maximum loads based on the criteria listed above. The cage components such as the handrail, float pipes, bird stands, and weight rings are made of HDPE.

Multiple KCS vessels are used to service the cages at the site, depending on the required task. Vessels include feeding boats, skiffs, and maintenance barges. While in use, the vessels will be tied to the cages, otherwise they will be moored to the wharf or in service at other locations. Home port for site #0983 is KCS’ Sandy Point wharf.

2.3 Services and Suppliers

KCS is a vertically integrated company, with 14 hatcheries, 126 farm sites, 235 transport trucks, 7 processing facilities, and 288 vessels in Atlantic Canada. Despite this vertical integration, KCS uses local suppliers whenever possible, employing the services of 1269 local suppliers. Types of suppliers used by KCS in Nova Scotia include divers, mechanics, boat repair facilities, hardware providers, welders, heavy-equipment operators, crane operators, marine supplies, fuel distribution companies, environmental consultants, electricians, boat



brokers, boat builders, engine suppliers, hotels, restaurants, and ferries, with \$231 million spent annually on goods and services. Figure 2 illustrates the location of CAI's suppliers in Atlantic Canada, including Nova Scotia.

Figure 2. Cooke Aquaculture Atlantic Canada Supplier Locations



2.4 Employment

KCS is Cooke Aquaculture's farming division, and Boston Rock is an important component of KCS' success in Nova Scotia. Through its vertically integrated family of companies, Cooke Aquaculture employs more than 2300 people in Atlantic Canada, with ~ 300 people employed in Nova Scotia. KCS' positions include feed and maintenance technicians, fish-health and environmental-management professionals, technical support, boat captains, accounting, human resources, and various administrative positions. Most positions offered by KCS in Nova Scotia are full-time. The Boston Rock site directly employs 5 full-time site workers and supports 15 part-time positions in fish health, diving, net washing, and maintenance barge deckhands.

2.5 Other Economic Contributions to the Local Community and Province

Cooke's operations contribute to employment in service and supply industries, as listed in section 2.3 **Services and Suppliers**, which includes contributions to the local economy in Shelburne, the surrounding area, and throughout Nova Scotia. Services and suppliers are locally sourced whenever possible. In addition, KCS' feed division, Northeast Nutrition Inc., is based in Truro and their distribution company, AC Covert, is based in Dartmouth. In addition to the direct and indirect employment the site provides, the Boston Rock aquaculture site contributes to the provincial GDP and federal, provincial, and municipal taxes.



In 2024 alone, Cooke Aquaculture sponsored over 60 Nova Scotian organizations, charities, associations, and events throughout the province, with support mainly focused on the rural communities in which KCS operates.

2.6 Adverse Economic Impacts

The Boston Rock site is an established farm. KCS actively communicates with other local industries and permits local fishermen to use the lease area for fishing. There has been no known, adverse economic impact stemming from site #0983.



Section 3.0 FISHERIES ACTIVITIES IN THE PUBLIC WATERS SURROUNDING THE PROPOSED AQUACULTURAL OPERATION

3.1 Impact on Fisheries Activities

NSDFA's Environmental Monitoring Program Framework for Marine Aquaculture in Nova Scotia – July 2021 (Nova Scotia Department of Fisheries and Aquaculture 2021a) outlines a series of principles and criteria to guide the management process and to determine levels of monitoring and mitigation strategies for each aquaculture site. The Standard Operating Procedures for the Environmental Monitoring of Marine Aquaculture in Nova Scotia – July 2021 (Nova Scotia Department of Fisheries and Aquaculture 2021b) describes the procedures that support the application of the framework.

The Environmental Monitoring Program Framework focuses on benthic marine habitat in the immediate vicinity of the aquaculture site. Although sediment sulfide concentration is the key indicator used in Nova Scotia for assessing organic loading, which is one of the primary concerns regarding aquaculture impacts on the environment, fish, and fish habitat, a suite of sediment variables is used to validate sulfide data. In addition, benthic video collected at each monitoring station is required and used to evaluate a site's performance in the event sediment samples are unattainable.

KCS and their contractors adhere to the Environmental Monitoring Program Framework and Standard Operating Procedures established by NSDFA.

3.1.1 Commercial Fisheries

There are over 500 species of fish found in Atlantic Canada and most of them are present off the Atlantic coast of Nova Scotia. However, the number of commercially harvested finfish is much less than this and can be roughly grouped into two categories: 1) groundfish, which occur on or close to the seafloor, and 2) pelagic fish, which occur in the water column usually away from the seafloor. Various shellfish and seaweeds also support commercial fisheries. In 2023, the top five groundfish and pelagic species landed in Nova Scotia included herring, haddock, redfish spp., halibut, and hake (Fisheries and Oceans Canada 2025a).

The Boston Rock (#0983) aquaculture site is in Maritimes statistical district 31. Active fisheries in the vicinity of site #0983 include seasonal groundfish and mackerel (Rozalska and Coffen-Smout 2020). Halibut and some swordfish are also landed (Rozalska and Coffen-Smout 2020). The Boston Rock aquaculture site is in Shelburne Harbour, ~ 200 m from low tide, where the harvesting of most shellfish is prohibited; however, Shelburne Harbour and the Passages are open to fishing for scallops (Government of Canada 2024).

KCS has successfully operated the Boston Rock lease since 2021 and there have been no known impacts between the salmon farm and commercial fisheries in the area. Throughout Atlantic Canada, KCS operates in the same waters as commercial lobster fisherman (allowing traps to be set within lease boundaries), ground & pelagic fisheries, and shellfish harvesters without any adverse impacts.



3.1.2 Recreational Fisheries

Local angling associations, such as the Nova Scotia Association of Anglers and Hunters do not record landing numbers.

Tidal recreational fisheries in Nova Scotia include Atlantic sturgeon, eel, gaspereau, smelt, and striped bass. No licence is required for either of these species if fishing in tidal waters (Fisheries and Oceans Canada 2025b). Fishing for these species could occur in the vicinity of aquaculture lease #0983, but the lease does not block access to these recreational fisheries.

The Boston Rock aquaculture site is within clam harvesting area 4: which includes the inland and tidal waters of Shelburne County, Queens County, and Lunenburg County and that portion of Halifax County west of Pennant Point. Clams and quahogs may be harvested by hand and handheld tools only (Fisheries and Oceans Canada 2025c), but all of Shelburne Harbour is closed to fishing for bivalves except scallops (Government of Canada 2024).

The recreational scallop fishery requires a licence from DFO. Licence conditions specify the season dates and minimum scallop size. Harvesting of shellfish is always prohibited within 125 m of a wharf or aquaculture operation, for example, finfish cages (Fisheries and Oceans 2022).

Recreational licences for harvesting of marine worms are available on an open-entry basis from DFO. The Boston Rock aquaculture site is in marine worm harvest area 3. Marine worm harvesting is conducted by hand or with hand-held tools on mud flats throughout Maritimes Region (Fisheries and Oceans Canada 2025c) and therefore would not occur within lease #0983.

3.1.3 Indigenous Fisheries

Mi'kmaq of Nova Scotia harvesters have aboriginal and treaty rights to fish and do not require provincial fishing licences or need to follow provincial seasons. Mi'kmaq of Nova Scotia harvesters do have to follow provincial regulations related to safety and measures necessary for conservation, such as species at risk (Nova Scotia Canada 2021a).

3.2 Impact on Fisheries Activities

Standard best management practices for rearing fish in a marine environment are followed at the site. These practices have controls in place to mitigate potential environmental effects on fish and fish habitat. The site must also have a selection of additional mitigation strategies to apply if an environmental compliance threshold is exceeded (refer to section **3.2.1 Environmental Impact Mitigation Strategies**).

3.2.1 Environmental Impact Mitigation Strategies

Mitigation strategies must be based on best management practices and a hazard analysis of environmental impacts. For the environmental-impact mitigation plan, hazards are identified for each operational process, and measures to control the hazard, in the form of procedures and policy, must be outlined. The site's FMP contains site-specific mitigation strategies which are amended after every production cycle and audited by NSDFA. For this site, there were five



potential critical control points for environmental impact noted in the HACCP plan of the FMP (Table 4).

Net washing may contribute to benthic impacts if not done correctly and frequently. KCS nets are cleaned regularly during the warmer months to ensure that the amount of fouling remains minimal. KCS has invested in net washing equipment to ensure the proper resources are available to wash the nets on a regular schedule. Nets are washed every two weeks from June to October, except for during periods of extreme tide. This schedule is based on monitoring of biofouling levels on nets.

Table 4. Potential Environmental Impact Hazards & Mitigation plans

Potential Environmental Impact Hazard	
1.	Overstocking of site, or specific areas of site
2.	Settlement of faeces affects bottom sediments
3.	Cleaning of nets causes release of biofouling
4.	Overfeeding causes settlement of uneaten feed
5.	Improper feeding techniques cause settlement of uneaten feed or overfeeding
Mitigation for Potential Environmental Hazards	
1.	Do not overstock cages. Evenly distribute fish numbers across the site during stocking.
2.	This potential hazard is being managed by controlling the biomass housed on site. Use of the site as a nursery site rather than a grow-out site drastically reduces the biomass and the length of time it is housed on site.
3.	Nets are cleaned on a regular schedule to limit biofouling. KCS maintains a two-week net cleaning schedule, but frequency may be increased if needed.
4.	Adjust feed given according to expected rate. Feeding technicians aggressively monitor feed targets, and maximum allowable feed levels for each cage have been set. These are updated after each mort dive to ensure accurate biomass per cage is reported and available.
5.	Feeding technicians take an annual training program which covers; feed ingredients, nutrition, feeding principles and practice, site communication, extended communication pathway, team focus and development to ensure all technicians are feeding according to the SOPs.

If poor environmental performance is determined through monitoring, mitigation must be implemented as stated in the Environmental Monitoring Program Framework. Furthermore, an updated mitigation plan to address the poor environmental performance must be added to the FMP and submitted to NSDFA. A healthy marine environment is vital to the site's operation. If the marine environment is poor enough to affect fishing activities, it would also be detrimental to the site's production.

KCS provides detailed maps and diagrams of their sites when requested. These maps and diagrams show the location of all above-water and underwater infrastructure, thus informing fishing efforts. KCS reports harmful algal blooms to the province of Nova Scotia, potentially benefiting invertebrate fishing activities around the site.



Section 4.0 OCEANOGRAPHIC AND BIOPHYSICAL CHARACTERISTICS OF THE PUBLIC WATERS

4.1 Oceanographic Environment

4.1.1 Wind

The Boston Rock aquaculture site #0983 is located within Shelburne Harbour. The site is well sheltered with the greatest fetch to the south (~ 6 km).

The closest weather station from which hourly wind-speed and direction data are available is the Shelburne Sandy Point station (WMO ID 73015) located at N43.7° W65.32° (Government of Canada 2025). Data collected between January 1, 2020 and December 31, 2024 were used to produce the wind-rose plot of Figure 3. Based on this data, the most common winds in the Shelburne area occur between 205° and 225° (coming from approximately the south-southwest to southwest). The strongest winds (i.e., > 21.9 knots) are from 210 to 250°. The most common wind-speed class is 1 to 3.9 knots (Fig. 4). Maximum wind speed and direction recorded at the Shelburne Sandy Point weather station is presented in Table 5.



Figure 3. Wind-rose Plot of Shelburne Sandy Point Weather Station Data Collected Between January 1, 2020 and December 31, 2024

Note: the bars on the plot indicate the direction the wind was coming from; Data sourced from Government of Canada (2025)






Figure 4. Frequency of Wind Speed Observed at the Shelburne Sandy Point Weather Station between January 1, 2020 and December 31, 2024
Data sourced from Government of Canada (2025)






Table 5. Maximum Wind Speed and Direction Measured at the Shelburne Sandy Point Weather Station between 2020 and 2024

Note: data from (Government of Canada 2025)

Date of Maximum Wind of the Year	Wind Speed (knots)	Wind Direction (degrees)
April 4, 2024	19.4	70
March 14, 2023	19.4	70
January 30, 2022	24.3	220
March 29, 2021	20.5	260
February 7, 2020	28.6	230

4.1.2 Waves

Shelburne Harbour is very well protected from offshore waves by surrounding land. The maximum wave height at a 50-year return period can reach 8 m at an offshore location southeast of McNutt's Island (Karimi and Steinke 2020); however, the Boston Rock aquaculture site is sheltered within Shelburne Harbour where wave heights are greatly diminished from those offshore.

Wave conditions for site #0983 in Shelburne Harbour were modelled by Karimi and Steinke (2020). The largest waves travel from 180° (south) and have a significant wave height of 0.94 m for a 10-year return period (Fig. 5). For a 50-year return period, the maximum significant wave height was 1.12 m (Fig 6.). Wind speeds associated with these wave heights were 41 knots and 48 knots, respectively.



Figure 5. Maximum wave height at 10-year return period and direction (from) for site #0983





Figure 6. Maximum wave height at 50-year return period and direction (from) for site #0983





4.1.3 Extreme Storm Events and Storm Surge


Nova Scotia is sometimes subject to extreme weather conditions. Wind and wave damage caused by storms and ice damage during extremely low temperatures are environmental hazards. Employing proper gear and using the most recent technologies for cage design and construction, as well as routine inspection and maintenance, will help prevent any unfavourable effects on the cage grid caused by weather and climate extremes. In New Brunswick, Nova Scotia, and Newfoundland, KCS has several high energy sites, which are exposed to strong winds and large waves. The grid and anchoring systems used on site #0983 in Shelburne Harbour are engineered to be successful. The plastic, circular cages and grid components that are employed by KCS have been engineered to withstand expected conditions at this location. During extreme weather conditions, personnel will not be working on the cage site. Once the extreme weather has passed, crews will examine the cage system and fish stock for damage. If damage is sustained, repairs will be carried out as necessary. Any significant damage will be reported to NSDFA.

4.1.4 Currents

Local current speed and directional data throughout the water column was collected between February 10 and March 15, 2021, using a 600-kHz Teledyne RDI Workhorse Sentinel acoustic Doppler current profiler (ADCP) deployed by SIMCorp. The current meter was located near the lease center at coordinates (N43° 44.370' W65° 19.700'). The data describe a main flow toward the south-southwest with a slightly-less-frequent reciprocal flow to the north-northeast (Fig. 7). The overall average current speed was 4.6 cm/s with the most-dominant speed class being 2.0 to 4.0 cm/s. The second most-common speed class included speeds between 4.0 and 6.0 cm/s.



Figure 7. Depth-Averaged Current Speeds and Directions at Site #0983






4.1.5 Temperature

Water temperatures near the Boston Rock aquaculture site were collected by KCS between May 25, 2019 and March 11, 2021 (Fig. 8). Temperatures ranged between approximately 1.6 and 22.0°C.

Figure 8. Water Temperatures Near Site #0983






4.1.6 Oxygen

Dissolved oxygen readings near the Boston Rock aquaculture site were collected by collected by KCS between May 25, 2019 and March 11, 2021 (Fig. 9). Dissolved oxygen ranged between approximately 5.3 and 11.8 mg/L.

Figure 9. Dissolved Oxygen Near Site #0983



4.1.7 KCS Mitigation Strategy

Water quality parameters are measured both by installed sensors that provide real-time data and by hand-held monitoring equipment when staff are on site. This aids in the implementation of mitigation strategies, if needed. Mitigation strategies include avoiding stress to the fish by ceasing feeding and other activities at the cage site. KCS does not approach the farms during periods of low oxygen, high algal counts, or super chill.

Requirements for water-quality monitoring and mitigation strategies are contained in the site-specific FMP, which is reviewed annually and amended after every production cycle. KCS uses Fishtalk, a software system, to track water-quality parameters such as oxygen, temperature, and other records including inventory (biomass, fish number, average weight), feeding (type and quantity), and fish density.



4.2 Environmental Monitoring

Baseline and fish and fish habitat surveys of the existing lease area were conducted on the Boston Rock site in 2021. The baseline survey report entitled Baseline Assessment Report site #0983 Boston Rock dated March 26, 2021 was submitted to NSDFA and DFO. The baseline survey was conducted in accordance with the NSDFA Standard Operating Procedures for the Environmental Monitoring of Marine Aquaculture in Nova Scotia (2020) and Fisheries and Oceans Canada's *Aquaculture Activities Regulations* (Government of Canada 2015) Sections 8 and 9. Specifically, Annex 7 in the *Aquaculture Activities Regulations* Guidance Document (Government of Canada 2018a) and Section I: Survey for baseline information for new sites and expansion of existing sites in the *Aquaculture Activities Regulations* Monitoring Standard state the federal government requirements for baseline monitoring (Government of Canada 2018b). It should be noted that at the time of the baseline monitoring, the 2020 version of the NSDFA Standard Operating Procedures (NSDFA 2020) was followed.

As stated in section **3.1 Impact on Fisheries Activities**, NSDFA's Environmental Monitoring Program Framework for Marine Aquaculture in Nova Scotia – July 2021 (Nova Scotia Department of Fisheries and Aquaculture 2021a) and the Standard Operating Procedures for the Environmental Monitoring of Marine Aquaculture in Nova Scotia – July 2021 (Nova Scotia Department of Fisheries and Aquaculture 2021b) provide a means for NSDFA to monitor the environmental performance of aquaculture in Nova Scotia. KCS and their contractors adhere to the Environmental Monitoring Program Framework and Standard Operating Procedures established by NSDFA. The FMP contains site-specific mitigation strategies which are reviewed annually and amended after every production cycle by NSDFA

4.3 Site Design

As stated in section **2.2 Infrastructure**, the Boston Rock site was designed with acknowledgement of local conditions, including bathymetry, oceanographic conditions, and the benthic environment. KCS has spent 30 years researching the mooring, grid, and cage components that are used on their aquaculture sites. KCS uses an in-house professional engineer to complete modeling and engineering analyses on the components to ensure that they can withstand the conditions anticipated within Shelburne Harbour. Each site operated by KCS in NS has an Infrastructure Analysis Report approved by NSDFA. The site design is detailed in Figures 10 – 12.



Figure 10. Boston Rock Site Development Plan Showing Cage Configuration






Figure 11. Boston Rock Cross-Sectional Plan A







Figure 12. Boston Rock Cross-Sectional Plan B





Section 5.0 THE OTHER USERS OF THE PUBLIC WATERS SURROUNDING THE PROPOSED AQUACULTURAL OPERATION

5.1 Impacts to Other Users Including Wildlife

The Boston Rock site is an established marine farm. It is in on the western side of Shelburne Harbour. All pleasure craft and commercial vessels must abide by the navigation buoys and markers present around the site.

Other users of Shelburne Harbour include commercial vessels and container ships, cruise ships, pleasure craft operators, paddlers, fishermen, tourists, outdoor enthusiasts, marine wildlife, and migratory birds. The aquaculture site has successfully operated with other users of the harbour for many years with no negative impacts. In the following section, Figure 13 is a map showing property owners and Figure 14 is a general resource map showing other users in the Shelburne Harbour area.


5.1.1 Adjacent Property Owners

KCS produced aquaculture-site development plans, identifying adjacent property owners within a radius of approximately 1,000 m of center of the proposed lease boundaries for Boston Rock #0983.

The proposed amendment will not adversely impact adjacent property owners or their access to the water.



Figure 13. Plan View of the Proposed Boundary Amendment of the Boston Rock Aquaculture Site Showing Nearby Property Owners




SW2025-013



Figure 14. Resource Map of the Area around the Boston Rock Site

Note: Base map is a portion of CHS chart Ca376047 (Garmin BlueChart Americas v9.5). Data was sourced from Canada's Historic Places (no date), Nova Scotia Canada (2021b), Parmenter and Gullage (2024), CMAR resource map (2025), AllTrails (2025), Paddle Canada (2025), and local knowledge.





5.2 Impacts by Other Users Including Wildlife

5.2.1 *Wildlife*

Due to the environment in which KCS operates, wildlife interactions will be unavoidable – positive, neutral, or negative. Positive and neutral interactions may require management notification if the species is listed on a species-at-risk registry or other similar document.

Negative interactions, such as predators, should be noted to determine if there is an increase or decrease in activity. Interactions with birds and predators at a marine finfish site are to be avoided. Unwanted attention from birds and predators, such as seals, endangers the wildlife themselves, can present a nuisance to workers, may cause stress on the fish, and may pose biosecurity and fish-health risks.

Predator deterrence is key to containment management. Predator exclusion includes predator netting, bird nets, and containment nets. Site mortalities are to be contained in a secure, closed bin and removed promptly from the site. The containers are to be checked daily to ensure their integrity. Feed is to be stored inside. Routine, daily examinations of dead and live fish are conducted to inspect for signs of predator attack and are noted. Divers are called in when deemed necessary to verify net integrity below the water if predator problems are detected.

To deter birds and to mitigate against interactions, each cage containing fish is equipped with a bird stand and net for the duration of the grow-out. These stands and nets remain in place during the production cycle but may be temporarily lifted during activities such as mortality dives, net washing, fish transfers, or treatments. KCS performs and documents surface inspections to ensure netting and gear are maintained in good working order. At minimum, weekly bird-net inspections are performed.

Predator nets surrounding the primary nets will be in use during the months of December to May to aid with predator deterrence. Predator nets will not be placed on the cages from May to December as predator presence is low. Removal of the predator nets on the cages during these months will aid in reducing the amount of biofouling on the cages. Measures taken to protect fish from predators are always carried out in a manner that considers predator welfare and does not endanger the predator population.

KCS operates with a Wildlife Interaction Plan (WIP). The WIP outlines all control measures and special requirements as they relate to wildlife encounters at the site. Birds are specifically addressed in the WIP. The WIP contains prevention and control measures for wildlife (Appendix A).

5.2.2 *People Interaction*

Interaction with people outside of KCS is inevitable. Use of the private KCS wharf at Sandy Point helps reduce this. Interactions with people and organizations outside of KCS can raise concerns for biosecurity, pollution, and safety of site staff.



Biosecurity is a key component to managing the risk of pathogen spread. Biosecurity helps mitigate outbreaks of disease through the control of personnel, traffic, vehicles, biologics, and equipment. Biosecurity standard operating procedures must be developed and used to mitigate risk and to manage activities to reduce stress in animals and to reduce the potential for pathogen spread. Biosecurity must be considered for all procedures and must be addressed within procedural descriptions. All sites have a wharf-usage biosecurity procedure.

Visitors to the Boston Rock site are welcomed and are expected to follow basic biosecurity and health and safety (H&S) rules. This aids in ensuring that all parties on the site remain safe. The Site Management should confirm with the Area Manager that any visitor has approval to be on site if the Site Manager was not previously informed. All visitors must sign the logbook. Visitors must change their footwear prior to stepping on site; rubber boots will be provided from the office. All visitors must wear a PFD while travelling to/from the site and while on site, and the use of footbaths and proper hygiene is mandatory. By adhering to strict biosecurity, H&S rules, and visitor protocols, KCS provides a safe environment for employees, visitors, and the fish on site.



Section 6.0 THE PUBLIC RIGHT OF NAVIGATION

6.1 Navigation Protection Program Approval

6.1.1 Notice of Works

Transport Canada requires a notice of works form to notify the Navigation Protection Program (NPP) regarding a proposed work or change to an existing work in navigable waters. The site operates with a current NPP approval, dated May 21, 2021 (Appendix B). Acker & Doucette Surveying Inc. produced the aquaculture site development plans submitted with the signed notice of works. The plans include:

- a. Proposed navigation-aids, to demonstrate the extent of the marine aquaculture site, as well as parcels of land adjacent to the lease. Property identification numbers (P.I.D. #) with corresponding owner names and addresses are also outlined in the plans.
- b. Depiction of the basic seafloor topography within the proposed lease boundaries.
- c. Demonstration of anchors, cages, and grid/mooring configuration location within the proposed lease boundaries.
- d. Lateral and longitudinal cross sections demonstrating cage infrastructure, anchor blocks, mooring lines, and seafloor profile.
- e. Proposed navigational and marking plan.

6.1.2 Project Description

The lease incorporates all aquaculture-related gear, above and below the water line. The site plan of Figure 10 includes georeferenced coordinates for the lease corners. Installation of specific buoys to mark the original lease area was completed, as per Transport Canada's approval package. The current NPP approval can be found in Appendix B.



Section 7.0 THE SUSTAINABILITY OF WILD SALMON

7.1 Identification of Local Salmon Populations

The Boston Rock marine aquaculture site is in the range of the Nova Scotia Southern Upland population of Atlantic salmon. There are at least 72 rivers in the Southern Uplands region thought to have historically held Atlantic salmon (Bowlby et al 2013). The Southern Upland region of Nova Scotia is divided into three salmon fishing areas: SFA 20, SFA 21, and part of SFA 22. The marine aquaculture site in Shelburne Harbour is in SFA 21. The LaHave River, the index population for SFA 21, is ~ 98 km northeast of the Boston Rock aquaculture site.

Historically, the rivers of SFA 21 supported strong salmon populations (Dunfield 1985). DFO stock-status reports, many of which pre-date any significant local commercial aquaculture activity (mid 2000's), indicate an increasingly dire condition of the local stock. According to the DFO Science Advisory Secretariat Science Response 2012/014 (2012), all commercial fisheries of wild salmon, due to reduced catches, were closed by 1985. Beginning in 2010, all rivers within SFA 21 were closed to recreational fishing for Atlantic salmon, and there were no FSC allocations (DFO 2023a). Extensive regional electrofishing surveys conducted in 2000 found remaining salmon in only 28 of 52 rivers surveyed (54%), and more recent surveys conducted in 2008/2009 indicated continuing decline, with remaining salmon in only 21 of 54 rivers surveyed (39%) (DFO 2011). The salmon index population of the La Have River was assessed to be below conservation egg requirements in 2021 with egg depositions 7% of conservation requirements (DFO 2023b).

7.2 Support of the Sustainability of Wild Salmon

7.2.1 Potential Impacts to the Wild Salmon Population

To reduce potential impacts to the wild salmon population, Doelle-Lahey (2014) panel suggested that a regulatory framework should deal more extensively with the prevention of escape and should require operators to adopt, implement, track, and report on the performance of a comprehensive containment system. Such a system should aim to prevent escapes to the greatest extent that is practicable, using best management practices and the best-available, commercially proven technologies.

Accidental farmed-salmon escapes and potential breeding with wild-salmon populations (introgression) are both concerns for wild-salmon conservation and KCS' business continuity. Proactively, KCS is constantly improving aquaculture practices with new and proven technologies. KCS routinely provides updated training and refreshes the knowledge of their operators in the leading best practices. Cage integrity is addressed with state-of-the-art, engineered netting and anchoring materials, extensive computational modelling of real and potential farm environments, regular and frequent failure testing, and replacement of critical components and materials. All smolt stocked into marine farms can be tracked back to the operator via DNA as per the enhanced regulations in NS. Farms in Nova Scotia are managed by experienced teams, with a demonstrated, excellent track record for site integrity and performance. Additionally, KCS is consistently developing new protocols to suit changing conditions, allowing it to adaptively manage operations for over 25 years in Nova Scotian waters. Lastly, KCS operates under full



transparency regarding any real or potential escape events, communicating to government immediately as is required.

7.2.1.1 Infrastructure

An essential component of a marine finfish farm is containment. Equipment and infrastructure must be capable of withstanding the prevailing environmental factors. Any mechanical damage from ill-repaired or ill-suited equipment/infrastructure can become a fish health and containment concern. All moorings, cages, containment nets, and predator nets meet best management practices and are engineered to meet the expected conditions of the location and have engineering approval.

7.2.1.2 Containment Strategy

Fish

KCS ensures that the fish size is adequate not only for fish health and survival but to prevent containment breaches due to inappropriate netting size in relation to fish size. The net-mesh-sizing strategy was determined to be adequate based on thirty years of experience with fish farming in Atlantic Canada and exceeds the guidelines proposed by research conducted at Memorial University of Newfoundland Marine Institute in March 2000 (Newfoundland Fisheries and Aquaculture 2012).

Infrastructure and Equipment

Moorings and anchors are inspected prior to the stocking of a new production cycle. This may include removing them from the water and visually inspecting prior to redeployment. Once installed, the grid system, moorings, and anchors are inspected every 6 months, unless otherwise required. After a change in tension, a shift in the array, or a significant storm event, the moorings and anchors are visually inspected at depth using divers or ROV. Any issues and their causes will be determined and corrected as soon as possible. All inspections and corrections/repairs are recorded by KCS in a central database.

Above-water inspections will be continuous as staff work on the site daily. Any net repairs will be recorded in the on-site net-repair record. In addition, formal inspections will occur on a weekly basis for surface components, and they will be recorded in the surface-inspection record. This inspection examines compensator buoys, visible portions of the grid, shackles, thimbles, float collars, stanchions, jump-net rails, above-water nets (containment, bird), attachment of nets, and site markers.

Underwater inspections are conducted every six months using divers and/or an ROV. Additionally, cameras placed in each of the cages on site can be used to ensure all below-water infrastructure is being monitored and maintained. Additionally, maintenance barges are used to lift the components to the surface for visual inspection at the end of each production cycle when the site is fallowed. Any weaknesses in the containment structure are repaired as soon as possible and recorded. Suspected underwater irregularities, damage, or points of wear will be investigated and repaired as soon as possible and recorded in the on-site net-repair record. Furthermore, below-



water net inspections are formally completed every 60 days; a below-surface inspection checklist is to be completed.

Severe Weather

Severe weather can greatly impact the containment structures. Immediately after a severe weather event, a detailed evaluation of damage(s) will be conducted. A complete list of repairs will be created. Repairs will then be prioritized and tracked until completed. In some instances, temporary repairs may take place until permanent repairs can be completed.

Mortality Collection

The procedure to collect mortalities at the Boston Rock site has been approved by NSDFA, as outlined in the site's FMP. The procedure considers containment risks. Note, the mortality collection schedule varies depending upon the age of the fish. During smolt entry and the first few weeks after entry, the frequency of mortality collection may increase. After these production milestones, mortality collection occurs once per week unless there is a fish-health event identified.

Harvesting

NSDFA has approved harvesting procedures at the Boston Rock site as outlined in the site's FMP. The procedure considers fish health and welfare, biosecurity, and containment risks.

7.2.1.3 Breach Response

All sites have an emergency response plan to address a breach as outlined in the site's FMP. This plan considers the areas of potential impact and respects all federal and provincial regulations and licencing requirements. After a breach of containment is confirmed or suspected, NSDFA is notified as soon it is safe and possible to do so. If the cages or nets have been damaged or compromised by an unusual event such as vandalism or boat collision, KCS' escape-and-response procedures will be followed. These procedures have been approved under the Best Aquaculture Practices (BAP) certification. Situations such as interactions with vessels, marine mammals, or other users will require specific handling, and the best course of action is determined in consultation with senior management and/or regulatory bodies.

7.2.2 Restoration Efforts

Leadership by CAI towards salmon conservation in Atlantic Canada is demonstrated by its founding role in the Fundy Salmon Recovery (FSR) project. CAI helped develop and operate the world's first wild-salmon marine conservation farm on Grand Manan Island, New Brunswick. This on-going project is a collaboration of community, academic, government, First Nations, and industry stakeholders to protect and restore severely threatened IBoF salmon. FSR is the first project in the world to rear wild-origin salmon within a marine conservation farm (operated by CAI) and subsequently return mature adults back to their natal river to spawn naturally. FSR is built on research demonstrating the immense value of early wild exposure on Atlantic salmon development and fitness (Clarke et al. 2016).



Section 8.0 THE NUMBER AND PRODUCTIVITY OF OTHER AQUACULTURE SITES IN THE PUBLIC WATERS SURROUNDING THE PROPOSED AQUACULTURAL OPERATION

8.1 Identification of Other Aquaculture Sites

There are two active aquaculture sites within 5 km of the Boston Rock site. The closest approved marine finfish farm is #1192, which is 400 m distant (Fig. 15). The other is #0602 at 1.5 km. Both are licenced to KCS for Atlantic salmon production.

Figure 15. Marine Chart Showing Other Aquaculture Operations within Shelburne Harbour

Note: Figure was sourced from ArcGIS Online (2024)





8.2 Interactions with Other Aquaculture Operations


This site is not part of an aquaculture management area (AMA) for the purpose of managing the health of aquatic animals. KCS agrees to establish an AMA agreement(s) with other licence holders, if required by the Minister. However, KCS operates with a company management stocking/harvesting plan that follows similar principles to an AMA.

Shellfish aquaculture is not present in Shelburne Harbour. The establishment of a future shellfish farm near Boston Rock would not cause concern for either industry as there are no known direct interactions between shellfish and Atlantic salmon aquaculture, specifically related to disease transfer.



Section 9.0 DEVELOPMENT VIABILITY

9.1 Financial Ability





9.2 Technical Ability

KCS is a family-owned company that has been operating in Atlantic Canada for over 30 years. Beginning with one cage stocked with 2,500 fish, they have grown to be a vertically integrated company with global operations. With both internal and external partnerships, KCS has the capacity to build their own equipment designed to meet the specifications of each location in which they operate.

KCS maintains control of every phase of production from egg to plate, ensuring superior products and attention to safety and environmental stewardship.

KCS is part of the Cooke Seafoods group of companies, which includes a dedicated sales and marketing team who access global markets for sale of products created with fresh Atlantic salmon produced at KCS' marine farms, including site #0983. The salmon from site #0983 will be sold under the True North Seafood brand. True North Seafood has sales representatives across North America and has acquired years of marketing success dealing directly with retailers and food service customers. True North Salmon sells fresh fish, both whole and as value-added products such as fillets, portions, skewers, and smoked, achieving the best possible return for the product. Marketing and sales campaigns use all the most up-to-date digital platforms as well as site tours, chef demonstrations, and trade shows to promote the products.

There is a well-established fresh-seafood logistics system in Atlantic Canada, delivering fresh seafood to markets east of Ontario and south to Florida, USA. This network has developed and improved over the past 35 years with Atlantic salmon being produced in the region.

Atlantic salmon pricing fluctuates, and the demand for fresh Atlantic salmon continues to grow. Marketing campaigns promoting the freshness, flavor, and excellence of seafood from Eastern Canada have developed customers who continue to pay a premium for the quality of east coast Atlantic salmon.



Table 6. KCS Technical Team

Team Member	Affiliation	Role	Qualification
[REDACTED]	KCS	Vice President of Aquaculture	[REDACTED] brings 25 years of experience in aquaculture; he has held senior roles in both corporate and entrepreneurial settings across Canada and Chile.
[REDACTED]	KCS	Global Chief Sustainability Officer	[REDACTED] has over 25 years of experience in the aquaculture industry. He will provide overall leadership on the project.
[REDACTED]	KCS	VP of Public Relations	[REDACTED] leads community engagement processes with his knowledge and skills in public engagement.
[REDACTED]	KCS	Director of Marine Infrastructure	[REDACTED] has over 10 years of experience in ocean and aquaculture engineering and is responsible for the technical development of mooring and containment infrastructure for all marine farming sites.
Jennifer Hewitt	KCS	Compliance Manager	Jennifer is responsible for all farm management plans and will work as a liaison with government and community leaders to ensure farm compliance.
[REDACTED]	KCS	Production Manager NS	[REDACTED] has over 25 years' experience in the Nova Scotia aquaculture industry. He will oversee all saltwater sea sites.
[REDACTED]	KCS	Area Manager – South	[REDACTED] has over 20 years' experience with aquaculture, and he is responsible for all sea sites on the south side of the province.
[REDACTED]	KCS	Area Manager - West	[REDACTED] has 8 years' experience with aquaculture, and he is responsible for the sea sites on the northwest side of the province.



9.3 Compliance History

In compliance with Provincial requirements, annual environmental monitoring surveys have been conducted in accordance with the Environmental Monitoring Program Framework for Marine Aquaculture in Nova Scotia and the Standard Operating Procedures for the Environmental Monitoring of Marine Aquaculture in Nova Scotia (NSDFA 2021a, 2021b).

There has been no Natural Resources inspection during KCS' occupancy of the Boston Rock lease.



LIST OF CONTACTS

Table 7. Contacts

Contact Name	Affiliation	E-mail	Phone	Date of Contact	Reason for Contact
Dave Eberhard	DFO – Commercial Data, Policy & Economics	XMARComData@dfo-mpo.gc.ca	(902) 440- 0392	March 24, 2023	Landings data Fisheries



REFERENCES

AllTrails, 2025. Best trails near Shelburne Harbour.

<https://www.alltrails.com/poi/canada/nova-scotia/sandy-point/shelburne-harbour>, accessed July 24, 2025

ArcGIS Online, 2024. Nova Scotia aquaculture & rockweed map viewer.

<https://www.arcgis.com/apps/instant/media/index.html?appid=a7c3520e73894539afadf8602ee57ef1>, last updated August 7, 2025; accessed August 26, 2025

Bowlby, H.D., Mitchell, S.C., Horsman, T.L., and Gibson, A.J.F., 2013. Recovery potential assessment for Southern Upland Atlantic salmon: habitat requirements and status, threats to populations, and potential mitigation options. Fisheries and Oceans Canada. Canadian Science Advisory Secretariat. Research Document. 2013/006.

Canada's Historic Places, no date. A Federal, Provincial and Territorial Collaboration, administered by Parks Canada, Canadian register search results for Shelburne, Nova Scotia.

<https://www.historicplaces.ca/en/results-resultats.aspx?m=2&Keyword=shelburne,%20nova%20scotia>, accessed July 24, 2025

Centre for Marine Applied Research (CMAR), 2025. Resource map for marine users.

<https://cmar.ca/asset-map/>, accessed July 24, 2025

Clarke, C.N., Fraser, D.J., and Purchase, C.F., 2016. Lifelong and carry-over effects of early captive exposure in a recovery program for Atlantic salmon (*Salmo salar*). Animal Conservation. 19:350-359

DFO, 2011. Status of Atlantic salmon in salmon fishing areas (SFAs) 19-21 and 23. DFO Can. Sci. Advis. Sec. Sci. Resp. 2011/005. <https://waves-vagues.dfo-mpo.gc.ca/Library/343805.pdf>, accessed August 21, 2025

DFO, 2012. Status of Atlantic Salmon in Salmon Fishing Areas (SFAs) 19-21 and 23.

DFO Can. Sci. Advis. Sec. Sci. Resp. 2012/014. <https://waves-vagues.dfo-mpo.gc.ca/library-bibliotheque/347629.pdf>, accessed August 21, 2025

DFO, 2023a. Stock Status Update of Atlantic Salmon to 2022 in Salmon Fishing Areas (SFAs) 19–21 and 23. DFO Can. Sci. Advis. Sec. Sci. Resp. 2023/043.

<https://www.salmonconservation.ca/wp-content/uploads/2025/01/Stock-Status-Update-of-Atlantic-Salmon-in-SFA-19-21-and-23.pdf>, accessed August 21, 2025

DFO, 2023b. Stock Status Update of Atlantic Salmon to 2021 in Salmon Fishing Areas

(SFAs) 19–21 and 23. DFO Can. Sci. Advis. Sec. Sci. Resp. 2023/019. <https://waves-vagues.dfo-mpo.gc.ca/library-bibliotheque/41111552.pdf>, accessed August 21, 2025

Doelle, M. and Lahey, W., 2014. A New Regulatory Framework for Low-Impact/High-Value Aquaculture in Nova Scotia. The Final Report of the Independent Aquaculture Regulatory



Review for Nova Scotia [The Doelle-Lahey Panel]. Crown copyright Province of Nova Scotia, 2014, ISBN: 978-1-55457-647-0

Dunfield, R.W., 1985. The Atlantic salmon in the history of North America. Can. Spec. Publ. Fish. Aquat. Sci. 80: 181 p. <https://waves-vagues.dfo-mpo.gc.ca/Library/28322.pdf>, accessed August 21, 2025

Fisheries and Oceans Canada, 2022. What do I need to know before harvesting shellfish? <https://www.dfo-mpo.gc.ca/fisheries-peches/recreational-recreative/maritimes/faq-eng.html>, updated May 25, 2022; accessed June 17, 2025

Fisheries and Oceans Canada, 2025a. Seafisheries – Seafisheries landed quantity by province, 2021. <https://www.dfo-mpo.gc.ca/stats/commercial/land-debarq/sea-maritimes/s2023pq-eng.htm>, updated January 30, 2025; accessed June 23, 2025

Fisheries and Oceans Canada, 2025b. Tidal and freshwater (Diadromous). <https://www.dfo-mpo.gc.ca/fisheries-peches/recreational-recreative/maritimes/diadrom-eng.html>. Last modified June 9, 2025; accessed June 23, 2025

Fisheries and Oceans Canada, 2025c. Shellfish and invertebrates. <https://www.dfo-mpo.gc.ca/fisheries-peches/recreational-recreative/maritimes/invert-eng.html>, last modified April 9, 2025; accessed June 23, 2025

Government of Canada, 2015. *Aquaculture Activities Regulations*, SOR/2015-177, *Fisheries Act*, Registration 2015-06-29, <https://laws.justice.gc.ca/eng/regulations/SOR-2015-177/page-1.html#h-820176>, Date modified: March 28, 2025; accessed April 11, 2025

Government of Canada, 2018a. *Aquaculture Activities Regulations* Guidance Document. <http://www.dfo-mpo.gc.ca/aquaculture/management-gestion/aar-raa-gd-eng.htm>, last modified September 13, 2018; accessed April 11, 2025

Government of Canada, 2018b. *Aquaculture Activities Regulations* Aquaculture Monitoring Standard. <http://www.dfo-mpo.gc.ca/aquaculture/management-gestion/aar-raa-ann7-eng.htm>, accessed April 11, 2025

Government of Canada, 2025. Past weather and climate, historical data. https://climate.weather.gc.ca/historical_data/search_historic_data_e.html, updated June 10, 2025; accessed June 25, 2025

Government of Canada, 2024. Shellfish harvesting map. <https://www.dfo-mpo.gc.ca/shellfish-mollusques/cssp-map-eng.htm>, last modified December 10, 2024; accessed June 23, 2025

Newfoundland Fisheries and Aquaculture, 2012. Annual Compliance Report - 2012



on the Code of Containment for the Culture of Salmonids in Newfoundland and Labrador, <https://www.gov.nl.ca/ffa/files/aquaculture-public-reporting-pdf-annual-code-of-containment-compliance-report-2012-march-14.pdf>, accessed June 18, 2025

Nova Scotia Canada, 2021a. Aboriginal harvesters. <https://novascotia.ca/natr/hunt/aboriginalharvesters.asp>, accessed June 23, 2025

Nova Scotia Canada, 2021b. Provincial landscape viewer. <https://nsgi.novascotia.ca/plv/>, accessed July 24, 2025

Nova Scotia Department of Fisheries and Aquaculture (NSDFA), 2020. Standard Operating Procedures for the Environmental Monitoring of Marine Aquaculture in Nova Scotia. June 2020

Nova Scotia Department of Fisheries and Aquaculture (NSDFA), 2021a. Environmental Monitoring Program Framework for Marine Aquaculture in Nova Scotia. <https://novascotia.ca/fish/documents/ns-emp-framework.pdf>, accessed April 11, 2025

Nova Scotia Department of Fisheries and Aquaculture (NSDFA), 2021b. Standard Operating Procedures for the Environmental Monitoring of Marine Aquaculture in Nova Scotia. <https://novascotia.ca/fish/documents/ns-emp-sops.pdf>, accessed February 10, 2025

Paddle Canada, 2025. Candlebox Kayaking. <https://paddlecanada.com/schools/candlebox-kayaking/>, accessed July 24, 2025

Parmenter, C and Gullage, M., 2024. Eastern Canadian commercial fishing data. Canadian Technical Report of Fisheries and Aquatic Sciences 3627. <https://waves-vagues.dfo-mpo.gc.ca/library-bibliotheque/41252135.pdf>, accessed July 23, 2025.

Rozalska, K. and Coffen-Smout, S., 2020. Maritimes Region Fisheries Atlas: Catch Weight Landings Mapping (2014–2018) on a Hexagon Grid. Canadian Technical Report of Fisheries and Aquatic Sciences 3373. <https://waves-vagues.dfo-mpo.gc.ca/Library/40885690.pdf>, accessed June 23, 2025

APPENDIX A
Wildlife Interaction Plan

Wildlife Interaction Plan

for Marine Salmonid Farms on the
East Coast of North America

Version 23.07-08



This Wildlife Interaction Plan (WIP) has been created to address Section 7 Environment – Predator and Wildlife Interactions of the Best Aquaculture Practices (BAP) Salmon Farms Standard. The guidance and practices herein have and will continue to be followed by all North American-East Coast employees of Cooke Aquaculture who are employed in the Saltwater Division and those who directly interact with the salmon farms. This plan merely acts as an overall summary of the current requirements that each salmon farm must follow and in the event of any conflict of information or direction between this document and the requirements and the plans related to address those requirements, those plans, and the requirements will prevail.

Table of Contents

SECTION 1 - Local Laws and Regulations for Wildlife Management and Protection	3
1.1 Canadian Federal Legislation	3
1.2 Canadian Provincial Legislation	3
1.2.1 New Brunswick	3
1.2.2 Nova Scotia	4
1.2.3 Newfoundland	4
1.3 United States Federal Legislation	4
1.4 US State Legislation	4
1.4.1 Maine	4
SECTION 2 - Operating Permit Considerations for Wildlife Management and Protection	5
2.1 Maine	5
2.1.1 DMR Lease	5
2.1.2 ACOE Permit	5
2.1.3 DEP MEPDES Permit	5
2.2 New Brunswick	5
2.2.1 Commercial Aquaculture Licence	5
2.2.2 Approval to Operate	5
2.3 Newfoundland	5
2.3.1 Lease for Aquaculture	5
2.3.2 Aquaculture Licence	6
2.3.3 Marine Aquaculture Water Use Licence	6
2.4 Nova Scotia	6
2.4.1 Lease	6
2.4.2 Licence	6
SECTION 3 - Ecologically and Biologically Sensitive and Significant Areas	7
3.1 Atlantic Canada EBSAs	7
3.1.1 National Wildlife Areas and Migratory Bird Sanctuaries	12
3.1.2 Marine Protected Areas	15
3.2 Maine Natural Areas Program	17
SECTION 4 - Risk Assessment	18
4.1 Atlantic Canada Aquaculture Sites and the Species at Risk Act (SARA)	18
4.1.1 Important Birds and Biodiversity Areas (IBA)	18
4.2 Maine Aquaculture Sites and the Endangered Species Act (ESA)	19
SECTION 5 - Local Endangered or Threatened Species	20
5.1 Atlantic Canada	20
5.1.1 New Brunswick	22
5.1.2 Newfoundland	22
5.2 Maine	22
SECTION 6 - Control Measures	24
6.1 Passive Control Measures	24

CAF Wildlife Interaction Plan
for Marine Salmonid Farms on the East Coast of North America

6.2	Active Control Measures.....	24
6.3	Lethal Control Measures.....	25
6.4	Daily Inspections	25
SECTION 7 - Special Requirements		26
7.1	Newfoundland Species at Risk; Bald Eagles and Miawpukek First Nation.....	26
7.2	Maine Coastal Islands National Wildlife Refuge Complex	26
7.3	National (US) Bald Eagle Management Guidelines	26
7.4	Coffin Island, Nova Scotia	27
SECTION 8 - Reporting and Training		29
8.1	General Predator Interactions	29
8.2	General Wildlife Interactions	29
8.2.1	Entanglement, Entrapment.....	29
8.2.2	Oiled Birds	30
8.3	Canadian Wildlife Service Permit.....	30
8.4	SARA Reporting.....	31
8.5	Endangered Species – Federal and State.....	31

Appendices

Agrilaser® Handheld User Manual

CAF Safe Operation Agreement: Bird Control Group Agrilaser® Handheld 200/500

Maine

USFWS: Maine Coastal Islands National Wildlife Refuge Complex

New Brunswick

NB Protected Wildlife ID Chart

Newfoundland

NL Protected Wildlife ID Chart

Nova Scotia

NS Protected Wildlife ID Chart

SECTION 1 - Local Laws and Regulations for Wildlife Management and Protection

1.1 Canadian Federal Legislation

- **Aquaculture Activities Regulations (AAR), 2015** - Fisheries and Oceans Canada has developed the Aquaculture Activities Regulations, to clarify conditions under which aquaculture operators may treat their fish and deposit organic matter, while ensuring the protection of fish and fish habitat and sector sustainability.
- **Canadian Environmental Assessment Act, 2012** - CEAA is an environmental assessment focused on potential adverse environmental effects that are within federal jurisdiction, including: fish and fish habitat; other aquatic species; migratory birds; federal lands; effects that cross provincial or international boundaries; effects that impact on Aboriginal peoples, such as their use of lands and resources for traditional purposes; changes to the environment that are directly linked to or necessarily incidental to any federal decisions about a project. If there is a Provincial requirement for an environmental assessment or review, the applicant has an exemption from the CEAA.
- **Canadian Environmental Protection Act, 1999** - an Act respecting pollution prevention and the protection of the environment and human health to contribute to sustainable development.
- **Fisheries Act, 1985** - established to manage and protect Canada's fisheries resources. It applies to all fishing zones, territorial seas and inland waters of Canada and is binding to federal, provincial, and territorial governments.
- **Marine Mammal Regulations, 1993** - regulations that govern the fishing and hunting and in effect treatment of marine mammals in Canada¹.
- **Migratory Birds Convention Act, 1994** - protecting and conserving migratory birds.
- **Oceans Act, 1997** - Canada made a legal commitment to conserve, protect, and develop the oceans in a sustainable manner.
- **Species at Risk Act (SARA), 2002** - the purposes of this Act are to prevent wildlife species from being extirpated or becoming extinct, to provide for the recovery of wildlife species that are extirpated, endangered, or threatened because of human activity and to manage species of special concern to prevent them from becoming endangered or threatened.

1.2 Canadian Provincial Legislation

1.2.1 New Brunswick

- **Fish and Wildlife Act, 1980** - *policies and programs created under this Act help to maintain diversity of wildlife species in New Brunswick. Among other things, it enables the provincial government to create wildlife refuges and wildlife management areas, it regulates hunting, fishing, possession, and sale of wildlife in the province, and it establishes the provincial Wildlife Fund.*
- **Species at Risk Act (SARA), 2012** - *the purposes of this Act are to prevent wildlife species from being extirpated or becoming extinct, to provide for the recovery of wildlife species that are extirpated, endangered, or threatened as a result of human activity and to manage species of special concern to prevent them from becoming endangered or threatened.*

¹ Previously, Nuisance Seal Licences (NSL) were issued by the Department of Fisheries and Oceans (DFO) to aquaculture sites which allowed farmers to intentionally kill a nuisance seal. In March 2019, the Minister of Fisheries, Oceans, and the Coast Guard issued a statement that the DFO has ceased the issuance of the licence in efforts to meet the requirements of the US Marine Mammal Protection Act, Import Provisions scheduled to come into force on January 1, 2022. The Minister also stated that the "DFO will undertake regulatory amendments to the Marine Mammal Regulations (MMR) to either amend or repeal provisions respecting the issuance of NSLs for aquaculture purposes. <https://www.dfo-mpo.gc.ca/fisheries-peches/consultation/mmr-par-rmm-rap-eng.html>

1.2.2 Nova Scotia

- **Fisheries and Coastal Resources Act, 1996** - *this Act revises the outstanding fisheries law and promotes programs to encourage the development of a sustainable fishery. It sets standards for aquaculture, harvesting, and fish processing, and expands the recreational fishery. It also outlines the requirements for administration, and enforcement.*
- **Endangered Species Act, 1998** - *the purpose of this Act is to provide for the protection, designation, recovery, and other relevant aspects of conservation of species at risk in the province, including habitat protection.*

1.2.3 Newfoundland

- **Endangered Species Act, 2001** - *provides special protection for plant and animal species considered to be endangered, threatened, or vulnerable in the province.*
- **Wilderness and Ecological Reserves Act, 1990** - *an act to provide for the natural areas in the province to be set aside for the benefit, education, and enjoyment of the people of the province.*

1.3 United States Federal Legislation

- **Endangered Species Act of 1973** (16 U.S.C 1531 et seq.) - requires federal agencies, in consultation with the U.S. Fish and Wildlife Service (USFWS) and/or the U.S National Oceanic and Atmosphere Administration (NOAA) Fisheries Service, to ensure that actions they authorize, fund, or carry out are not likely to jeopardize the continued existence of any listed species or result in the destruction or adverse modification of designated critical habitat of such species.
- **Clean Water Act of 1972 (Formerly the Federal Water Pollution Control Act of 1948)** (33 U.S.C 1251 et seq.) - under this Act, it is unlawful for any person to discharge any pollutant from a point of source into navigable waters, unless a permit is obtained under its provisions.
- **Migratory Bird Treaty Act of 1918** (16 U.S.C 703-712) - protecting and conserving migratory birds, or the parts, nests, or eggs of such birds.
- **Marine Mammal Protection Act of 1972** - prohibits the hunt, harassment, capture or killing of any marine mammal or attempts to do so. Also prohibits the import and export of marine mammals, in whole or parts. Three federal entities share responsibility for implementation of the Act: NOAA, USFWS and the Marine Mammal Commission.

1.4 US State Legislation

1.4.1 Maine

- **Maine Endangered Species Act, 1975** – *the Department of Inland Fisheries and Wildlife administers the Act (MESA) and is responsible for monitoring resident inland fish and wildlife (including invertebrates). The Department, through scientific studies, determines whether a species should be listed as endangered or threatened.*
- **Maine Marine Endangered Species Act, 2003** – *enacted to separate marine species from the inland species, the Act (MMESA) is administered by the Maine department of Marine resources.*
- **Maine Coastal Management Program, 1978** - *led by the Maine Department of Agriculture, Conservation, and Forestry. The coastal management program consists of a network of 19 state laws with four state agencies working in cooperation with local governments, nonprofit organizations, private businesses, and the public to improve management of coastal resources. Maine’s coastal zone extends to the inland boundary of all towns bordering tidal waters and includes all coastal islands.*

SECTION 2 - Operating Permit Considerations for Wildlife Management and Protection

2.1 *Maine*

2.1.1 DMR Lease

The Department of Marine Resources (DMR) Rule Chapter 2.37; Area Resources (Essential Habitats/Endangered Species) – under the Maine Endangered Species Act a state agency or municipal government shall not permit, license, fund or carry out projects occurring partly or wholly within the Essential Habitat, without the approval of the Commissioner of Maine Department of Inland Fisheries and Wildlife (MDIFW). Applicants are required to provide a signed statement to confirm the proposed lease either does not fall within the boundary of an Essential Habitat or that the applicant has contacted MDIFW, and preliminary review will grant approval for the Maine DMR to issue an aquaculture lease within part or the entire boundary of a designated Essential Habitat. No nuisance shall be permitted to exist on the leased premises. Lessee shall not operate in a manner as to be detrimental to public health, personal property or marine resources, or as to create a serious threat to the marine environment.

2.1.2 ACOE Permit

Appendix C: Special Conditions which are intended to minimize potential impact to Atlantic salmon, Atlantic salmon critical habitat, other fisheries, benthic habitat, and local water quality.

2.1.3 DEP MEPDES Permit

Refer to the Atlantic Salmon Aquaculture General Permit PART II, Section I. Protection of Atlantic Salmon. In summary, only salmon of North American strain are permitted, and fish must be marked to identify their origin.

2.2 *New Brunswick*

2.2.1 Commercial Aquaculture Licence

Schedule A – Operating Terms and Conditions; this licence may be suspended or revoked should the licensee fail to acquire or comply with any approvals, permits or licences which may be required under the *Clean Water Act*, the *Clean Environment Act*, the *Canadian Navigable Waters Act*, the *Federal Fisheries Act* or the *Crown Lands and Forests Act*, the *Public Health Act*, the *Seafood Processing Act*, the *Fish and Wildlife Act*, or any other applicable law.

2.2.2 Approval to Operate

Schedule A – Terms and Conditions (E); the Approval Holder operate the Facility in accordance with the most recent version of the *Environmental Management Program for the Marine Finfish Cage Aquaculture Industry in New Brunswick*, issued by the Department of Environment and Local Government. The Approval Holder shall ensure that all chemicals are stored in a manner such that any spill is contained and not released to the environment.

2.3 *Newfoundland*

2.3.1 Lease for Aquaculture

Schedule C; the use of the demised premises will, for its intended purpose, be subject to and in accordance with all provincial acts and regulations respecting the promotion of efficient aquaculture and environmental control. The Lessee agrees that upon cancellation or non-renewal of this Lease, the demised premises shall be restored to a condition satisfactory to the Minister, which restoration shall include the removal of all buoys, mooring lines, anchors, floating structures, and any other items placed or installed in or on the demised premises.

2.3.2 Aquaculture Licence

Licence Conditions: Licensees must ensure that all required plans are approved by the department. These plans include but are not limited to: Environmental and Waste Management Plan; Integrated Pest Management Plan; Biosecurity Plan; and Fish Health Management Plan.

2.3.3 Marine Aquaculture Water Use Licence

Appendix A – Terms and Conditions: The Licensee/Holder shall not impair, pollute, or cause to be polluted the quality of water. In the event that the site is no longer being used during the term created by this Licence, the Licensee/Holder shall remove the aquaculture gear and other work(s)/system(s) associated with and restore all areas affected by this facility to a state that resembles local natural conditions.

2.4 *Nova Scotia*

2.4.1 Lease

The Lessee must adhere to the Farm Management Plan, as it is in effect for this lease from time to time, and any failure to adhere to the Farm Management Plan is a breach of the lease. The Lessee agrees to comply with any permits, protocols, approvals, licences, or permissions (the “licencing requirements”) which may be required under the laws of the relevant municipality, the Province or Canada. The Lessee is responsible for confirming any licencing requirements and ensuring compliance with them.

2.4.2 Licence

The Licensee must adhere to the Farm Management Plan, as it is in effect for this licence from time to time, and any failure to adhere to the Farm Management Plan is a breach of the licence. The Licensee agrees to comply with any permits, protocols, approvals, licences, or permissions (the “licencing requirements”) which may be required under the laws of the relevant municipality, the Province or Canada. The Lessee is responsible for confirming any licencing requirements and ensuring compliance with them.

SECTION 3 - Ecologically and Biologically Sensitive and Significant Areas

An Ecologically and Biologically Sensitive Area (EBSA or EBSAs) is an area that has been determined to be of high ecological or biological significance and as such, should receive a higher level of risk aversion when activities are occurring to avoid disruption of the overall ecosystem and structure. It is important that employees are aware of areas that are in proximity to their farm and avoid impacting these areas intentionally and follow company protocols regarding garbage containment, proper fuel and chemical storage, equipment maintenance, among others to reduce the risk of unintentional damage.

3.1 *Atlantic Canada EBSAs*

Both the DFO and the Convention on Biological Diversity (CBD) have criteria for evaluating areas. These criteria consider biological functions, physical oceanography, structural habitat features and biodiversity. Criteria established by DFO to rank an area are uniqueness; aggregation; fitness consequences, plus 2 additional modifying criteria: resilience and naturalness. Criteria established by the CBD are uniqueness or rarity; special importance for life history stages of species; importance for threatened, endangered or declining species and/or habitats; vulnerability, fragility, sensitivity, or slow recovery; biological diversity and naturalness. Both the DFO and CBD criteria were used to establish the EBSAs.

There are three sub-regions within the DFO Maritimes Region in which EBSAs were identified: the Bay of Fundy, the Atlantic coast of Nova Scotia and the offshore Scotian Shelf.

The Bay of Fundy forms a significant part of the Gulf of Maine. A total of 16 areas (**Fig.1**) were identified (DFO²) as EBSAs with the Bay of Fundy, Gulf of Maine. There is no formal list of Ecologically Sensitive Species (ESS) in the Bay of Fundy yet, but there is the presence of potential ESS and the reason that some areas have been established as an EBSA.

In the Atlantic coast sub-region, Cape St. Mary's to Cape North, a total of 38 areas (**Fig. 2**) were identified (DFO³) as EBSAs.

² 2014. DFO CSAS Research Document 2013/065. Identification and Review of Ecologically and Biologically Significant Areas in the Bay of Fundy.

³ 2014. DFO Canadian Technical Report of Fisheries and Aquatic Sciences 3107. Ecologically and Biologically Significant Areas in the Atlantic Coastal Region of Nova Scotia.

Figure 1. Location of identified Bay of Fundy EBSAs – boundaries represent a best approximation of where a significant feature or features exist.






Figure 2. Location of identified Atlantic coast sub-region EBSAs – boundaries represent a best approximation of where a significant feature or features exist.



CAF Wildlife Interaction Plan for Marine Salmonid Farms on the East Coast of North America

Within the DFO Newfoundland and Labrador Region 26 EBSAs have been identified in the Newfoundland and Labrador Shelves Bioregion since 2007 (**Fig. 3**)⁴. One of the 26 EBSAs is a transitory EBSA that encompasses the southern extent of pack ice. Unlike other EBSAs, the location of the southern pack ice is transitory and varies both within and among years, as it is influenced by winds and currents. However, it is usually located south of Hamilton Inlet, as far south as Notre Dame Bay. Although it cannot be defined by rigid boundaries, the southern pack ice is an area that is highly productive and ecologically important within the Newfoundland shelf ecosystem and the North Atlantic.

Figure 3. EBSAs in the Newfoundland and Labrador Bioregion: a) Northern Labrador, b) Outer Shelf Saglek Bank, c) Outer Shelf Nain Bank, d) Nain Area, e) Hopedale Saddle, f) Labrador Slope, g) Labrador Marginal Trough, h) Hamilton Inlet, i) Lake Melville, j) Gilbert Bay, k) Grey Islands, l) Fogo Shelf m) Notre Dame Channel, n) Orphan Spur, o) Northeast Shelf and Slope, p) Smith Sound, q) Eastern Avalon, r) Placentia Bay Extension, s) Virgin Rocks, t) Lilly Canyon-Carson Canyon, u) Southeast Shoal and Tail of the Banks, v) Southwest Shelf Edge and Slope, w) St. Pierre Bank, x) Burgeo Bank, and y) Laurentian Channel.




⁴ DFO. 2016. Refinement of Information Relating to Ecologically and Biologically Significant Areas (EBSAs) Identified in the Newfoundland and Labrador (NL) Bioregion. DFO Can. Sci. Advis. Sec. Sci. Resp. 2016/032.

3.1.1 National Wildlife Areas and Migratory Bird Sanctuaries

According to the Canada Wildlife Act, National Wildlife Areas are created and managed for the purposes of wildlife conservation, research, and interpretation. There are currently 55 National Wildlife Areas across Canada containing nationally significant habitats for animals or plants. The National Wildlife Areas managed by Environment and Climate Change Canada (ECCC) protect over 2.1 million hectares of habitat with over 75% of that area protecting marine habitat⁵.

Migratory Bird Sanctuaries (MBS) are listed under the Schedule in the Migratory Bird Sanctuary Regulations, which prescribe rules and prohibitions regarding the taking, injuring, destruction or molestation of migratory birds or their nests or eggs in the sanctuaries. Hunting of listed species under the Act is not permitted in any Migratory Bird Sanctuary. At present, there are 92 MBS across Canada, comprising almost 11.5 million hectares of migratory bird habitat that provides safe refuge for migratory birds in the terrestrial and marine environment. The Canadian Wildlife Service of Environment Canada is the agency responsible for MBS, although the sanctuaries can be located on federal, provincial, or private land⁶.

Figure 4. National Wildlife Areas and Migratory Bird Sanctuaries in New Brunswick.




National Wildlife Areas			
No.	Name	Year Established	Size in Hectares
1	Cape Jourimain	1980	654
2	Portage Island	1979	349
3	Portobello Creek	1995	3,011
4	Shepody	1980	1,062
5	Tintamarre	1977	1,970

Migratory Bird Sanctuaries			
No.	Name	Year Established	Size in Hectares
1	Grand Manan MBS	1931	433
2	Inkerman MBS	1998	16
3	Machias Seal Island MBS	1944	1,046

⁵ <https://www.canada.ca/en/environment-climate-change/services/national-wildlife-areas/locations.html>

⁶ <https://www.canada.ca/en/environment-climate-change/services/migratory-bird-sanctuaries/locations.html>

Figure 5. National Wildlife Areas and Migratory Bird Sanctuaries in Nova Scotia.



National Wildlife Areas			
No.	Name	Year Established	Size in Hectares
1	Boot Island	1979	107
2	Chignecto	1982	409
3	John Lusby Marsh	1978	552
4	Sand Pond	1977	531
5	Sea Wolf Island	1982	76
6	Wallace Bay	1980	701
#	Isle Haute	In Progress	80

Migratory Bird Sanctuaries			
No.	Name	Year Established	Size in Hectares
1	Amherst Point	1947	433
2	Big Glace Bay Lake	1939	393
3	Port Herbert	1941	346
4	Kentville	1939	506
5	Port Joli	1941	397
6	Sable River	1941	313
7	Sable Island	1977	3,100
8	Haley Lake	1980	95

There are no designated National Wildlife Areas in Newfoundland and Labrador, however, there are 3 designated Migratory Bird Sanctuaries. The first two are located near Belle Isle, off the northeast coast of Newfoundland, the third is in the Bonavista Bay region of northeastern Newfoundland, adjacent to Terra Nova Provincial Park.


Table 1. Migratory Bird Sanctuaries in Newfoundland and Labrador.

Migratory Bird Sanctuaries			
No.	Name	Year Established	Size in Hectares
1	Shepherd Island	1991	18
2	Ile aux Canes	1991	162
3	Terra Nova	1967	1,178

The government of Newfoundland and Labrador has designated 18 wilderness and ecological reserves (**Fig. 6**)⁷ which protect wide-ranging caribou herds, diverse seabird colonies, globally important fossil sites, and habitat for endangered or threatened plants and animals. Several protected areas are representative examples of the province's natural regions. Wilderness reserves are large, protected areas (greater than 1,000 km²) that are designed to protect significant natural features and landscapes. There are two wilderness reserves in Newfoundland - the Avalon and the Bay du Nord and none in Labrador which were created primarily to protect the habitat and range of a caribou herd. Ecological reserves are protected areas (less than 1,000 km²) that were created for two main purposes: a) to protect representative examples of ecosystems or ecoregions, or b) to protect unique, rare, or endangered plants, animals, or other elements of our natural heritage.

Most of the reserves in the second category are divided into three general types-botanical, fossil, and seabird ecological reserves.

Figure 6. Wilderness and Ecological Reserves of Newfoundland and Labrador.



⁷ Department of Environment and Conservation. 2006. A Guide to our Wilderness and Ecological Reserves – Newfoundland and Labrador.

3.1.2 Marine Protected Areas

Marine Protected Areas (MPAs) are defined geographic areas dedicated to and managed for the long-term conservation of nature. The Department of Fisheries and Oceans (DFO) Canada establishes and manages MPAs under the Oceans Act in order to conserve numerous aspects which include, but are not limited to, commercial and non-commercial fishery resources, endangered or threatened marine species, unique habitats and other marine resources, or habitats necessary to fulfill the DFOs mandate of scientific research.

As of February 2022, there are 14 MPAs designated across Canada⁸, **8 of these are in the Atlantic Ocean.**

- **Anguniaqvia niqiqyuam** – located in the Northwest Territories, within the Inuvialuit Settlement Region, as defined by the Western Arctic Claim – Inuvialuit Final Agreement, Western Arctic Bioregion.
 - To maintain the integrity of the marine environment offshore of the Cape Parry Migratory Bird Sanctuary so that it is productive and allows for higher trophic level feeding.
 - To maintain the habitat to support populations of key species (such as beluga whales, Arctic char, and ringed and bearded seals).
- **Banc-des-Américains** – located off the eastern tip of the Gaspé Peninsula, Estuary, and the Gulf of St. Lawrence bioregion.
 - Conserve and protect benthic (seabed) habitats.
 - Conserve and protect pelagic (water column) habitats and forage species (prey).
 - Promote the recovery of at-risk whales and wolffish.
- **Basin Head** – located off the eastern tip of Prince Edward Island, Estuary and Gulf of St. Lawrence Bioregion.
 - Maintain the quality of the marine environment and the physical structures of the ecosystem supporting the *Chondrus crispus* variety of Irish Moss.
 - Maintain the health (biomass and coverage) of the Basin Head *Chondrus crispus*.
 - Maintain the overall ecological integrity of the Basin Head lagoon and inner channel, including avoidance of excessive Ulva growth, maintenance of adequate oxygen levels, and diversity of indigenous flora and fauna.
- **Eastport** – located off the northeast coast of Newfoundland; Newfoundland-Labrador Shelves Bioregion.
 - Maintain a viable population of American lobster through the conservation, protection, and sustainable use of resources and habitats within the Eastport Peninsula Lobster Management Area (EPLMA); and
 - Ensure the conservation and protection of threatened or endangered species.
- **Endeavour Hydrothermal Vents** – located on the Juan de Fuca Ridge, British Columbia, Offshore Pacific Bioregion.
 - Conserve the biological diversity, productivity, structural habitat, and ecosystem function of the hydrothermal vents.
- **Gilbert Bay** – located off the southeast coast of Labrador; Newfoundland-Labrador Shelves Bioregion.
 - Conservation and protection of the Gilbert Bay cod and its habitats.
 - Conservation and protection of the Gilbert Bay ecosystem.
 - Facilitation of scientific research opportunities in the Gilbert Bay ecosystem.
 - Promotion of public awareness, education, and support of the Gilbert Bay MPA.
- **The Gully** – located east of Nova Scotia’s Sable Island, Scotian Shelf Bioregion.
 - Minimize harmful impacts from human activities on cetacean populations and their habitats.
 - Minimize the disturbance of seafloor habitat and associated benthic communities caused by human activities.
 - Maintain and monitor the quality of water and sediments of the Gully; and
- Manage human activities to minimize impacts on other commercial and non-commercial living resources.
- **Hecate Strait/Queen Charlotte Sound Glass Sponge Reefs** – located north and south of the entrance to Douglas Channel, British Columbia, Northern Shelf Bioregion.
 - Conserve the biological diversity, structural habitat, and ecosystem function of the glass sponge reefs.

⁸ <http://www.dfo-mpo.gc.ca/oceans/mpa-zpm/index-eng.html>

- **Laurentian Channel** – located off the southwest coast of Newfoundland and Labrador, Newfoundland, and Labrador Shelves Bioregion.
 - Protect corals, particularly significant concentrations of sea pens, from harm due to human activities (e.g., fishing, oil and gas exploratory drilling, submarine cable installation and anchoring) in the Laurentian Channel.
 - Protect Black Dogfish from human induced mortality (e.g., bycatch in the commercial fishery) in the Laurentian Channel.
 - Protect Smooth Skate from human induced mortality (e.g., bycatch in the commercial fishery) in the Laurentian Channel.
 - Protect Porbeagle sharks from human induced mortality (e.g., bycatch in the commercial fishery, seismic activities) in the Laurentian Channel.
 - Promote the survival and recovery of Northern Wolffish by minimizing risk of harm from human activities (e.g., bycatch in the commercial fishery) in the Laurentian Channel.
 - Promote the survival and recovery of Leatherback Sea Turtles by minimizing risk of harm from human activities (e.g., entanglement in commercial fishing gear, seismic activities) in the Laurentian Channel.
- **Musquash Estuary** – Bay of Fundy, New Brunswick; Scotian Shelf Bioregion.
 - Maintain productivity of harvested species.
 - Maintain biodiversity of individual species, communities, and populations within the different ecotypes.
 - Safeguard habitat, including the physical and chemical properties of the ecosystem, by maintaining water and sediment quality.
- **SGaan Kinghlas-Bowie Seamount** - located 180 kilometers offshore and to the west of Haida Gwaii (formerly known as Queen Charlotte Islands) in the northeast Pacific, off the coast of British Columbia. The seamount rises from a depth of 3,000 meters to within 24 meters of the surface.
 - Conserve and protect the unique biodiversity and biological productivity of the area's marine ecosystem, which includes the SGaan Kinghlas-Bowie, Hodgkins and Davidson seamounts and the surrounding waters, seabed, and subsoil.
- **St. Anns Bank** – located east of Cape Breton Island, Nova Scotia, Scotian Shelf Bioregion.
 - Conserve and protect all major benthic, demersal (i.e., close to the sea floor) and pelagic (i.e., in the water column) habitats within the MPA, along with their associated physical, chemical, geological, and biological properties and processes.
 - Conserve and protect marine areas of high biodiversity at the community, species, population, and genetic levels within the MPA.
 - Conserve and protect biological productivity across all trophic levels so that they can fulfill their ecological role in the ecosystems of the MPA.
- **Tarium Nirjutait** – located in the Mackenzie River Delta and estuary in the Beaufort Sea, Western Arctic Bioregion.
 - To conserve and protect beluga whales and other marine species (anadromous fish, waterfowl, and seabirds), their habitats and their supporting ecosystem.
- **Tuvaijuittuq** – located off the northwest coast of Ellesmere Island, Nunavut in the Arctic Ocean, encompasses areas within the Arctic Basin and Arctic Archipelago Bioregions.
 - To contribute to the conservation, protection and understanding the natural diversity, productivity, and dynamism of the High Arctic Sea ice ecosystem.
 - Tuvaijuittuq is the first MPA to be designated for interim protection by ministerial order under the *Oceans Act*, limiting human activities in the area for up to five years.

3.2 *Maine Natural Areas Program*

Ecological Reserves are lands specifically set aside to protect and monitor the State of Maine's natural ecosystems. These lands are managed by the Bureau of Parks and Public Lands, and the Maine Natural Areas Program oversees the long-term ecological monitoring plan. As of 2013, Maine has designated more than 90,000 acres of Ecological Reserves on 17 public land units. The purposes of the Reserves are:

1. To maintain one or more natural community types or native ecosystem types in a natural condition and range of variation and contribute to the protection of Maine's biological diversity,
2. To act as a benchmark against which biological and environmental change may be measured, as a site for ongoing scientific research, long-term environmental monitoring, and education, and
3. To protect sufficient habitat for those species whose habitat needs are unlikely to be met on lands managed for other purposes.

Reserves were designated following a multi-year inventory and assessment project coordinated by the Maine Forest Biodiversity Project, with staff assistance from The Nature Conservancy, the Maine Natural Areas Program, and the Bureau of Parks and Public Lands. In total, there are 17 Maine Ecological Reserves as of July 2018 - ranging in size from 775 acres at Wassataquoik Stream to over 11,000 acres at Nahmakanta.

Factsheets on each of the reserves are available through the Maine Department of Agriculture, Conservation and Forestry website⁹.

- [Big Spencer Mountain](#)
- [Bigelow Preserve](#)
- [Chamberlain Lake/Lock Dam](#)
- [Cutler Preserve](#)
- [Deboullie](#)
- [Duck Lake](#)
- [Gero Island](#)
- [Great Heath](#)
- [Mahoosucs Unit](#)
- [Mt. Abraham](#)
- [Nahmakanta](#)
- [Number Five Bog](#)
- [Rocky Lake](#)
- [Salmon Brook Lake](#)
- [St. John Ponds](#)
- [Tunk Lake Area, including Donnell Pond and Spring River Lake](#)
- [Wassataquoik Stream](#)

⁹ <https://www.maine.gov/dacf/mnap/reservesys/index.htm>

SECTION 4 - Risk Assessment

4.1 Atlantic Canada Aquaculture Sites and the Species at Risk Act (SARA)


The SARA is a key federal government commitment “to prevent wildlife species from being extirpated or becoming extinct, to provide for the recovery of wildlife species that are extirpated, endangered or threatened as a result of human activity and to manage species of special concern to prevent them from becoming endangered or threatened”. SARA provides for the legal protection of wildlife species and the conservation of their biological diversity.

When scoping new sites or proposing boundary amendments for pre-existing farms, endangered, at risk and threatened species that have been or may be found within the proposed area must be identified. Species identified that are listed under the SARA designation must be protected and considered within the proposal. Applicants must provide mitigation plans for those species regarding how the operation will strive to not impede or otherwise cause harm. Applicants must also consider those species identified by regional conservation strategies, including Provincial Species at Risk Acts or Endangered Species Acts.

4.1.1 Important Birds and Biodiversity Areas (IBA)

Important Bird Areas (IBAs)¹⁰ are discrete sites that support specific groups of birds: threatened birds, large groups of birds, and birds restricted by range or by habitat. When bird species occur at a site in sufficient numbers during one or more seasons (winter; migration; breeding), they become known as trigger species, and the site at which they are found is designated as an IBA. IBAs range in size from very tiny patches of habitat to large tracts of land or water. They may encompass private or public land, and they may or may not overlap partially or entirely with legally protected sites, such as EBSAs, National Wildlife Areas, Migratory Bird Sanctuaries and Wilderness and Ecological Reserves mentioned previously. While there are no IBAs located near our marine farms in Newfoundland, there are several identified within New Brunswick and Nova Scotia (Fig. 7).

Figure 7. IBAs in the Maritimes Region, with focus of Grand Manan Island, Passamaquoddy Bay and Maces Bay, NB.



¹⁰ <https://www.ibacanada.org/index.jsp?lang=en>

4.2 *Maine Aquaculture Sites and the Endangered Species Act (ESA)*

The ESA aims to conserve, protect, and recover imperiled species and the ecosystems upon which they depend. The National Oceanic and Atmospheric Administration (NOAA) Fisheries is responsible for the protection, conservation, and recovery of endangered and threatened marine and anadromous species under the ESA.

Generally, NOAA Fisheries manages the marine and anadromous species including whales, corals, sea turtles, and salmon. The US Fish and Wildlife Service (USFWS) manages terrestrial and freshwater species such as polar bears, sea otters, and manatees.

The Maine Endangered Species Act (MESA) provides the Maine Department of Inland Fisheries and Wildlife (MDIFW) with a mandate to conserve all the species of fish and wildlife found in the State, as well as the ecosystems upon which they depend. Under the MESA, as stated in Maine aquaculture site Department of Marine Resources (DMR) Leases, a state agency or municipal government shall not permit, licence, fund or carry out projects occurring partly or wholly within the essential habitat, without the approval of the Commissioner of MDIFW.

Applicants are required to provide a signed statement to confirm the proposed lease either does not fall within the boundary of an essential habitat or that the applicant has contacted MDIFW, and preliminary review will grant approval for the Maine Department of Marine Resources (MDMR) to issue an aquaculture lease within part or all the boundary of a designated Essential Habitat.

SECTION 5 - Local Endangered or Threatened Species

5.1 Atlantic Canada

The following species are listed as endangered or threatened in Atlantic Canada¹¹ (excluding Prince Edward Island as well as terrestrial plants and animals) either under the Federal Species at Risk Act (SARA) and/or the Committee on the Status of Endangered Wildlife in Canada (COSEWIC) and may be seen in the vicinity of our marine farms:

E = Endangered under the SARA and listed by the COSEWIC
T = Threatened under the SARA and listed by the COSEWIC
s = Special Concern under the SARA and listed by the COSEWIC
c = COSEWIC Designation, no SARA Status

Birds

- 1 Bank Swallow (*Riparia riparia*) **T**
- 2 Barn Swallow (*Hirundo rustica*) **T**
- 3 Barrow's Goldeneye (*Bucephala islandica*) **s**
- 4 Bicknell's Thrush (*Catharus bicknelli*) **T**
- 5 Bobolink (*Dolichonyx oryzivorus*) **T**
- 6 Canada Warbler (*Wilsonig anadensis*) **T**
- 7 Chimney Swift (*Chaetura pelagica*) **T**
- 8 Common Nighthawk (*Chordeiles minor*) **T**
- 9 Eastern Meadowlark (*Sturnella magna*) **T**
- 10 Eastern Whip-poor-will (*Antrastomus vociferus*) **T**
- 11 Eastern Wood Pewee (*Contopus virens*) **c**
- 12 Eskimo Curlew (*Numenius borealis*) **E – LIKELY EXTINCT**
- 13 Evening Grosbeak (*Coccothraustes vespertinus*) **s**
- 14 Harlequin Duck (*Histrionicus histrionicus*) **s**
- 15 Horned Grebe – Western population (*Podiceps auratus*) **s**¹²
- 16 Hudsonian Godwit (*Limosa haemastica*) **c**
- 17 Ipswich Sparrow (*Passerculus sandwichensis princeps*) **s**
- 18 Ivory Gull (*Pagophila eburnean*) **E**
- 19 Leach's Storm-Petrel (*Oceanodroma leucorhoa*) **c**
- 20 Least Bittern (*Ixobrychus exilis*) **T**
- 21 Lesser Yellowlegs (*Tringa flavipes*) **c**
- 22 Olive-sided Flycatcher (*Contopus cooperi*) **T**
- 23 Peregrine Falcon – Anatum Subspecies (*Falco peregrinus anatum*) **s**
- 24 Piping Plover (*Charadrius melodus*) **E**
- 25 Red Crossbill perena (*Loxia curvirostra perena*) **T**
- 26 Red Knot Rufa (*Calidris canutus rufa*) **E**
- 27 Red-necked Phalarope (*Phalaropus lobatus*) **s**
- 28 Roseate Tern (*Sterna dougallii*) **E**
- 29 Ross's Gull (*Rhodostethia rosea*) **T**
- 30 Rusty Blackbird (*Euphagus carolinus*) **s**
- 31 Savannah Sparrow princeps (*Passerculus sandwichensis princeps*) **s**
- 32 Short-eared Owl (*Asio flammeus*) **s**
- 33 Wood Thrush (*Hylocichla mustelina*) **T**
- 34 Yellow Rail (*Coturnicops noveboracensis*) **s**

¹¹ <https://species-registry.canada.ca/index-en.html#/species?ranges=15,9,7,8&taxonomyId=4,5,2&sortBy=commonNameSort&sortDirection=asc&pageSize=10> (Filtered by NB, NL, NS, Atlantic Ocean; Birds, Fishes (Marine), Mammals)

¹² The Western population is recognized by the Province of New Brunswick under the provincial Species at Risk Act, though the SARA Registry does not consider New Brunswick as a range of the species. Due to its listing on the provincial list, it is included here.

Fish

- 1 Acadian Redfish (*Sebastes fasciatus*) c
- 2 American Eel (*Anguilla rostrata*) T
- 3 American Plaice (*Hippoglossoides platessoides*) c
- 4 Atlantic Bluefin Tuna (*Thunnus thynnus*) c
- 5 Atlantic Cod – Newfoundland and Labrador, Laurentian North and South, Southern populations (*Gadus morhua*) c
- 6 Atlantic Salmon – Eastern Cape Breton, Gaspé-Southern Gulf of St. Lawrence, Outer Bay of Fundy, Nova Scotia Southern Upland, South Newfoundland populations (*Salmo salar*) c
- 7 Atlantic Salmon – Inner Bay of Fundy (*Salmo salar*) E
- 8 Atlantic Sturgeon – Maritime population (*Acipenser oxyrinchus*) c
- 9 Atlantic Whitefish (*Coregonus huntsman*) E
- 10 Atlantic Wolffish (*Anarhichas lupus*) s
- 11 Basking Shark (*Cetorhinus maximus*) c
- 12 Cusk (*Brosme brosme*) c
- 13 Lumpfish (*Cyclopterus lumpus*) c
- 14 Northern Wolffish (*Anarhichas denticulatus*) T
- 15 Porbeagle (*Lamna nasus*) c
- 16 Shortfin Mako – Atlantic population (*Isurus oxyrinchus*) c
- 17 Shortnose Sturgeon (*Acipenser brevirostrum*) s
- 18 Smooth Skate – Lauranian-Scotian population (*Malacoraja senta*) c
- 19 Spiny Dogfish (*Squalus acanthias*) c
- 20 Spotted Wolffish (*Anarhichas minor*) T
- 21 Striped Bass – Bay of Fundy, Southern Gulf of St. Lawrence Population (*Morone saxatilis*) c
- 22 Thorny Skate (*Amblyraja radiata*) c
- 23 White Shark (*Carcharodon Carcharias*) E
- 24 White Hake (*Urophycis tenuis*) c
- 25 Winter Skate – Georges Bank, Western Scotian Shelf, Bay of Fundy populations (*Leucoraja ocellate*) c

Mammals

- 26 Beluga Whale (*Delphinapterus leucas*) c
- 27 Blue Whale (*Balaenoptera musculus*) E
- 28 Fin Whale (*Balaenoptera physalus*) s
- 29 Harbour Porpoise - Northwest Atlantic Population (*Phocoena phocoena*) c
- 30 Killer Whale – Northwest Atlantic population (*Orcinus orca*) c
- 31 North Atlantic Right Whale (*Eubalaena glacialis*) E
- 32 Northern Bottlenose Whale – Scotian Shelf population (*Hyperoodon ampullatus*) E
- 33 Polar Bear (*Ursus maritimus*) s
- 34 Ringed Seal (*Pusa hispida*) c
- 35 Sowerby's Beaked Whale (*Mesoplodon bidens*) s

Turtles

- 36 Leatherback Sea Turtle – Atlantic population (*Dermochelys coriacea*) E
- 29 Loggerhead Sea Turtle (*Caretta caretta*) E

5.1.1. New Brunswick

In addition to the Federal SARA Registry, the following species are listed under Schedule A of the New Brunswick *List of Species at Risk Regulations - Species at Risk Act*¹³ and may be seen within the vicinity of our marine farms:

E = Endangered Species

T = Threatened Species

S = Species of Special Concern

Birds

- 1 Bald Eagle (*Haliaeetus leucocephalus*) **E**

Fish

- 2 Blue Shark – Atlantic population (*Prionace glauca*) **S**
- 3 Rainbow Smelt – Lake Utopia Large-Bodied, Small-Bodied populations (*Osmerus mordax*) **T**
- 4 Winter Skate – Southern Gulf of St. Lawrence population (*Leucoraja ocellata*) **E**

5.1.2 Newfoundland

Newfoundland and Labrador's Endangered Species Act provides special protection for plant and animal species considered to be endangered, threatened, or vulnerable in the province. The Act considers species and populations that are native to the province but does not include marine fish. The following species are additional species relevant to those listed under the Federal SARA Registry and are listed under the Newfoundland and Labrador Endangered Species Act¹⁴:

E = Endangered

T = Threatened

V = Vulnerable

Birds

- 1 Newfoundland Gray-cheeked Thrush (*Catharus minimus minimus*) **T**

5.2 Maine

Endangered and threatened marine species in the state of Maine are listed under the Marine Endangered Species Act¹⁵. Endangered and threatened inland fish and wildlife species in Maine are listed either under Maine's Endangered Species Act¹⁶, the US Endangered Species Act¹⁷, or both. The following species are listed as endangered or threatened in Maine and may be seen in the vicinity of our marine farms:

F = Federally Endangered under the U.S. Endangered Species Act

f = Federally Threatened under the U.S. Endangered Species Act

S = State Endangered under the Maine Endangered Species Act

s = State Threatened under the Maine Endangered Species Act

M = State Endangered under the Maine Marine Endangered Species Act

m = State Threatened under the Maine Marine Endangered Species Act

¹³ <https://laws.gnb.ca/en/showdoc/cr/2013-38>

¹⁴ <https://www.gov.nl.ca/ffa/wildlife/endangeredspecies/>

¹⁵ <http://www.mainelegislature.org/legis/statutes/12/title12sec6975.html>

¹⁶ <https://www.maine.gov/ifw/fish-wildlife/wildlife/endangered-threatened-species/listed-species.html>

¹⁷ https://www.fisheries.noaa.gov/species-directory/threatened-endangered?title=&species_category=any&species_status=any®ions=1000001111&items_per_page=25&sort=#

Birds

- 1 American Pipit (*Anthus rubescens*) (Breeding population only) **S**
- 2 Arctic Tern (*Sterna paradisaea*) **s**
- 3 Atlantic Puffin (*Fratercula arctica*) **s**
- 4 Barrow's Goldeneye (*Bucephala islandica*) **s**
- 5 Black-crowned Night Heron (*Nycticorax nycticorax*) **S**
- 6 Black Tern (*Chlidonias niger*) **S**
- 7 Common Gallinule (*Gallinula chloropus*) **s**
- 8 Giant Manta Ray (*Manta birostris*) **f**
- 9 Golden Eagle (*Aquila chrysaetos*) **S**
- 10 Grasshopper Sparrow (*Ammodramus savannarum*) **S**
- 11 Great Cormorant – Breeding population (*Phalacrocorax carbo*) **s**
- 12 Harlequin Duck (*Histrionicus histrionicus*) **s**
- 13 Least Bittern (*Lxobrychus exilis*) **S**
- 14 Least Tern (*Sterna antillarum*) **S**
- 15 Peregrine Falcon – Breeding population (*Falco peregrinus*) **S**
- 16 Piping Plover (*Charadrius melodus*) **S f**
- 17 Razorbill (*Alca torda*) **s**
- 18 Red Knot (*Calidris canutus rufa*) **f**
- 19 Roseate Tern (*Sterna dougallii*) **S F**
- 20 Sedge Wren (*Cistothorus platensis*) **S**
- 21 Short-eared Owl (*Asio flammeus*) (Breeding population only) **s**
- 22 Upland Sandpiper (*Bartramia longicauda*) **s**

Fish

- 23 Atlantic Salmon (*Salmo salar*) **F**
- 24 Atlantic Sturgeon (*Acipenser oxyrinchus*) **f**
- 25 Shortnose Sturgeon (*Acipenser brevirostrum*) **F M**
- 26 Oceanic Whitetip Shark (*Carcharhinus longimanus*) **f**

Mammals

- 27 Blue Whale (*Balaenoptera musculus*) **F**
- 28 Fin Whale (*Balaenoptera physalus*) **F M**
- 29 Humpback Whale (*Megaptera novaeangliae*) **M**
- 30 North Atlantic Right Whale (*Eubalaena glacialis*) **F M**
- 31 Sei Whale (*Balaenoptera borealis*) **F M**
- 32 Sperm Whale (*Physeter catodon*) **F M**

Turtles

- 33 Atlantic (Kemp's) Ridley Turtle (*Lepidochelys kempii*) **F M**
- 34 Green Turtle (*Chelonia mydas*) **f**
- 35 Leatherback (*Dermochelys coriacea*) **F M**
- 36 Loggerhead (*Caretta caretta*) **f m**

SECTION 6 - Control Measures

From the careful selection of farm sites and investment in the best technology in everything from cage and net construction to feeding systems, to regular monitoring and sampling of sediment under cage sites, we ensure that all the necessary steps to safeguard the health of our salmon and of the surrounding areas are taken. Any measures taken to protect fish from predators are always carried out in a manner that considers predator welfare and does not endanger the predator population; however, if a predator cannot be deterred and is threatening human safety or the security of the containment, it may be dispatched with Saltwater Management consent AND in accordance with Provincial, State or Federal Regulations.

6.1 *Passive Control Measures*

The primary containment net will be protected from predators using a predator net as needed. The predator net mesh size will be consistent with that utilized in the area for controlling access by predators. Bird nets shall be present over top of each containment net when fish are present and only pulled back to allow access to the cage. During daily inspections, bird nets are checked for damage and pulled tight. 150m cages may require additional support lines to reduce sagging. In winter months, bird nets should be simmed to main nets.

6.2 *Active Control Measures*

Non-lethal, visual, or audible surface deterrent devices may be used on sites to discourage birds from landing on the cages. Use of audible deterrents must take into effect proximity to other users and abide by noise regulations in the respective area and as described in the operational licences and permits.

Visual active controls include the use of handheld lasers, specifically the Agrilaser® Handheld 200/500 developed by Bird Control Group. The beam produced is classified as a 3B Laser with an effective range of 2,500m. Birds see the laser beam differently than humans and see the beam as a physical danger. The goal is that after consistent use, the birds will perceive the farm as unsafe and will not return. Range of the laser is highly dependent upon weather conditions, with the longest range seen on dark or cloudy days. Sites designated to use this deterrent require specific training and must completed a Safe Use Agreement prior to being assigned a laser.

For predatory marine mammals, Acoustic Deterrent Devices (ADDs) may deployed underneath the water to deter the animals away from our cages. The use of ADDs has drastically reduced in recent years largely due in part to the advances in passive control systems, such as the use of the steel-core nets, redesign of our grid systems and other technologies. ADDs may only be used if:

- The use of an ADD has been first communicated with and approved by the respective Area and/or Production Manager to ensure that all other preventative measures have been taken.
- Other factors such as the legality to use such devices or the requirements of certification programs need to be referred to prior to deployment and your Compliance Manager (or similar) and/or Production Manager are your best resources to answer these questions.
- To ensure that non-target species are not negatively impacted, the use of any ADDs is limited during periods of high population densities. As such, the use of ADDs will NOT BE PERMITTED during the months of June through September – any ADDs must be physically removed from the water during this time.

For smaller marine predators, such as the mink, active measures to control or remove these predators is the use of traps. Traps are only permitted to be used under permit, such as the Nuisance Animal Control Permit in New Brunswick or through those who hold a valid licence, such as the Nuisance Wildlife Control Operator Licence or utilizing the services of local Wildlife Control Officers.

6.3 *Lethal Control Measures*

Lethal control measures for predators are prohibited unless there is a permit in place and actions are carried out according to said permit under the instructions and guidance of Senior Management. In most instances, marine mammals, primarily seals, found inside cages can be removed by lowering the net to allow the animal to remove themselves. Birds should never require the use of lethal control measures and only require intervention if entangled, entrapped or to aid, refer to *General Predator Interactions*.

6.4 *Daily Inspections*

Each day crews are to inspect the farm to check water quality, inspect cages and netting and to make general observations of the fish and fish activity from the surface. Any debris that could cause harm to the fish and/or damage netting should be removed from around or in the cages including garbage, large sticks, and excessive amounts of kelp or rockweed. Any garbage shall be removed from the water and placed in site garbage to be disposed properly.

Inspections on the cages and netting should include infrastructure inspections, such as:

- Checking for waterlines or handrail ties that are untied, missing, broken, or chaffed. Any lines that are untied must be retied; all others shall be replaced as soon as possible.
- Inspecting netting and the water surface inside of the cage for any entangled or entrapped wildlife. When possible, to do so without handling the wildlife, all attempts shall be made to release the wildlife without additional harm. Any species found deceased should be removed from the structure.
- Inspecting netting and cage for any damage. For larger repairs, such as broken, chaffed, or missing bridals, weight ring ropes or camera lines should be reported to the Site Manager as these types of repairs may require the use of divers, maintenance vessels, or plastic welders. Any holes discovered in the netting should immediately be repaired, if able, or reported to the Site Manager so that divers can be called in to assess and check for signs of fish escapement.

SECTION 7 - Special Requirements

7.1 *Newfoundland Species at Risk; Bald Eagles and Miawpukek First Nation*

Interactions between wildlife and aquaculture facilities are bound to occur from time to time. Therefore, our activities should be conducted with respect and care for the local wildlife, ensuring that harmful encounters are minimized. In cases where we do encounter entangled birds, other wildlife, and marine mammals on our sites, whether alive or dead, we are obligated to contact the following authorities for their information and action.

- Report any sightings of species listed on the Newfoundland and Labrador Species at Risk to the Department of Environment and Conservation – Endangered Species and Biodiversity, Wildlife Division at (709) 637-2026.
- Birds and other wildlife: notify the local Conservation Officer, Department of Environment and Conservation (in the Bay D’Espoir area the phone number is (709) 882-2200). If the animal in question is an eagle, we will also contact the Miawpukek First Nation Council, located in Conne River, at (709) 882-2470.
- Marine mammals and fish (tuna, etc.): contact the local Department of Fisheries and Oceans Canada Conservation and Protection Officer in your community.

In the case of wild animals that are alive, the province’s Department of Environment and Conservation has a “Wildlife Care and Rehabilitation Program” at Salmonier Nature Park. The local Conservation Officer will be able to determine if the animal in question should be sent to the Salmonier Park.

If a dead animal is encountered, it should be retrieved where possible, treated respectfully, and turned over to the appropriate authority when directed to do so. In the case of deceased bald eagles, the Conservations Officer will make properly permitted arrangements to turn them over to the Miawpukek First Nation Council for respectful burial at Conne River.

7.2 *Maine Coastal Islands National Wildlife Refuge Complex*

Established between 1972 and 1980, the US Fish and Wildlife Service (USFWS) oversees the Maine Coastal Islands National Wildlife Refuge Complex, which were established for the protection of migratory birds, principally colonial nesting seabirds, The Complex, containing more than 73 offshore islands and 4 coastal parcels, is comprised of five individual refuges which span the coast of Maine and support an incredible diversity of habitats including coastal islands, forested headlands, estuaries, and freshwater wetlands. **Refer to APPENDIX USFWS: Maine Coastal Islands National Wildlife Refuge Complex¹⁸**

The Cross Island marine farm (MACH C12), located just inside Northwest Harbour off Cross Island in Machias Bay, is positioned near the Cross Island National Wildlife Refuge. A “line of impasse” is described within the Army Corp of Engineers Permit for MACH C12 (1989) in which the permit states that no aquaculture gear can be placed south of this line.

7.3 *National (US) Bald Eagle Management Guidelines*

Bald Eagles were removed from the US endangered species list in August 2007 due to sufficient population recovery, however both bald eagles and golden eagles are still protected by the Bald and Golden Eagle Protection Act (Eagle Act) and the Migratory Bird Treaty Act. The National Bald Eagle Management Guidelines¹⁹ were developed by the USFWS to advise individuals who share public and private lands with bald eagles about when and under what circumstances the protective provisions of the Eagle Act may apply to their activities. The Guidelines are intended to help people minimize such impacts to bald eagles, particularly where they may constitute "disturbance" which is prohibited by the Eagle Act.

¹⁸ [fws.gov/refuge/maine-coastal-islands-complex](https://www.fws.gov/refuge/maine-coastal-islands-complex)

¹⁹ <https://www.fws.gov/media/national-bald-eagle-management-guidelines-0>

**CAF Wildlife Interaction Plan
for Marine Salmonid Farms on the East Coast of North America**

Due to the farms proximity to Stone Island, the Stone Island marine farm (MACH ST), located in Machias Bay, must comply with the Guidelines to minimize disturbance of nesting eagles on Stone Island. Such guidelines include sensitive periods (**Table 1**) within various ranges across the US, such as the Northern US which includes Maine.

Table 1. Chronology of typical reproductive activities of Bald Eagles for the Northern U.S., including Maine.

Sept.	Oct.	Nov.	Dec.	Jan.	Feb.	March	April	May	June	July	Aug.
			Nest Building - I								
				Egg Laying/Incubation - II, III							
						Hatching/Rearing Young - IV					
									Fledging Young - V		

Table 2. Nesting Bald Eagle sensitivity to human activities.

Phase	Activity	Sensitivity to Human Activity	Comments
I	Courtship and Nest Building	Most Sensitive	Most critical time period. Disturbance is manifested in nest abandonment. Bald eagles in newly established territories are more prone to abandon nest sites.
II	Egg Laying	Very Sensitive	Human activity of even limited duration may cause nest desertion and abandonment of territory for the breeding season.
III	Incubation and Early Nestling Period (up to 4 weeks)	Very Sensitive	Adults are less likely to abandon the nest near and after hatching. However, flushed adults leave eggs and young unattended; eggs are susceptible to cooling, loss of moisture, overheating, and predation; young are vulnerable to elements.
IV	Nestling period, 4 to 8 weeks	Moderately Sensitive	Likelihood of nest abandonment and vulnerability of the nestlings to elements somewhat decreases. However, nestlings may miss feedings, affecting their survival.
V	Nestlings 8 weeks through fledging	Very Sensitive	Gaining flight capacity, nestlings 8 weeks and older may flush from the nest prematurely due to disruption and die.

7.4 Coffin Island, Nova Scotia

Coffin Island is used for nesting by colonial birds, including the Roseate Tern, which are particularly vulnerable to the effects of human disturbance. The period spent at the colony prior to egg-laying is very important for seabirds, disturbance prior to egg-laying may cause birds to abandon historical colony locations. Meanwhile, disturbances during the breeding season can cause these birds to abandon their nests or young, or to use valuable energy reserves for defense, instead of incubating eggs and feeding their young. The presence of humans in close proximity to nests may prevent parent birds from returning to protect and feed their young, and expose eggs or chicks to predation, and to the lethal effects of heat, cold and rain.

The Liverpool marine farm (NS-1205) is located in close proximity to Coffin Island, which is pending designation as a 50-hectare Nature Reserve in Nova Scotia²⁰. Although not officially designated under the IBAs program, the surrounding beaches and flats at East Berlin, West Berlin, Eagle Head, Beach Meadows, and Western Head all host

²⁰ <https://novascotia.ca/parksandprotectedareas/plan/interactive-map/>

CAF Wildlife Interaction Plan for Marine Salmonid Farms on the East Coast of North America

small populations of migrant shorebirds as well in late summer and early fall. Given the distance from the marine farm to the surrounding beaches and flats, there is no anticipated interaction with these areas.

There is concern for potential negative interactions with sensitive species, therefore it is important that mitigation measures, such as the following, be implemented to avoid/minimize adverse effects on migratory birds in the vicinity of Coffin Island:

- Marine travel should take place at steady speeds, moving parallel to the shore, rather than approaching Coffin Island directly.
- Vessels and equipment should be well muffled, and should avoid any sharp or loud noises, should not blow horns or whistles, and should maintain constant engine noise levels.
- Radio communications should be the primary source of communication, as opposed to whistle blasts and horns.
- Marine vessels should not pursue seabirds/waterbirds swimming on the water surface and avoid concentrations of birds on the water.
- There should be no access to Coffin Island, including the intertidal zone, by employees and/or equipment. Beaches and wetlands are sensitive habitats, and these habitats shall not be used for construction, operational or decommissioning activities, with the exception of beach clean-up activities, which should be timed to not coincide with sensitive periods for breeding birds.
- Beach clean-ups should be conducted in outer Liverpool Bay (Western Head to West Berlin) but avoid the mid-March to September 30th period.
- Should equipment wash up at these sites during the courtship, nesting, and/or chick rearing seasons of colonial nesters (spring and summer), the Canadian Wildlife Service will be contacted prior to retrieval of equipment.

Farms are expected to comply with the requirements as included in the Materials, Storage Handling and Waste Disposal Plan regarding fuel and chemical storage, household, and hazardous waste as well as feed storage that may affect wildlife through contamination or through the artificial enhanced presence of avian and mammalian predators.

SECTION 8 - Reporting and Training

Farm staff have available to them a copy of this plan. All site staff, as well as management, are responsible for both implementation and compliance of this plan.

Annually all marine farm employees participate in CREW Training which is an in-house developed and delivered session that discusses the day-to-day practices and responsibilities of all employees. Topics covered include Fish Health, Waste Management, Wildlife Interactions, Spill Prevention and Reporting, Escape Prevention and Reporting. Farm staff will be trained in recognizing endangered, threatened, and protected species they may see from their farm and a system for recording and reporting such observations to farm management. A Standard Operating Procedure for Predator Interaction is also included in the Fish Health Management Plan available on each site.

An IMS Incident Record is part of the Cooke Aquaculture Integrated Management System and is to be used to report various incident types, including wildlife interactions. The form is available electronically through Pronto Forms and is also available on SharePoint and hard copy if necessary.

All records of training are recorded in Intalex.

8.1 *General Predator Interactions*

Due to the environment in which we operate, wildlife interactions will be unavoidable – both neutral and negative. Neutral interactions are those where no wildlife is harmed but may be sighted by employees and been seen as a positive or rewarding experience. Though there is no direct contact, some species may require management notification if the species is listed on a Species at Risk list or other similar list. Negative interactions can be further divided into two subcategories – those that affect the marine farm populations (predators) and those where the wildlife has been impacted (entangled, entrapped, death). Based on historical knowledge, negative interactions will generally identify instances of predator activity and should be noted to determine if there is an increase or decrease in activity. If a predator is persistent or there is the potential for endangerment of employees, deterrence methods may be required. Any negative interaction, including those involving non-predatory species whether intentional or accidental, in addition to those neutral interactions with at risk species, must be reported.

8.2 *General Wildlife Interactions*

Marine birds and mammals have the greatest likelihood for interactions with marine farms given that they share the same waters and migrate through areas where farms are located. Wildlife may become entangled, entrapped, contaminated, or oiled from gear or chemicals on an aquaculture site. The first step to preventing such emergencies is prevention. Proper installed containment and predator exclusion netting, continually checking nets for integrity and avoiding oil, gas and chemical spills is important.

8.2.1 *Entanglement, Entrapment*

Birds, mainly gulls, will stand atop the bird stands and bird netting, both as a form of rest and in an attempt to access feed. Occasionally other birds such as crows, herons, among other may be seen but this is generally limited to smolt entry when the fish are small. Birds interested in fish generally lose interest once the fish are larger and as long as the bird nets remain taught. Other birds may be seen as they are passing through to other destinations.

Birds may become entrapped under the bird netting if there are holes in the net or if it is not properly secured. Should a bird become entrapped, employees must roll back the bird net and allow the bird to exit. The bird net must be gathered in a manner that prevents entanglement by neither the bird nor fish while it is pulled back. Once released, the bird net must be repaired, if applicable, and/or properly secured.

Marine mammals and large fishes may enter or entangle themselves within netting or anchor lines, either through forceful entry or accidental entanglement. Should a marine mammal such as a seal enter a cage, the seal should be immediately released by lowering the net to the height of the float pipe to allow the seal to swim out. The seal should be encouraged to leave the cage from the opposite side of the cage from where the net has been dropped. Once removed, the net is to be retied and divers should immediately be contacted to perform a net inspection.

These types of interactions require the submission of a Wildlife Interaction on the IMS Incident Record.

8.2.2 Oiled Birds

If a fuel, chemical or oil spill does occur or is discovered, immediately contact the Coast Guard, and activate the Spill Prevention and Response Plan (Canada) or Spill Prevention, Control and Countermeasure Plan (Maine). If wildlife is not initially affected, efforts should be made to keep wildlife out of the affected area, if possible.

Birds that have come into contact with oil may have exhibit obvious indicators of being oiled, such as oil coating, discolored feathers, or feathers having a wet or ragged appearance. Heavily oiled birds or individuals oiled below the waterline may also appear as though they are sitting low on the water, perhaps struggling to maintain above water. As such, oiled birds are also likely to be intently focused on preening in an attempt to remove the oil, so much so that they may not exhibit a strong flight reaction upon approach. They may also stand or rest on wharves, barges, or vessels with a more solid structure than those that might usually rest on the cages or netting.

DO NOT attempt to capture the bird without first seeking advice as their handling may require the issuance of permits, depending on species. Injured and oiled birds, especially those washed ashore are extremely weak, dehydrated, and often near death. The added stress of attempted capture could cause more harm than good, perhaps even fatality. Should an oiled bird be found, alive or deceased, contact the regional Compliance Manager, or designate and complete an IMS Incident Record. If further actions are required, the regional Compliance Manager or designate will communicate any advice or recommendations provided by the appropriate authorities.

8.3 Canadian Wildlife Service Permit

Migratory birds are protected under the Migratory Birds Convention Act and some species are also protected under the Species at Risk Act (SARA); this protection can extend to the point where even handling these species is not allowed without a Canadian Wildlife Service Permit.

Common sense must prevail in all circumstances and caution must be exercised when dealing with birds. In stressful situations, birds may react with more force to protect themselves. As well, birds can carry diseases and parasites which may be transmitted to humans. If a bird can be easily released from entrapment without handling, this may be attempted by site workers. Employees should not touch birds, regardless of the situation. If an incident cannot be resolved, employees must contact the Compliance Manager or designate and provide information regarding the incident such as the cause of the incident (entanglement, oil spill, etc.), wildlife involved and the location of the incident - good directions and/or coordinates are essential to help experts arrive in time. Canadian Wildlife Services should be contacted, (506)-364-5068 or ec.scfatlpermis-cwsatlpermits.ec@canada.ca, for further direction. A permit may become necessary to handle and transport the bird to a rehabilitation facility. If a bird must be handled, clean work gloves must be worn, and the bird handled with care.

An exception to paragraph 6(b) of the Migratory Birds Regulations is currently in place and the variance will remain in effect until August 20, 2022²¹. Normally a person is not allowed to have in their possession any migratory birds, even if found dead. Under this temporary variance, a person may possess such birds if (and only if) they are in the process of delivering them to authorities for testing. This exception was granted to allow CWS to

²¹ <https://www.canada.ca/en/environment-climate-change/services/migratory-birds-legal-protection/public-notice-allowing-temporary-possession.html>

monitor bird viruses. Once captured, keep the bird in a dark, quiet, warm location and transport to designated location as per the Regulator. DO NOT attempt to feed or clean the bird.

If crews find a dead migratory bird, the Site Manager must be informed and the Compliance Manager or designate contacted. The Compliance Manager or designate will contact the [Canadian Wildlife Health Cooperative](#) at 1-800-567-2033.

8.4 SARA Reporting

Species identified on the Provincial Protected Wildlife factsheets are protected under SARA (Species at Risk Act) and COSEWIC (Committee on the status of Endangered Wildlife in Canada) and have been or could be found in the area of aquaculture sites in Atlantic Canada.

Should you observe wildlife around aquaculture facilities identified under SARA/COSEWIC, special care should be taken to not disturb or harm the species. If able, collect a photograph and submit the details of the sighting on the IMS Incident Record, including location of the sighting. The Compliance Manager or designate will report sighting of these listed species to the species at risk hotline at 1-866-727-3467 or emailed to sightings@speciesatrisk.ca. Should the animal be found in distress, the Compliance Manager or designate will contact the Canadian Coast Guard at 1-800-565-1633.

The IMS Incident Record can be used to report both neutral and negative interactions.

8.5 Endangered Species – Federal and State

If you see a sick, injured, stranded, or dead marine mammal or sea turtle, immediately contact Northeast Marine Mammal and Sea Turtle Stranding and Entanglement Hotline at 1-866-755-NOAA (866-755-6622), or the Maine Marine Animal Reporting Hotline at 1-800-532-9551. A stranded animal is one that is dead on the beach or in the water, one that is alive on land and unable to return to the water and/or in need of medical attention, or a live animal in the water that is unable to return to its natural habitat under its own power or without assistance.

For Federally listed species, the National Oceanic and Atmospheric Administration (NOAA) – National Marine Fisheries Service (NMFS) should be contacted through David Bean, Consultation Biologist/Atlantic Salmon Team via email david.bean@noaa.gov and/or phone 1-207-866-4172.

Allied Whale is authorized by NOAA Fisheries to respond to marine mammal emergencies and strandings, covering the area from Rockland, Maine north to the Canadian border.²² To report a marine mammal stranding contact Allied Whale at 1-207-288-5644 (office) or 1-207-266-1326 (cell).

Endangered and threatened marine species are listed under Maine's Marine Endangered Species Act or ESA. The Maine Department of Marine Resources (MDMR) has responsibility for these species. For State listed species, the MDMR, Aquaculture Division should be contacted through Marcy Nelson, Aquaculture Program Director via phone (207) 441-4681.

²² <https://www.coa.edu/allied-whale/marine-mammal-strandings/>

APPENDICES

All Included in Master or Online Version Only
Applicable Regional Documents are Included in Site Reference Binders

Agrilaser® Handheld User Manual
CAF Safe Operation Agreement: Bird Control Group Agrilaser® Handheld 200/500

Maine

USFWS: Maine Coastal Islands National Wildlife Refuge Complex

New Brunswick

NB Protected Wildlife ID Chart

Newfoundland

NL Protected Wildlife ID Chart

Nova Scotia

NS Protected Wildlife ID Chart

END OF DOCUMENT

APPENDIX B
NPP Approval



Navigation Protection Program (NPP)
95 Foundry Street, 6th Floor
P.O. Box 42
Moncton NB
E1C 8K6

APPROVAL

OWNER: Kelly Cove Salmon Ltd
PO Box 33
Bridgewater, Nova Scotia
B4V 2W6

WORK:

- Aquaculture facility


SITE LOCATION: Located on Shelburne Harbour, at approximately 43° 44' 23" N, 65° 19' 59" W, Aquaculture Facility Lease No. 0983X, Shelburne County, in the Province of Nova Scotia.

As per the application (detailed above) to the Minister of Transport, submitted pursuant to the *Canadian Navigable Waters Act*, for an approval of the work per the attached plans, the Minister hereby approves the work pursuant to subsection 7(6) for the placement of the above mentioned work, in accordance with the following terms and conditions:

1. Advise the Canadian Coast Guard, Marine Communications and Traffic Services (MCTS) Sydney at (902) 564-7751 or toll-free 1-800-686-8676 sufficiently in advance of commencement of work or deploying or removing site markings in order to allow for appropriate Notices to Shipping/Mariners action.
2. Buoy markings to be installed and maintained as per Transport Canada conditions outlined on the enclosed **Site-specific Marking Plan** and **Aquaculture Buoy Standard Sheets**, at all times aquaculture gear is in the water.
3. At all times, all anchorage systems, gear and associated work(s), including anchors, are to be contained within the limits of the leased area and not to extend beyond the lease boundaries.
4. In the event that any materials or equipment drift out of the lease boundaries for any reason, it is to be marked immediately with a flashing cautionary light and radar reflector and removed from the waterway or returned to within the lease boundaries as soon as possible. The Canadian Coast Guard, Marine Communications and Traffic Services (MCTS) Sydney at (902) 564-7751 or toll-free 1-800-686-8676 is to be advised in order to allow for appropriate Notices to Shipping/Mariners action.
5. All work(s) and associated equipment shall be removed from the waterway at owner's expense in the event the operation of the work(s) is terminated.

SIGNED ON May 12, 2021 at the NPP regional office of Atlantic

Mélanie LeBlanc
NPP Officer
Programs Group
Transport Canada
Atlantic Region
For the Minister of Transport




NAD83 Reference Frame, Epoch 2010.0 (Grid)
Canadian Spatial Reference System (CSRS)
UTM Zone 20N

Point	Northing	Easting
B.R.-1	4,845,851.070	312,458.624
B.R.-2	4,845,811.282	312,659.726
B.R.-3	4,845,418.888	312,582.091
B.R.-4	4,845,458.676	312,380.989

NAD83 Reference Frame, Epoch 2010.0 (Grid)
Canadian Spatial Reference System (CSRS)
Geodetic Co-ordinates

Point	Latitude (N)	Longitude (W)
B.R.-1	43°44'31.0967"	65°19'44.6770"
B.R.-2	43°44'29.9911"	65°19'35.6435"
B.R.-3	43°44'17.2119"	65°19'38.6190"
B.R.-4	43°44'18.3174"	65°19'47.6520"



Legend:

- CALCULATED POINT c.p. ○
- CALCULATED (c.)
- N.S. PROPERTY IDENTIFICATION NUMBER P.I.D. #00000000
- NORTHING / EASTING N. / E.
- LOCAL REGISTRY NUMBER Book: / Page:
- ORDINARY HIGH WATER MARK O.H.W.M.
- BOUNDARY DEALT WITH BY THIS PLAN —————
- OTHER BOUNDARY —————
- TIE LINES —————
- NOT TO SCALE —————
- MAJOR CONTOURS —————
- MINOR CONTOURS —————
- DEPTH SOUNDINGS + 00.0
- CONCRETE MOORING □
- SHOVEL ANCHOR ⊕

STRUCTURAL DEVELOPMENT PLANS
SHOWING
EXISTING FINFISH LEASE #0983
KELLY COVE SALMON LTD. / BOSTON ROCK SITE
LOCATED AT:
HARTZ POINT, SHELBURNE HARBOUR,
SHELBURNE COUNTY, NOVA SCOTIA

Client's Statement
I, [REDACTED] of Kelly Cove Salmon Ltd. acknowledge and confirm that Acker & Doucette Surveying Inc., make no representations or warranties with respect to the adequacy or the integrity of the proposed cage and mooring design of system depicted.
Dated this 15th day of March, 2021.


#	P.I.D. #	OWNER / ADDRESS
1	82550559	Wardens and Rectors of the United Parishes of St. George and St. Patrick

A&D JOB #065-21-0983
SHEET 1 OF 6 | DATE: MAR. 15, 2021

- NOTES:**
- ALL DIMENSIONS ARE IN METRES UNLESS OTHERWISE STATED.
 - THIS PLAN IS A COMPILATION OF THIRD PARTY DATA. DATA WAS PROVIDED BY SWEENEY INTERNATIONAL MARINE CORP. ACKER & DOUCETTE SURVEYING INC. HAS COMPLETED THIS PLAN IN ACCORDANCE WITH THE "GUIDE TO MARINE FINFISH AQUACULTURE SITE REQUIREMENTS", DATED NOVEMBER 2007.
 - ALL DEPTHS ARE REFERENCED TO CHART DATUM (LOWER LOW WATER, LARGE TIDE).
 - DEPTH CONTOUR DATA IS BASED ON GARMIN NAVIONICS BATHYMETRY DATA.
 - SPOT SOUNDINGS ARE BASED ON GARMIN NAVIONICS BATHYMETRY DATA.
 - NATURAL FEATURES WERE DETERMINED BY NOVA SCOTIA PROPERTY ONLINE MAPPING AND GEONOVA DATA LOCATOR GEOGRAPHIC INFORMATION.
 - ONSHORE PROPERTY DATA IS BASED ON NOVA SCOTIA PROPERTY ONLINE MAPPING.
 - ALL BEARINGS SHOWN HEREON ARE GRID BEARINGS AND ARE BASED ON THE NORTH AMERICAN DATUM OF 1983 (NAD83 CSRS) USING THE UNIVERSAL TRANSVERSE MERCATOR PROJECTION, ZONE 20 NORTH (UTM Z20N).



PURPOSE OF PLAN (SHEET 1 OF 6)
THE PURPOSE OF THIS PLAN IS TO DEMONSTRATE THE EXTENTS OF THE PROPOSED MARINE AQUACULTURE SITE AND AS WELL AS ADJACENT PARCELS OF LAND, FOR ADDITIONAL SITE INFORMATION, REFER TO SHEETS 2-6.




Acker & Doucette Surveying Inc.
Nova Scotia Land Surveyors & Professional Engineers

4083 Highway #308, P.O. Box 64
Tusket, Yarmouth County
Nova Scotia, Canada
BOT 3M0

808 Ohio Road, P.O. Box 367
Shelburne, Shelburne County
Nova Scotia, Canada
BOT 1W0

Phone: (902) 648-2166
www.adsurveying.ca

Phone: (902) 875-2110
info@adsurveying.ca




NAD83 Reference Frame, Epoch 2010.0 (Grid)
Canadian Spatial Reference System (CSRS)
UTM Zone 20N

Point	Northing	Easting
B.R.-1	4,845,851.070	312,458.624
B.R.-2	4,845,811.282	312,659.726
B.R.-3	4,845,418.888	312,582.091
B.R.-4	4,845,458.676	312,380.989

NAD83 Reference Frame, Epoch 2010.0 (Grid)
Canadian Spatial Reference System (CSRS)
Geodetic Co-ordinates

Point	Latitude (N)	Longitude (W)
B.R.-1	43°44'31.0967"	65°19'44.6770"
B.R.-2	43°44'29.9911"	65°19'35.6435"
B.R.-3	43°44'17.2119"	65°19'38.6190"
B.R.-4	43°44'18.3174"	65°19'47.6520"



- Legend:**
- C.P. (c.)
 - CALCULATED POINT
 - CALCULATED
 - N.S. PROPERTY IDENTIFICATION NUMBER
 - P.I.D. #00000000
 - NORTHING / EASTING
 - N. / E.
 - LOCAL REGISTRY NUMBER
 - ORDINARY HIGH WATER MARK
 - BOUNDARY DEALT WITH BY THIS PLAN
 - OTHER BOUNDARY
 - TIE LINES
 - NOT TO SCALE
 - MAJOR CONTOURS
 - MINOR CONTOURS
 - DEPTH SOUNDINGS
 - CONCRETE MOORING
 - SHOVEL ANCHOR

STRUCTURAL DEVELOPMENT PLANS

SHOWING
BASIC SEAFLOOR TOPOGRAPHY
KELLY COVE SALMON LTD. / BOSTON ROCK SITE
LOCATED AT:
HARTZ POINT, SHELBURNE HARBOUR,
SHELBURNE COUNTY, NOVA SCOTIA

Client's Statement

I, [REDACTED] of Kelly Cove Salmon Ltd. acknowledge and confirm that Acker & Doucette Surveying Inc., make no representations or warranties with respect to the adequacy or the integrity of the proposed cage and mooring design of system depicted.


Dated this 15th day of March, 2021.

[REDACTED]

A&D JOB #065-21-0983

SHEET 2 OF 6 | DATE: MAR. 15, 2021


- NOTES:**
- (1.) ALL DIMENSIONS ARE IN METRES UNLESS OTHERWISE STATED.
 - (2.) THIS PLAN IS A COMPILATION OF THIRD PARTY DATA. DATA WAS PROVIDED BY SWEENEY INTERNATIONAL MARINE CORP. ACKER & DOUCETTE SURVEYING INC. HAS COMPLETED THIS PLAN IN ACCORDANCE WITH THE "GUIDE TO MARINE FINFISH AQUACULTURE SITE REQUIREMENTS", DATED NOVEMBER 2007.
 - (3.) ALL DEPTHS ARE REFERENCED TO CHART DATUM (LOWER LOW WATER, LARGE TIDE).
 - (4.) DEPTH CONTOUR DATA IS BASED ON GARMIN NAVIONICS BATHYMETRY DATA.
 - (5.) SPOT SOUNDINGS ARE BASED ON GARMIN NAVIONICS BATHYMETRY DATA.
 - (6.) NATURAL FEATURES WERE DETERMINED BY NOVA SCOTIA PROPERTY ONLINE MAPPING AND GEONOVA DATA LOCATOR GEOGRAPHIC INFORMATION.
 - (7.) ONSHORE PROPERTY DATA IS BASED ON NOVA SCOTIA PROPERTY ONLINE MAPPING.
 - (8.) ALL BEARINGS SHOWN HEREON ARE GRID BEARINGS AND ARE BASED ON THE NORTH AMERICAN DATUM OF 1983 (NAD83 CSRS) USING THE UNIVERSAL TRANSVERSE MERCATOR PROJECTION, ZONE 20 NORTH (UTM Z20N).

Stephen D. Acker
N.S.L.S.
639

PURPOSE OF PLAN (SHEET 2 OF 6)

THE PURPOSE OF THIS PLAN IS TO DEMONSTRATE THE EXTENTS OF THE PROPOSED MARINE AQUACULTURE SITE AND BASIC SEAFLOOR TOPOGRAPHY. FOR ADDITIONAL ADDITIONAL SITE INFORMATION, REFER TO SHEETS 1, 3-6.



SCALE - 1 : 5,000 (METRIC)




Acker & Doucette Surveying Inc.
Nova Scotia Land Surveyors &
Professional Engineers

4083 Highway #308, P.O. Box 64
Tusket, Yarmouth County
Nova Scotia, Canada
BOT 3M0

80B Ohio Road, P.O. Box 367
Shelburne, Shelburne County
Nova Scotia, Canada
BOT 1W0

Phone: (902) 648-2166
www.adsurveying.ca

Phone: (902) 875-2110
info@adsurveying.ca




Proposed Marine Aquaculture Site
 Boston Rock Aquaculture Site
 Kelly Cove Salmon Ltd.
 Area = 8.200 hectares

NAD83 Reference Frame, Epoch 2010.0 (Grid)
 Canadian Spatial Reference System (CSRS)
 UTM Zone 20N

Point	Northing	Easting
B.R.-1	4,845,851.070	312,458.624
B.R.-2	4,845,811.282	312,659.726
B.R.-3	4,845,418.888	312,582.091
B.R.-4	4,845,458.676	312,380.989

NAD83 Reference Frame, Epoch 2010.0 (Grid)
 Canadian Spatial Reference System (CSRS)
 Geodetic Co-ordinates

Point	Latitude (N)	Longitude (W)
B.R.-1	43°44'31.0967"	65°19'44.6770"
B.R.-2	43°44'29.9911"	65°19'35.6435"
B.R.-3	43°44'17.2119"	65°19'38.6190"
B.R.-4	43°44'18.3174"	65°19'47.6520"



Legend:

- CALCULATED POINT c.p. ○
- CALCULATED (c.)
- N.S. PROPERTY IDENTIFICATION NUMBER P.I.D. #00000000
- NORTHING / EASTING N. / E.
- LOCAL REGISTRY NUMBER Book: / Page:
- ORDINARY HIGH WATER MARK O.H.W.M.
- BOUNDARY DEALT WITH BY THIS PLAN
- OTHER BOUNDARY
- TIE LINES
- NOT TO SCALE
- MAJOR CONTOURS
- MINOR CONTOURS
- DEPTH SOUNDINGS
- CONCRETE MOORING
- SHOVEL ANCHOR

STRUCTURAL DEVELOPMENT PLANS
 SHOWING
 AQUACULTURE CAGE CONFIGURATION
KELLY COVE SALMON LTD. / BOSTON ROCK SITE
 LOCATED AT:
 HARTZ POINT, SHELBURNE HARBOUR,
 SHELBURNE COUNTY, NOVA SCOTIA

Client's Statement

I, [REDACTED] of Kelly Cove Salmon Ltd. acknowledge and confirm that Acker & Doucette Surveying Inc., make no representations or warranties with respect to the adequacy or the integrity of the proposed cage and mooring design of system depicted.

Dated this 15th day of March, 2021.

[REDACTED]

A&D JOB #065-21-0983
 SHEET 3 OF 6 | DATE: MAR. 15, 2021

NOTES:

- ALL DIMENSIONS ARE IN METRES UNLESS OTHERWISE STATED.
- THIS PLAN IS A COMPILATION OF THIRD PARTY DATA. DATA WAS PROVIDED BY SWEENEY INTERNATIONAL MARINE CORP. ACKER & DOUCETTE SURVEYING INC. HAS COMPLETED THIS PLAN IN ACCORDANCE WITH THE "GUIDE TO MARINE FINFISH AQUACULTURE SITE REQUIREMENTS", DATED NOVEMBER 2007.
- ALL DEPTHS ARE REFERENCED TO CHART DATUM (LOWER LOW WATER, LARGE TIDE).
- DEPTH CONTOUR DATA IS BASED ON GARMIN NAVIONICS BATHYMETRY DATA.
- SPOT SOUNDINGS ARE BASED ON GARMIN NAVIONICS BATHYMETRY DATA.
- NATURAL FEATURES WERE DETERMINED BY NOVA SCOTIA PROPERTY ONLINE MAPPING AND GEONOVA DATA LOCATOR GEOGRAPHIC INFORMATION.
- ONSHORE PROPERTY DATA IS BASED ON NOVA SCOTIA PROPERTY ONLINE MAPPING.
- ALL BEARINGS SHOWN HEREON ARE GRID BEARINGS AND ARE BASED ON THE NORTH AMERICAN DATUM OF 1983 (NAD83 CSRS) USING THE UNIVERSAL TRANSVERSE MERCATOR PROJECTION, ZONE 20 NORTH (UTM Z20N).



PURPOSE OF PLAN (SHEET 3 OF 6)
 THE PURPOSE OF THIS PLAN IS TO DEMONSTRATE THE LOCATIONS OF ALL PROPOSED ANCHORS, CAGES, AND THE GRID/MOORING CONFIGURATION RELATIVE TO THE LEASE BOUNDARIES.

SCALE - 1 : 5,000 (METRIC)

Acker & Doucette Surveying Inc.
 Nova Scotia Land Surveyors & Professional Engineers



4083 Highway #308, P.O. Box 64
 Tusket, Yarmouth County
 Nova Scotia, Canada
 B0T 3M0

80B Ohio Road, P.O. Box 367
 Shelburne, Shelburne County
 Nova Scotia, Canada
 B0T 1W0

Phone: (902) 648-2166
 www.adsurveying.ca

Phone: (902) 875-2110
 info@adsurveying.ca

CROSS SECTION - STATION 0+133
 HORIZONTAL SCALE - 1 : 2,000 (METRIC)
 VERTICAL SCALE - 1 : 2,000 (METRIC)



SCALE - 1 : 2,000 (METRIC)

KEY PLAN
 Scale - 1 : 50,000





Legend:

- CALCULATED POINT
- CALCULATED
- N.S. PROPERTY IDENTIFICATION NUMBER
- NORTHING / EASTING
- LOCAL REGISTRY NUMBER
- ORDINARY HIGH WATER MARK
- BOUNDARY DEALT WITH BY THIS PLAN
- OTHER BOUNDARY
- TIE LINES
- NOT TO SCALE
- MAJOR CONTOURS
- MINOR CONTOURS
- DEPTH SOUNDINGS
- CONCRETE MOORING
- SHOVEL ANCHOR

c.p. ○
 (c.)
 P.I.D. #00000000
 N. / E.
 Book / Page:
 O.H.W.M.

DETAILED CROSS SECTION - STATION 0+133
 HORIZONTAL SCALE - 1 : 500 (METRIC)
 VERTICAL SCALE - 1 : 500 (METRIC)



SCALE - 1 : 500 (METRIC)

5:1 Mooring Slope Calculation
 $L = [(max\ depth + max\ tide\ range) - A - B] \times 5$
 $L = [(11 \pm + 2.0) - 3.6 - 1.5] \times 5$
 $L = 39.5$ (calculated)
 $L = 51 \pm$ (as by client design)

STRUCTURAL DEVELOPMENT PLANS

SHOWING
 LATERAL CROSS-SECTION
 KELLY COVE SALMON LTD. / BOSTON ROCK SITE
 LOCATED AT:
 HARTZ POINT, SHELBURNE HARBOUR,
 SHELBURNE COUNTY, NOVA SCOTIA

Client's Statement

I, [REDACTED] of Kelly Cove Salmon Ltd. acknowledge and confirm that Acker & Doucette Surveying Inc., make no representations or warranties with respect to the adequacy or the integrity of the proposed cage and mooring design of system depicted.


Dated this 15th day of March, 2021.

A&D JOB #065-21-0983

SHEET 4 OF 6 | DATE: MAR. 15, 2021

NOTES:

- (1.) ALL DIMENSIONS ARE IN METRES UNLESS OTHERWISE STATED.
- (2.) THIS PLAN IS A COMPILATION OF THIRD PARTY DATA. DATA WAS PROVIDED BY SWEENEY INTERNATIONAL MARINE CORP. ACKER & DOUCETTE SURVEYING INC. HAS COMPLETED THIS PLAN IN ACCORDANCE WITH THE "GUIDE TO MARINE FINFISH AQUACULTURE SITE REQUIREMENTS", DATED NOVEMBER 2007.
- (3.) ALL DEPTHS ARE REFERENCED TO CHART DATUM (LOWER LOW WATER, LARGE TIDE).
- (4.) DEPTH CONTOUR DATA IS BASED ON GARMIN NAVIONICS BATHYMETRY DATA.
- (5.) SPOT SOUNDINGS ARE BASED ON GARMIN NAVIONICS BATHYMETRY DATA.
- (6.) NATURAL FEATURES WERE DETERMINED BY NOVA SCOTIA PROPERTY ONLINE MAPPING AND GEONOVA DATA LOCATOR GEOGRAPHIC INFORMATION.
- (7.) ONSHORE PROPERTY DATA IS BASED ON NOVA SCOTIA PROPERTY ONLINE MAPPING.
- (8.) ALL BEARINGS SHOWN HEREON ARE GRID BEARINGS AND ARE BASED ON THE NORTH AMERICAN DATUM OF 1983 (NAD83 CSRS) USING THE UNIVERSAL TRANSVERSE MERCATOR PROJECTION, ZONE 20 NORTH (UTM Z20N).



PURPOSE OF PLAN (SHEET 4 OF 6)

THE PURPOSE OF THIS PLAN IS TO DEMONSTRATE A LATERAL CROSS SECTION AS SHOWN ON SHEET 3 OF 6, TO DEMONSTRATE DETAILS ASSOCIATED WITH THE CAGE INFRASTRUCTURE, ANCHOR AND MOORING LINES, AND SEAFLOOR PROFILE.

CROSS SECTION NOTES:

- (1.) THIS PLAN IS NOT TO BE USED FOR CONSTRUCTION PURPOSES.
- (2.) FOR HORIZONTAL LOCATION OF EACH CROSS SECTION SEE SHEET 3 OF 6.
- (3.) DISTANCES FROM SEA FLOOR MAY VARY DEPENDING ON TIDE AND CURRENT.
- (4.) DISTANCES FROM SEA FLOOR ARE APPROXIMATE ONLY.
- (5.) DEPTHS ARE REFERENCED TO CHART DATUM (LOWER LOW WATER, LARGE TIDE).



Acker & Doucette Surveying Inc.
 Nova Scotia Land Surveyors &
 Professional Engineers


4083 Highway #308, P.O. Box 64
 Tusket, Yarmouth County
 Nova Scotia, Canada
 B0W 3M0

80B Ohio Road, P.O. Box 367
 Shelburne, Shelburne County
 Nova Scotia, Canada
 B0T 1W0

Phone: (902) 648-2166
 www.adsurveying.ca

Phone: (902) 875-2110
 info@adsurveying.ca

CROSS SECTION - STATION 0+123
 HORIZONTAL SCALE - 1 : 3,000 (METRIC)
 VERTICAL SCALE - 1 : 3,000 (METRIC)



SCALE - 1 : 3,000 (METRIC)


KEY PLAN
 Scale - 1 : 50,000



Legend:

- CALCULATED POINT c.p. ○
- CALCULATED (c.)
- N.S. PROPERTY IDENTIFICATION NUMBER P.I.D. #00000000
- NORTHING / EASTING N. / E.
- LOCAL REGISTRY NUMBER Book / Page:
- ORDINARY HIGH WATER MARK O.H.W.M.
- BOUNDARY DEALT WITH BY THIS PLAN
- OTHER BOUNDARY
- TIE LINES
- NOT TO SCALE
- MAJOR CONTOURS
- MINOR CONTOURS
- DEPTH SOUNDINGS + 00.0
- CONCRETE MOORING □
- SHOVEL ANCHOR ⚓

DETAILED CROSS SECTION - STATION 0+123
 HORIZONTAL SCALE - 1 : 500 (METRIC)
 VERTICAL SCALE - 1 : 500 (METRIC)



SCALE - 1 : 500 (METRIC)

5:1 Mooring Scope Calculation
 $L = [(max\ depth + max\ tide\ range) - A - B] \times 5$
 $L = [(11\pm + 2.0) - 3.6 - 1.5] \times 5$
 $L = 39.5$ (calculated)
 $L = 51\pm$ (as by client design)

STRUCTURAL DEVELOPMENT PLANS

SHOWING
 LONGITUDINAL CROSS-SECTION
KELLY COVE SALMON LTD. / BOSTON ROCK SITE
 LOCATED AT:
 HARTZ POINT, SHELBURNE HARBOUR,
 SHELBURNE COUNTY, NOVA SCOTIA


Client's Statement

I, [REDACTED] of Kelly Cove Salmon Ltd. acknowledge and confirm that Acker & Doucette Surveying Inc., make no representations or warranties with respect to the adequacy or the integrity of the proposed cage and mooring design of system depicted.
 Dated this 15th day of March, 2021.

A&D JOB #065-21-0983

SHEET 5 OF 6 | DATE: MAR. 15, 2021

- NOTES:
- (1.) ALL DIMENSIONS ARE IN METRES UNLESS OTHERWISE STATED.
 - (2.) THIS PLAN IS A COMPILATION OF THIRD PARTY DATA. DATA WAS PROVIDED BY SWEENEY INTERNATIONAL MARINE CORP. ACKER & DOUCETTE SURVEYING INC. HAS COMPLETED THIS PLAN IN ACCORDANCE WITH THE "GUIDE TO MARINE FINFISH AQUACULTURE SITE REQUIREMENTS", DATED NOVEMBER 2007.
 - (3.) ALL DEPTHS ARE REFERENCED TO CHART DATUM (LOWER LOW WATER, LARGE TIDE).
 - (4.) DEPTH CONTOUR DATA IS BASED ON GARMIN NAVIONICS BATHYMETRY DATA.
 - (5.) SPOT SOUNDINGS ARE BASED ON GARMIN NAVIONICS BATHYMETRY DATA.
 - (6.) NATURAL FEATURES WERE DETERMINED BY NOVA SCOTIA PROPERTY ONLINE MAPPING AND GEONOVA DATA LOCATOR GEOGRAPHIC INFORMATION.
 - (7.) ONSHORE PROPERTY DATA IS BASED ON NOVA SCOTIA PROPERTY ONLINE MAPPING.
 - (8.) ALL BEARINGS SHOWN HEREON ARE GRID BEARINGS AND ARE BASED ON THE NORTH AMERICAN DATUM OF 1983 (NAD83 CSRS) USING THE UNIVERSAL TRANSVERSE MERCATOR PROJECTION, ZONE 20 NORTH (UTM Z20N).





PURPOSE OF PLAN (SHEET 5 OF 6)
 THE PURPOSE OF THIS PLAN IS TO DEMONSTRATE A LONGITUDINAL CROSS SECTION AS SHOWN ON SHEET 3 OF 6, TO DEMONSTRATE DETAILS ASSOCIATED WITH THE CAGE INFRASTRUCTURE, ANCHOR AND MOORING LINES, AND SEAFLOOR PROFILE.

- CROSS SECTION NOTES:
- (1.) THIS PLAN IS NOT TO BE USED FOR CONSTRUCTION PURPOSES.
 - (2.) FOR HORIZONTAL LOCATION OF EACH CROSS SECTION SEE SHEET 3 OF 6.
 - (3.) DISTANCES FROM SEA FLOOR MAY VARY DEPENDING ON TIDE AND CURRENT.
 - (4.) DISTANCES FROM SEA FLOOR ARE APPROXIMATE ONLY.
 - (5.) DEPTHS ARE REFERENCED TO CHART DATUM (LOWER LOW WATER, LARGE TIDE).


Acker & Doucette Surveying Inc.
 Nova Scotia Land Surveyors & Professional Engineers

4083 Highway #308, P.O. Box 64
 Tusket, Yarmouth County
 Nova Scotia, Canada
 B0W 3M0
 Phone: (902) 648-2186
 www.adsurveying.ca

80B Ohio Road, P.O. Box 367
 Shelburne, Shelburne County
 Nova Scotia, Canada
 B0T 1W0
 Phone: (902) 875-2110
 info@adsurveying.ca



Proposed Marine Aquaculture Site
 Boston Rock Aquaculture Site
 Kelly Cove Salmon Ltd.
 Area = 8.200 hectares



NAD83 Reference Frame, Epoch 2010.0 (Grid)
 Canadian Spatial Reference System (CSRS)
 UTM Zone 20N

Point	Northing	Easting
B.R.-1	4,845,851.070	312,458.624
B.R.-2	4,845,811.282	312,659.726
B.R.-3	4,845,418.888	312,582.091
B.R.-4	4,845,458.676	312,380.989

NAD83 Reference Frame, Epoch 2010.0 (Grid)
 Canadian Spatial Reference System (CSRS)
 Geodetic Co-ordinates

Point	Latitude (N)	Longitude (W)
B.R.-1	43°44'31.0967"	65°19'44.6770"
B.R.-2	43°44'29.9911"	65°19'35.6435"
B.R.-3	43°44'17.2119"	65°19'38.6190"
B.R.-4	43°44'18.3174"	65°19'47.6520"

Boston Rock
 2 X 5 Grid
 33.528 Grid Cells
 100.00 Cage Circumference

- = compensator buoys (yellow)
- = aquaculture cages (31.83m diameter)
- ⚓ = cautionary buoy (yellow)

KEY PLAN
 Scale - 1 : 50,000



Legend:

- c.p. (c.)
- CALCULATED POINT
- CALCULATED
- N.S. PROPERTY IDENTIFICATION NUMBER
- P.I.D. #00000000
- NORTHING / EASTING
- LOCAL REGISTRY NUMBER
- ORDINARY HIGH WATER MARK
- BOUNDARY DEALT WITH BY THIS PLAN
- OTHER BOUNDARY
- TIE LINES
- NOT TO SCALE
- MAJOR CONTOURS
- MINOR CONTOURS
- DEPTH SOUNDINGS
- CONCRETE MOORING
- SHOVEL ANCHOR

STRUCTURAL DEVELOPMENT PLANS
 SHOWING
 PROPOSED NAVIGATIONAL AIDS MARKING PLAN
KELLY COVE SALMON LTD. / BOSTON ROCK SITE
 LOCATED AT:
 HARTZ POINT, SHELBURNE HARBOUR,
 SHELBURNE COUNTY, NOVA SCOTIA


Client's Statement
 I, [REDACTED] of Kelly Cove Salmon Ltd. acknowledge and confirm that Acker & Doucette Surveying Inc., make no representations or warranties with respect to the adequacy or the integrity of the proposed cage and mooring design of system depicted.
 Dated this 15th day of March, 2021.
 [REDACTED]

A&D JOB #065-21-0983
 SHEET 6 OF 6 | DATE: MAR. 15, 2021

NOTES:
 (1.) ALL DIMENSIONS ARE IN METRES UNLESS OTHERWISE STATED.
 (2.) THIS PLAN IS A COMPILATION OF THIRD PARTY DATA. DATA WAS PROVIDED BY SWEENEY INTERNATIONAL MARINE CORP. ACKER & DOUCETTE SURVEYING INC. HAS COMPLETED THIS PLAN IN ACCORDANCE WITH THE "GUIDE TO MARINE FINFISH AQUACULTURE SITE REQUIREMENTS", DATED NOVEMBER 2007.
 (3.) ALL DEPTHS ARE REFERENCED TO CHART DATUM (LOWER LOW WATER, LARGE TIDE).
 (4.) DEPTH CONTOUR DATA IS BASED ON GARMIN NAVIONICS BATHYMETRY DATA.
 (5.) SPOT SOUNDINGS ARE BASED ON GARMIN NAVIONICS BATHYMETRY DATA
 (6.) NATURAL FEATURES WERE DETERMINED BY NOVA SCOTIA PROPERTY ONLINE MAPPING AND GEONOVA DATA LOCATOR GEOGRAPHIC INFORMATION.
 (7.) ONSHORE PROPERTY DATA IS BASED ON NOVA SCOTIA PROPERTY ONLINE MAPPING.
 (8.) ALL BEARINGS SHOWN HEREON ARE GRID BEARINGS AND ARE BASED ON THE NORTH AMERICAN DATUM OF 1983 (NAD83 CSRS) USING THE UNIVERSAL TRANSVERSE MERCATOR PROJECTION, ZONE 20 NORTH (UTM Z20N).




PURPOSE OF PLAN (SHEET 6 OF 6)
 THE PURPOSE OF THIS PLAN IS TO DEMONSTRATE THE LOCATION AND TYPES OF ALL NAVIGATIONAL AIDS RELATIVE TO THE PROPOSED LEASE BOUNDARIES.



Acker & Doucette Surveying Inc.
 Nova Scotia Land Surveyors & Professional Engineers

4083 Highway #308, P.O. Box 64
 Tusket, Yarmouth County
 Nova Scotia, Canada
 B0T 3M0
 Phone: (902) 648-2166
 www.adsurveying.ca

80B Ohio Road, P.O. Box 367
 Shelburne, Shelburne County
 Nova Scotia, Canada
 B0T 1W0
 Phone: (902) 875-2110
 info@adsurveying.ca



Product of Navigation Protection Program, Transport Canada
(Geographic Information Systems)
P.O. Box 42, Moncton N. B. E1C 8K6

May 11, 2021

Produit par le Programme de Protection de la Navigation,
Transports Canada, (Système d'Information Géographique)
C.P. 42, Moncton N.-B., E1C 8K6

11 mai 2021

This map is a Graphic Representation
It is not intended to be used for Legal
Description or to calculate exact Dimensions or Area.

Cette carte est une représentation graphique seulement.
Elle ne doit pas être utilisée comme description légale ni
pour calculer les dimensions exactes du secteur.

Aquaculture Gear and Buoy Types
Types de bouées et de matériel d'aquaculture

Aquaculture Gear Matériel d'aquaculture	No Gear Sans matériel
--	--------------------------

Buoy/Bouée	see drawing/ voir dessin
Lighted Yellow Cautionary Spar/ Espar d'avertissement jaune lumineux	
Yellow Cautionary Spar/ Espar d'avertissement jaune	X
Yellow Cautionary Intermediate/ Bouée intermédiaire d'avertissement	
Port Hand Intermediate/ Bouée de bâbord intermédiaire	
Starboard Hand Intermediate/ Bouée de tribord intermédiaire	
Lighted Port Hand Spar/ Bouée de bâbord lumineuse	X
Port Hand Spar/ Bouée de bâbord	X
Lighted Port Bifurcation/ Bouée de bifurcation de bâbord lumineuse	
Port Bifurcation/ Bouée de bifurcation de bâbord	
Lighted Starboard Hand Spar/ Espar de tribord lumineux	
Starboard Hand Spar/ Espar de tribord	
Lighted Starboard Bifurcation/ Bouée de bifurcation de tribord lumineuse	
Starboard Bifurcation/ Bouée de bifurcation de tribord	
Radar Reflector/ (when indicated/ Réflecteur radar ou indicatif)	X


Navigation Protection/Protection de la Navigation
**Site Specific Marking Plan/
Plan de Marque Spécifique du Site** 0983

NPP/PPN #: 2009-200530


Shelburne Harbour, Nova Scotia

If you have any questions contact your nearest NP Officer.
Si vous avez des questions, contactez l'Agent de PN pour votre région

Transport Canada **Transports Canada**



TYPICAL AQUACULTURE BUOY



LIGHT DETAIL

- YELLOW BUOYS #CGSB 505-108
- WITH LIGHT (SEE NOTES/DETAILS)
 - () 1 N.M.
 - () 2 N.M.
- RADAR REFLECTOR

- RED BUOY WITH CONICAL TOP MARK #CGSB 509-102
- WITH LIGHT (SEE NOTES/DETAILS)
 - () 1 N.M.
 - () 2 N.M.
- RADAR REFLECTOR


- GREEN BUOY #CGSB-503-107
- WITH LIGHT (SEE NOTES/DETAILS)
 - () 1 N.M.
 - () 2 N.M.
- RADAR REFLECTOR

NOTES:
 THE BUOY CAN BE MADE OF ANY MATERIAL. ei STYROFOAM, PLASTIC ETC. THE DIMENSIONS OF THE BUOY ARE THE MINIMUM SIZE REQUIRED THERE IS NO MAXIMUM SIZE.
 THE SPACING BETWEEN THE BUOYS IS THE MAXIMUM. THEY CAN BE SPACED AT CLOSER INTERVALS IF REQUIRED BY THE PROPONENT.

NOTE:
 AS PER THE FEDERAL PRIVATE BUOY REGULATIONS THE BUOY & ITS MOORING SHALL BE CONSTRUCTED & MAINTAINED IN SUCH A MANNER & WITH SUCH MATERIALS AS WILL REASONABLY ENSURE THAT IT WILL RELIABLY REMAIN IN POSITION & DISPLAY ITS INTENDED COLOR.
- REFER TO SITE SPECIFIC MARKING PLAN

- NOTES:**
AQUACULTURE BUOY
1. BUOY COLOR TO BE AS PER CGSB SPECIFICATIONS INDICATED.
 2. RETROREFLECTIVE MATERIAL TO CGSB-62-GP-11M (3M SCOTCHLITE SERIES #5800 OR EQUIVALENT PRODUCT) STRIPES TO BE AROUND THE ENTIRE DIAMETER AND SAME COLOR AS BUOY.
 3. BUOYS TO BE SPACED A MAX. OF 400m (1300') APART. NAME, ADDRESS, TELEPHONE# AND LEASE# OF OWNER IN A CONSPICUOUS PLACE AND IN CONTRASTING COLOUR ON THE BUOY.
 4. BUOYS MUST FLOAT IN UPRIGHT POSITION SHOWN UNDER NORMAL CONDITIONS.
 5. IT WILL BE THE OWNERS RESPONSIBILITY TO ENSURE THE LIGHT IS MAINTAINED AND OPERATING AS REQUIRED.
 CONICAL TOP MARK NOT REQUIRED IF LIGHT INSTALLED.
 WHERE REQUIRED, ALL LIGHTS SHALL BE THE SAME COLOUR AS THE BUOYS
 -FL 0.5S Ec 3.5S, OR _____
 -NOMINAL RANGE AS INDICATED.
 -DISPLAYED CONTINUOUS FROM DUSK TO DAWN.

NAVIGABLE WATERS PROTECTION



2003 AQUACULTURE BUOY STANDARD

**36" LEASE CORNER
 AQUACULTURE BUOY**

DATE 28/01/02	DRAWN DAN MacNEIL	CHECKED	APPR.
SCALE N.T.S.	REFERENCE	DRAWING NO. A1081601	SHT. ___ of ___

Sweeney International Marine Corp.

46 Milltown Blvd.
St. Stephen, NB
E3L 1G3

SIMCorp Environmental Sciences Lab

120 Milltown Blvd.
St. Stephen, NB
E3L 1G6

