

Ten Year Periodic Annual Increment For Nova Scotia Permanent Forest Inventory Plots 1980-85 to 1990-95

Table of Contents

| | |
|---|---|
| Introduction | 1 |
| Method | 1 |
| Definitions | 2 |
| Literature Cited | 3 |
| List of Periodic Annual Increment Tables | 4 |

Nova Scotia Department of Natural Resources,
Renewable Resources Branch,
Forestry Division,
Forest Inventory Section

Report FOR 2000 - 2



Information Report 10 year Periodic Annual Increment For Nova Scotia Permanent Forest Inventory Plots 1980-85 to 1990-95

Introduction

Nova Scotia has a continuous forest inventory system in place that was started in 1965. From 1965 to 1970, 1765 circular, permanent forest inventory plots were randomly located throughout the province of Nova Scotia (Figure 1). Since then, they have been re-measured every 5 years to provide a database which can be used to monitor change. This report will document the change over the 10 year period ending in 1995 as measured by the accretion, ingrowth, mortality and harvest of merchantable softwood and hardwood trees in these plots. The results are presented in tabular form by Region and Province for 3 major landowners; Crown, Large Private and Small Private. There are 3 primary strata into which the data is presented: 1) Forest Cover Type, 2) Age Class and 3) Land Capability. This is the third publication on the Periodic Annual Increment (PAI) of these plots, the first 2 were published for a 5 year period from 1965 ending in 1975 (NSDL&F, 1975) and for a 10 year period from 1965 ending in 1980 (NSDL&F, 1980).

Method

Permanent Forest Inventory Plots are circular and 0.04 ha in size. Within the plot, all living trees ≥ 9.1 cm diameter outside bark at breast height are numbered and measured for diameter at breast height outside bark (DBH_{ob}) and total height along with several other variables. This report describes the change over a 10 year period for merchantable volume which is calculated using tree measurements of diameter at breast height and total tree height. Diameter and height are used in volume equations developed by Honer et al (1983) which were confirmed to be valid for several species of Nova Scotia trees by NSDNR (1996). Forest Cover Type, categorized as Softwood, Mixedwood and Hardwood, is determined by the merchantable Basal Area computed from DBH. Plot attributes of Region and Landowner are derived from the NSDNR Geographic Information System - Forest Resources Database.

The plots are also assessed for Land Capability and Average Age during measurement, and this information is used to present the data. Land Capability estimates the maximum volume growth potential for the forest plot and is reported in $m^3/ha/yr$. Land Capability was most recently assessed during the re-measurement of 1985 to 1990. Age is determined by coring 3 trees closest in size to the diameter of the tree of average basal area. These 3 ages are corrected to stump age using Forest Capability curves, then averaged to define the average age of the trees in the plot. Age was assessed in the last measurement period of 1990 to 1995.

The Tables were initially generated using the computer software SPSS Release 6.0. Individual tree change information, such as accretion, is first aggregated to total plot values, then averaged with other plots for each strata. The tables exhibit the change data by 4 main categories, Growth, shown as i) Accretion and ii) Ingrowth and Removal shown as iii) Mortality and iv) Harvest. Three computed fields are also shown, Gross Growth, Net Growth and Net Change. All of these 7 change data categories are presented for Softwood species, Hardwood species and a Total (Softwood + Hardwood). These 7 categories are more fully defined in the definition section and are all expressed in $m^3/ha/yr$ for all living trees ≥ 9.1 cm DBH_{ob} .

The values are averaged from randomly established plots and therefore every plot is used to compile provincial averages. Consequently, provincial totals cannot be calculated by just adding the 3 Regional values together and dividing by 3. If, as is the case, there are more plots in one Region than another (due to differing areas of forested land), then the greater number of plots in one region will have a greater affect on the final outcome.

Distribution of Nova Scotia Department
of Natural Resources Forest Inventory
Permanent Sample Plots




Figure 1 Forest Inventory plots are randomly located throughout the forests of Nova Scotia.

Definitions

Merchantable Volume is for all trees ≥ 9.1 cm DBH_{ob} and only includes the wood fibre contained in the bole (no bark) from a 15 cm stump to a top inside bark diameter, of 7.6 cm (formerly described as "Gross Merchantable Volume")

Softwood Cover Type: Stand containing more than 75% of Merchantable Basal Area in softwood species.

Mixedwood Cover Type: Stand containing 25 to 75% of Merchantable Basal Area in softwood species.

Hardwood Cover Type: Stand containing less than 25% of Merchantable Basal Area in softwood species.

Crown Owner: Land administered by Nova Scotia Department of Natural Resources.

Large Owner: Land owner who's land holdings exceed 400 ha.

Small Owner: Land owner who's land holdings are less than 400 ha.

Federal Owner: Land owned by Federal government. Due to the small amount of plots, the data from the Federal land is not shown separately, however, the data has been included when computing the Provincial "Total" amounts.

Accretion: Is the volume increase (growth) on all trees present at the beginning and end of a measurement period. (End Volume - Beginning Volume = Growth)

Ingrowth: New Growth of all trees not present at the previous measurement period, but present at the most recent measurement period.

Mortality: Volume of all trees that were living at the previous measurement but were dead at the most recent measurement period.

Harvest: Volume of all trees that were living at the previous measurement but were harvested before the end of the most recent measurement period.

Gross Growth: The Sum of Accretion and Ingrowth.

Net Growth: Gross growth minus Mortality.

Net Change: Net Growth minus Harvest.

Literature Cited

NSDL&F, 1977. Information report, periodic annual increment, province of Nova Scotia, 1965-1975. 125 pp.

NSDL&F, 1983. Information report, periodic annual increment, province of Nova Scotia, 1965-1980. 162 pp.

Honer, T.G., M.F. Ker, and I.S. Alemdag. 1983, Metric timber tables for the commercial tree species of central and eastern Canada. Info. Rept. M-X-140, 139 pp.

NSDNR. 1996, Honer's standard volume table estimates compared to Nova Scotia stem analyses. Forest Research Report No. 61. 15 pp.

Periodic Annual Increment Tables

Ten year periodic annual increment in merchantable m³/ha/year by landowner and:

Provincial

| | | |
|----------|---|----|
| Table 1 | Increment by covertype | 6 |
| Table 2a | Increment by age class for softwood species | 7 |
| Table 2b | Increment by age class for hardwood species | 8 |
| Table 2c | Increment by age class for both | 9 |
| Table 3a | Increment by land capability for softwood species | 10 |
| Table 3b | Increment by land capability for hardwood species | 10 |
| Table 3c | Increment by land capability for both | 11 |

Eastern

| | | |
|----------|---|----|
| Table 4 | Increment by covertype | 12 |
| Table 5a | Increment by age class for softwood species | 13 |
| Table 5b | Increment by age class for hardwood species | 14 |
| Table 5c | Increment by age class for both | 15 |
| Table 6a | Increment by land capability for softwood species | 16 |
| Table 6b | Increment by land capability for hardwood species | 16 |
| Table 6c | Increment by land capability for both | 17 |

Central

| | | |
|----------|---|----|
| Table 7 | Increment by covertype | 18 |
| Table 8a | Increment by age class for softwood species | 19 |
| Table 8b | Increment by age class for hardwood species | 20 |
| Table 8c | Increment by age class for both | 21 |
| Table 9a | Increment by land capability for softwood species | 22 |
| Table 9b | Increment by land capability for hardwood species | 22 |
| Table 9c | Increment by land capability for both | 23 |

Western

| | | |
|-----------|---|----|
| Table 10 | Increment by covertype | 24 |
| Table 11a | Increment by age class for softwood species | 25 |
| Table 11b | Increment by age class for hardwood species | 26 |
| Table 11c | Increment by age class for both | 27 |
| Table 12a | Increment by land capability for softwood species | 28 |
| Table 12b | Increment by land capability for hardwood species | 28 |
| Table 12c | Increment by land capability for both | 29 |

Table 1. Province of Nova Scotia 10 year periodic annual increment in merchantable m³/ha/yr by landowner and cover type.

| Softwood | | | | | | | | |
|---------------------|-----------|-----------|----------|-----------|---------|--------------|------------|------------|
| Landowner | Covertype | Accretion | Ingrowth | Mortality | Harvest | Gross Growth | Net Growth | Net Change |
| Crown | Softwood | 1.620 | 0.291 | 1.114 | 0.560 | 1.911 | 0.797 | 0.237 |
| | Mixedwood | 1.795 | 0.361 | 0.789 | 0.378 | 2.156 | 1.367 | 0.989 |
| | Hardwood | 0.614 | 0.189 | 0.070 | 0.001 | 0.803 | 0.733 | 0.732 |
| | Total | 1.467 | 0.289 | 0.826 | 0.404 | 1.757 | 0.930 | 0.527 |
| Large Private | Softwood | 2.345 | 0.314 | 0.873 | 1.880 | 2.659 | 1.786 | -0.094 |
| | Mixedwood | 2.529 | 0.320 | 0.719 | 0.331 | 2.849 | 2.130 | 1.799 |
| | Hardwood | 0.952 | 0.252 | 0.122 | 0.160 | 1.204 | 1.082 | 0.922 |
| | Total | 2.218 | 0.308 | 0.722 | 1.138 | 2.526 | 1.804 | 0.666 |
| Small Private | Softwood | 2.765 | 0.370 | 1.243 | 0.967 | 3.135 | 1.892 | 0.925 |
| | Mixedwood | 1.982 | 0.280 | 0.770 | 0.652 | 2.262 | 1.492 | 0.840 |
| | Hardwood | 0.605 | 0.177 | 0.125 | 0.050 | 0.782 | 0.657 | 0.607 |
| | Total | 2.181 | 0.311 | 0.917 | 0.725 | 2.492 | 1.574 | 0.850 |
| Total | Softwood | 2.307 | 0.332 | 1.134 | 1.009 | 2.638 | 1.504 | 0.495 |
| | Mixedwood | 2.056 | 0.303 | 0.760 | 0.514 | 2.359 | 1.599 | 1.085 |
| | Hardwood | 0.662 | 0.192 | 0.105 | 0.050 | 0.854 | 0.748 | 0.699 |
| | Total | 1.964 | 0.300 | 0.851 | 0.699 | 2.264 | 1.413 | 0.714 |
| Hardwood | | | | | | | | |
| Landowner | Covertype | Accretion | Ingrowth | Mortality | Harvest | Gross Growth | Net Growth | Net Change |
| Crown | Softwood | 0.194 | 0.041 | 0.051 | 0.055 | 0.236 | 0.185 | 0.130 |
| | Mixedwood | 0.926 | 0.079 | 0.398 | 0.294 | 1.005 | 0.607 | 0.313 |
| | Hardwood | 1.317 | 0.116 | 0.429 | 0.063 | 1.433 | 1.004 | 0.941 |
| | Total | 0.602 | 0.066 | 0.214 | 0.118 | 0.667 | 0.453 | 0.336 |
| Large Private | Softwood | 0.182 | 0.028 | 0.065 | 0.081 | 0.210 | 0.145 | 0.064 |
| | Mixedwood | 1.070 | 0.080 | 0.389 | 0.347 | 1.150 | 0.761 | 0.414 |
| | Hardwood | 1.853 | 0.215 | 0.667 | 0.415 | 2.069 | 1.401 | 0.986 |
| | Total | 0.699 | 0.070 | 0.253 | 0.213 | 0.769 | 0.516 | 0.303 |
| Small Private | Softwood | 0.333 | 0.074 | 0.068 | 0.059 | 0.408 | 0.339 | 0.280 |
| | Mixedwood | 1.276 | 0.155 | 0.328 | 0.434 | 1.431 | 1.103 | 0.670 |
| | Hardwood | 1.817 | 0.258 | 0.572 | 0.355 | 2.074 | 1.503 | 1.148 |
| | Total | 0.876 | 0.129 | 0.231 | 0.233 | 1.005 | 0.773 | 0.541 |
| Total | Softwood | 0.257 | 0.054 | 0.061 | 0.061 | 0.310 | 0.249 | 0.188 |
| | Mixedwood | 1.157 | 0.121 | 0.355 | 0.377 | 1.278 | 0.923 | 0.546 |
| | Hardwood | 1.662 | 0.200 | 0.534 | 0.254 | 1.862 | 1.328 | 1.074 |
| | Total | 0.766 | 0.098 | 0.230 | 0.192 | 0.865 | 0.635 | 0.443 |
| Softwood + Hardwood | | | | | | | | |
| Landowner | Covertype | Accretion | Ingrowth | Mortality | Harvest | Gross Growth | Net Growth | Net Change |
| Crown | Softwood | 1.814 | 0.332 | 1.164 | 0.614 | 2.146 | 0.982 | 0.367 |
| | Mixedwood | 2.721 | 0.440 | 1.187 | 0.671 | 3.161 | 1.974 | 1.302 |
| | Hardwood | 1.931 | 0.306 | 0.499 | 0.064 | 2.236 | 1.737 | 1.673 |
| | Total | 2.069 | 0.355 | 1.040 | 0.521 | 2.424 | 1.384 | 0.863 |
| Large Private | Softwood | 2.527 | 0.342 | 0.939 | 1.960 | 2.869 | 1.931 | -0.030 |
| | Mixedwood | 3.599 | 0.400 | 1.108 | 0.679 | 3.999 | 2.891 | 2.212 |
| | Hardwood | 2.805 | 0.468 | 0.789 | 0.575 | 3.272 | 2.483 | 1.908 |
| | Total | 2.917 | 0.378 | 0.975 | 1.351 | 3.295 | 2.320 | 0.970 |
| Small Private | Softwood | 3.098 | 0.445 | 1.312 | 1.026 | 3.543 | 2.231 | 1.205 |
| | Mixedwood | 3.258 | 0.435 | 1.098 | 1.086 | 3.693 | 2.595 | 1.509 |
| | Hardwood | 2.422 | 0.435 | 0.697 | 0.405 | 2.857 | 2.160 | 1.755 |
| | Total | 3.057 | 0.440 | 1.149 | 0.957 | 3.496 | 2.348 | 1.390 |
| Total | Softwood | 2.563 | 0.385 | 1.196 | 1.070 | 2.948 | 1.753 | 0.683 |
| | Mixedwood | 3.214 | 0.423 | 1.115 | 0.890 | 3.637 | 2.522 | 1.632 |
| | Hardwood | 2.323 | 0.392 | 0.639 | 0.304 | 2.716 | 2.077 | 1.773 |
| | Total | 2.731 | 0.398 | 1.081 | 0.891 | 3.129 | 2.048 | 1.158 |

Table 2a. Province of Nova Scotia 10 year periodic annual increment in merchantable m³/ha/yr by landowner and age class for softwood.

| Softwood | | | | | | | | |
|---------------|-----------|-----------|----------|-----------|---------|--------------|------------|------------|
| Landowner | Age Class | Accretion | Ingrowth | Mortality | Harvest | Gross Growth | Net Growth | Net Change |
| Crown | 0 - 20 | 0.016 | 0.065 | 0.136 | 3.869 | 0.081 | -0.055 | -3.925 |
| | 21 - 40 | 1.026 | 0.737 | 0.124 | 0.242 | 1.763 | 1.639 | 1.398 |
| | 41 - 60 | 2.068 | 0.393 | 0.627 | 0.007 | 2.461 | 1.834 | 1.827 |
| | 61 - 80 | 1.606 | 0.206 | 1.210 | 0.077 | 1.813 | 0.602 | 0.526 |
| | 81 - 100 | 1.274 | 0.174 | 1.069 | 0.046 | 1.448 | 0.379 | 0.333 |
| | 101+ | 1.572 | 0.212 | 1.293 | 0.145 | 1.784 | 0.491 | 0.346 |
| | Uneven | 1.846 | 0.387 | 0.345 | 0.000 | 2.234 | 1.889 | 1.889 |
| | Total | 1.469 | 0.294 | 0.824 | 0.403 | 1.762 | 0.938 | 0.536 |
| Large Private | 0 - 20 | 0.055 | 0.068 | 0.158 | 7.347 | 0.123 | -0.035 | -7.382 |
| | 21 - 40 | 1.115 | 0.941 | 0.056 | 0.033 | 2.056 | 2.000 | 1.967 |
| | 41 - 60 | 2.632 | 0.416 | 0.592 | 0.226 | 3.048 | 2.456 | 2.230 |
| | 61 - 80 | 2.781 | 0.221 | 0.987 | 0.189 | 3.002 | 2.015 | 1.826 |
| | 81 - 100 | 2.355 | 0.185 | 0.770 | 0.675 | 2.540 | 1.770 | 1.095 |
| | 101+ | 2.491 | 0.137 | 1.500 | 0.963 | 2.627 | 1.128 | 0.165 |
| | Uneven | 1.291 | 0.239 | 0.222 | 3.976 | 1.530 | 1.308 | -2.668 |
| | Total | 2.213 | 0.311 | 0.719 | 1.134 | 2.524 | 1.805 | 0.670 |
| Small Private | 0 - 20 | 0.051 | 0.064 | 0.415 | 5.733 | 0.115 | -0.300 | -6.032 |
| | 21 - 40 | 1.601 | 0.776 | 0.184 | 0.621 | 2.377 | 2.194 | 1.572 |
| | 41 - 60 | 2.552 | 0.360 | 0.688 | 0.383 | 2.911 | 2.224 | 1.841 |
| | 61 - 80 | 2.311 | 0.235 | 1.309 | 0.431 | 2.546 | 1.238 | 0.807 |
| | 81 - 100 | 2.067 | 0.180 | 1.231 | 0.232 | 2.247 | 1.016 | 0.784 |
| | 101+ | 2.245 | 0.186 | 1.163 | 0.612 | 2.432 | 1.269 | 0.656 |
| | Uneven | 1.898 | 0.419 | 0.796 | 0.000 | 2.316 | 1.520 | 1.520 |
| | Total | 2.164 | 0.312 | 0.909 | 0.718 | 2.476 | 1.567 | 0.849 |
| Total | 0 - 20 | 0.040 | 0.065 | 0.253 | 5.586 | 0.105 | -0.148 | -5.735 |
| | 21 - 40 | 1.329 | 0.798 | 0.141 | 0.387 | 2.127 | 1.986 | 1.599 |
| | 41 - 60 | 2.433 | 0.374 | 0.650 | 0.263 | 2.807 | 2.157 | 1.894 |
| | 61 - 80 | 2.176 | 0.225 | 1.220 | 0.279 | 2.401 | 1.181 | 0.902 |
| | 81 - 100 | 1.802 | 0.172 | 1.066 | 0.250 | 1.974 | 0.908 | 0.658 |
| | 101+ | 2.086 | 0.173 | 1.270 | 0.600 | 2.258 | 0.989 | 0.388 |
| | Uneven | 1.756 | 0.367 | 0.512 | 0.994 | 2.124 | 1.612 | 0.618 |
| | Total | 1.956 | 0.303 | 0.846 | 0.695 | 2.259 | 1.412 | 0.718 |

Table 2b. Province of Nova Scotia 10 year periodic annual increment in merchantable m³/ha/yr by landowner and age class for hardwood.

| Hardwood | | | | | | | | |
|---------------|-----------|-----------|----------|-----------|---------|--------------|------------|------------|
| Landowner | Age Class | Accretion | Ingrowth | Mortality | Harvest | Gross Growth | Net Growth | Net Change |
| Crown | 0 - 20 | 0.016 | 0.005 | 0.155 | 1.000 | 0.020 | -0.135 | -1.135 |
| | 21 - 40 | 0.253 | 0.188 | 0.159 | 0.050 | 0.441 | 0.282 | 0.232 |
| | 41 - 60 | 0.549 | 0.094 | 0.171 | 0.050 | 0.643 | 0.472 | 0.422 |
| | 61 - 80 | 0.839 | 0.049 | 0.215 | 0.019 | 0.888 | 0.673 | 0.654 |
| | 81 - 100 | 0.765 | 0.024 | 0.322 | 0.000 | 0.789 | 0.467 | 0.467 |
| | 101+ | 0.433 | 0.005 | 0.223 | 0.158 | 0.438 | 0.215 | 0.056 |
| | Uneven | 0.962 | 0.125 | 0.462 | 0.000 | 1.087 | 0.625 | 0.625 |
| | Total | 0.600 | 0.065 | 0.213 | 0.117 | 0.666 | 0.452 | 0.335 |
| Large Private | 0 - 20 | 0.009 | 0.010 | 0.026 | 1.167 | 0.018 | -0.008 | -1.175 |
| | 21 - 40 | 0.288 | 0.174 | 0.103 | 0.035 | 0.462 | 0.359 | 0.324 |
| | 41 - 60 | 0.943 | 0.129 | 0.238 | 0.075 | 1.071 | 0.833 | 0.759 |
| | 61 - 80 | 0.826 | 0.036 | 0.293 | 0.124 | 0.861 | 0.568 | 0.444 |
| | 81 - 100 | 0.889 | 0.038 | 0.472 | 0.284 | 0.926 | 0.455 | 0.170 |
| | 101+ | 0.413 | 0.027 | 0.190 | 0.000 | 0.440 | 0.251 | 0.251 |
| | Uneven | 0.208 | 0.000 | 0.108 | 0.261 | 0.208 | 0.101 | -0.160 |
| | Total | 0.697 | 0.070 | 0.252 | 0.212 | 0.767 | 0.515 | 0.302 |
| Small Private | 0 - 20 | 0.041 | 0.013 | 0.047 | 2.000 | 0.055 | 0.007 | -1.992 |
| | 21 - 40 | 0.380 | 0.291 | 0.054 | 0.041 | 0.671 | 0.617 | 0.576 |
| | 41 - 60 | 0.979 | 0.181 | 0.201 | 0.098 | 1.160 | 0.959 | 0.862 |
| | 61 - 80 | 1.051 | 0.088 | 0.323 | 0.173 | 1.139 | 0.816 | 0.643 |
| | 81 - 100 | 0.945 | 0.073 | 0.273 | 0.104 | 1.018 | 0.745 | 0.641 |
| | 101+ | 0.584 | 0.042 | 0.175 | 0.155 | 0.625 | 0.451 | 0.296 |
| | Uneven | 0.490 | 0.037 | 0.369 | 0.000 | 0.527 | 0.158 | 0.158 |
| | Total | 0.871 | 0.132 | 0.229 | 0.230 | 1.003 | 0.773 | 0.543 |
| Total | 0 - 20 | 0.024 | 0.010 | 0.076 | 1.405 | 0.033 | -0.043 | -1.448 |
| | 21 - 40 | 0.323 | 0.237 | 0.097 | 0.043 | 0.560 | 0.463 | 0.420 |
| | 41 - 60 | 0.866 | 0.152 | 0.197 | 0.081 | 1.017 | 0.820 | 0.739 |
| | 61 - 80 | 0.948 | 0.067 | 0.288 | 0.120 | 1.015 | 0.727 | 0.606 |
| | 81 - 100 | 0.892 | 0.049 | 0.324 | 0.103 | 0.941 | 0.618 | 0.515 |
| | 101+ | 0.507 | 0.027 | 0.198 | 0.094 | 0.534 | 0.336 | 0.242 |
| | Uneven | 0.591 | 0.058 | 0.338 | 0.065 | 0.649 | 0.310 | 0.245 |
| | Total | 0.764 | 0.100 | 0.228 | 0.191 | 0.863 | 0.635 | 0.444 |

Table 2c. Province of Nova Scotia 10 year periodic annual increment in merchantable m³/ha/yr by landowner and age class for softwood and hardwood.

| Softwood + Hardwood | | | | | | | | |
|---------------------|-----------|-----------|----------|-----------|---------|--------------|------------|------------|
| Landowner | Age Class | Accretion | Ingrowth | Mortality | Harvest | Gross Growth | Net Growth | Net Change |
| Crown | 0 - 20 | 0.031 | 0.070 | 0.292 | 4.869 | 0.101 | -0.190 | -5.059 |
| | 21 - 40 | 1.279 | 0.925 | 0.283 | 0.292 | 2.204 | 1.921 | 1.629 |
| | 41 - 60 | 2.617 | 0.487 | 0.798 | 0.056 | 3.104 | 2.306 | 2.250 |
| | 61 - 80 | 2.446 | 0.255 | 1.426 | 0.095 | 2.701 | 1.275 | 1.180 |
| | 81 - 100 | 2.038 | 0.199 | 1.392 | 0.046 | 2.237 | 0.845 | 0.799 |
| | 101+ | 2.005 | 0.217 | 1.516 | 0.303 | 2.222 | 0.706 | 0.403 |
| | Uneven | 2.808 | 0.513 | 0.807 | 0.000 | 3.320 | 2.514 | 2.514 |
| | Total | 2.069 | 0.359 | 1.038 | 0.520 | 2.428 | 1.391 | 0.871 |
| Large Private | 0 - 20 | 0.064 | 0.077 | 0.184 | 8.514 | 0.141 | -0.043 | -8.557 |
| | 21 - 40 | 1.403 | 1.115 | 0.159 | 0.068 | 2.518 | 2.359 | 2.291 |
| | 41 - 60 | 3.574 | 0.545 | 0.830 | 0.301 | 4.119 | 3.289 | 2.988 |
| | 61 - 80 | 3.607 | 0.256 | 1.280 | 0.313 | 3.863 | 2.583 | 2.270 |
| | 81 - 100 | 3.244 | 0.222 | 1.241 | 0.959 | 3.466 | 2.225 | 1.266 |
| | 101+ | 2.904 | 0.164 | 1.689 | 0.963 | 3.068 | 1.379 | 0.416 |
| | Uneven | 1.499 | 0.239 | 0.330 | 4.237 | 1.738 | 1.409 | -2.829 |
| | Total | 2.909 | 0.381 | 0.971 | 1.346 | 3.291 | 2.319 | 0.973 |
| Small Private | 0 - 20 | 0.092 | 0.077 | 0.462 | 7.732 | 0.170 | -0.293 | -8.025 |
| | 21 - 40 | 1.981 | 1.067 | 0.238 | 0.662 | 3.048 | 2.810 | 2.149 |
| | 41 - 60 | 3.530 | 0.541 | 0.888 | 0.481 | 4.071 | 3.183 | 2.702 |
| | 61 - 80 | 3.363 | 0.323 | 1.632 | 0.604 | 3.686 | 2.053 | 1.450 |
| | 81 - 100 | 3.012 | 0.253 | 1.504 | 0.335 | 3.265 | 1.761 | 1.425 |
| | 101+ | 2.829 | 0.228 | 1.338 | 0.767 | 3.057 | 1.719 | 0.952 |
| | Uneven | 2.387 | 0.456 | 1.166 | 0.000 | 2.843 | 1.678 | 1.678 |
| | Total | 3.035 | 0.444 | 1.138 | 0.949 | 3.479 | 2.341 | 1.392 |
| Total | 0 - 20 | 0.064 | 0.074 | 0.330 | 6.991 | 0.138 | -0.192 | -7.183 |
| | 21 - 40 | 1.651 | 1.035 | 0.238 | 0.430 | 2.687 | 2.449 | 2.019 |
| | 41 - 60 | 3.299 | 0.526 | 0.847 | 0.344 | 3.825 | 2.977 | 2.633 |
| | 61 - 80 | 3.125 | 0.292 | 1.509 | 0.400 | 3.416 | 1.908 | 1.508 |
| | 81 - 100 | 2.694 | 0.221 | 1.390 | 0.353 | 2.915 | 1.525 | 1.172 |
| | 101+ | 2.593 | 0.200 | 1.468 | 0.694 | 2.793 | 1.324 | 0.630 |
| | Uneven | 2.347 | 0.425 | 0.850 | 1.059 | 2.772 | 1.922 | 0.863 |
| | Total | 2.720 | 0.402 | 1.075 | 0.885 | 3.122 | 2.047 | 1.162 |

Table 3a. Province of Nova Scotia 10 year periodic annual increment in merchantable m³/ha/yr by landowner and land capability for softwood.

| Softwood | | | | | | | | |
|---------------|----------|-----------|----------|-----------|---------|--------------|------------|------------|
| Landowner | Land Cap | Accretion | Ingrowth | Mortality | Harvest | Gross Growth | Net Growth | Net Change |
| Crown | 3 | 1.013 | 0.277 | 1.063 | 0.191 | 1.290 | 0.227 | 0.036 |
| | 4 | 1.757 | 0.229 | 1.026 | 0.806 | 1.986 | 0.960 | 0.154 |
| | 5 | 1.702 | 0.348 | 0.687 | 0.450 | 2.050 | 1.363 | 0.913 |
| | 6 | 2.159 | 0.346 | 0.546 | 1.155 | 2.505 | 1.959 | 0.804 |
| | Total | 1.469 | 0.294 | 0.824 | 0.403 | 1.762 | 0.938 | 0.536 |
| Large Private | 3 | 2.340 | 0.326 | 0.652 | 0.195 | 2.665 | 2.013 | 1.818 |
| | 4 | 2.119 | 0.380 | 0.663 | 2.148 | 2.500 | 1.837 | -0.312 |
| | 5 | 2.409 | 0.296 | 0.740 | 1.407 | 2.705 | 1.966 | 0.558 |
| | 6 | 1.958 | 0.223 | 0.674 | 0.000 | 2.181 | 1.507 | 1.507 |
| | Total | 2.213 | 0.311 | 0.719 | 1.134 | 2.524 | 1.805 | 0.670 |
| Small Private | 3 | 1.830 | 0.317 | 1.076 | 0.244 | 2.147 | 1.071 | 0.827 |
| | 4 | 2.529 | 0.310 | 1.104 | 0.978 | 2.839 | 1.735 | 0.757 |
| | 5 | 2.206 | 0.312 | 0.821 | 0.766 | 2.517 | 1.696 | 0.930 |
| | 6 | 2.601 | 0.367 | 0.706 | 1.881 | 2.967 | 2.262 | 0.380 |
| | Total | 2.164 | 0.312 | 0.909 | 0.718 | 2.476 | 1.567 | 0.849 |
| Total | 3 | 1.661 | 0.304 | 0.987 | 0.213 | 1.965 | 0.978 | 0.765 |
| | 4 | 2.300 | 0.305 | 1.002 | 1.117 | 2.605 | 1.603 | 0.485 |
| | 5 | 2.080 | 0.313 | 0.762 | 0.800 | 2.393 | 1.631 | 0.831 |
| | 6 | 2.466 | 0.329 | 0.676 | 1.377 | 2.795 | 2.119 | 0.742 |
| | Total | 1.956 | 0.303 | 0.846 | 0.695 | 2.259 | 1.412 | 0.718 |

Table 3b. Province of Nova Scotia 10 year periodic annual increment in merchantable m³/ha/yr by landowner and land capability for hardwood.

| Hardwood | | | | | | | | |
|---------------|----------|-----------|----------|-----------|---------|--------------|------------|------------|
| Landowner | Land Cap | Accretion | Ingrowth | Mortality | Harvest | Gross Growth | Net Growth | Net Change |
| Crown | 3 | 0.371 | 0.029 | 0.183 | 0.011 | 0.399 | 0.216 | 0.205 |
| | 4 | 0.980 | 0.077 | 0.345 | 0.123 | 1.058 | 0.712 | 0.590 |
| | 5 | 0.676 | 0.092 | 0.242 | 0.205 | 0.768 | 0.526 | 0.321 |
| | 6 | 0.736 | 0.067 | 0.079 | 0.000 | 0.802 | 0.723 | 0.723 |
| | Total | 0.600 | 0.065 | 0.213 | 0.117 | 0.666 | 0.452 | 0.335 |
| Large Private | 3 | 0.455 | 0.048 | 0.285 | 0.023 | 0.503 | 0.219 | 0.196 |
| | 4 | 0.832 | 0.092 | 0.222 | 0.160 | 0.924 | 0.703 | 0.543 |
| | 5 | 0.760 | 0.072 | 0.254 | 0.351 | 0.832 | 0.578 | 0.227 |
| | 6 | 1.792 | 0.199 | 0.754 | 0.000 | 1.991 | 1.237 | 1.237 |
| | Total | 0.697 | 0.070 | 0.252 | 0.212 | 0.767 | 0.515 | 0.302 |
| Small Private | 3 | 0.716 | 0.099 | 0.275 | 0.182 | 0.815 | 0.540 | 0.357 |
| | 4 | 1.087 | 0.143 | 0.289 | 0.263 | 1.230 | 0.941 | 0.678 |
| | 5 | 0.839 | 0.148 | 0.207 | 0.246 | 0.987 | 0.780 | 0.535 |
| | 6 | 1.288 | 0.131 | 0.213 | 0.440 | 1.419 | 1.206 | 0.766 |
| | Total | 0.871 | 0.132 | 0.229 | 0.230 | 1.003 | 0.773 | 0.543 |
| Total | 3 | 0.568 | 0.068 | 0.245 | 0.095 | 0.636 | 0.391 | 0.295 |
| | 4 | 1.018 | 0.121 | 0.292 | 0.212 | 1.139 | 0.847 | 0.634 |
| | 5 | 0.784 | 0.113 | 0.226 | 0.253 | 0.897 | 0.671 | 0.418 |
| | 6 | 1.337 | 0.134 | 0.303 | 0.282 | 1.471 | 1.167 | 0.885 |
| | Total | 0.764 | 0.100 | 0.228 | 0.191 | 0.863 | 0.635 | 0.444 |

Table 3c. Province of Nova Scotia 10 year periodic annual increment in merchantable m³/ha/yr by landowner and land capability for softwood and hardwood.

| Softwood + Hardwood | | | | | | | | |
|---------------------|----------|-----------|----------|-----------|---------|--------------|------------|------------|
| Landowner | Land Cap | Accretion | Ingrowth | Mortality | Harvest | Gross Growth | Net Growth | Net Change |
| Crown | 3 | 1.383 | 0.306 | 1.247 | 0.202 | 1.689 | 0.443 | 0.241 |
| | 4 | 2.738 | 0.306 | 1.372 | 0.929 | 3.044 | 1.672 | 0.743 |
| | 5 | 2.377 | 0.440 | 0.929 | 0.655 | 2.818 | 1.889 | 1.234 |
| | 6 | 2.895 | 0.412 | 0.625 | 1.155 | 3.307 | 2.682 | 1.527 |
| | Total | 2.069 | 0.359 | 1.038 | 0.520 | 2.428 | 1.391 | 0.871 |
| Large Private | 3 | 2.795 | 0.374 | 0.937 | 0.218 | 3.169 | 2.231 | 2.014 |
| | 4 | 2.951 | 0.473 | 0.885 | 2.308 | 3.424 | 2.540 | 0.231 |
| | 5 | 3.169 | 0.368 | 0.994 | 1.758 | 3.537 | 2.543 | 0.785 |
| | 6 | 3.750 | 0.422 | 1.428 | 0.000 | 4.172 | 2.744 | 2.744 |
| | Total | 2.909 | 0.381 | 0.971 | 1.346 | 3.291 | 2.319 | 0.973 |
| Small Private | 3 | 2.546 | 0.416 | 1.351 | 0.427 | 2.962 | 1.611 | 1.184 |
| | 4 | 3.616 | 0.453 | 1.393 | 1.241 | 4.069 | 2.676 | 1.435 |
| | 5 | 3.045 | 0.459 | 1.028 | 1.012 | 3.504 | 2.476 | 1.464 |
| | 6 | 3.888 | 0.498 | 0.919 | 2.321 | 4.386 | 3.467 | 1.146 |
| | Total | 3.035 | 0.444 | 1.138 | 0.949 | 3.479 | 2.341 | 1.392 |
| Total | 1 | 0.564 | 0.223 | 0.449 | 0.003 | 0.787 | 0.338 | 0.335 |
| | 2 | 1.136 | 0.246 | 0.849 | 0.027 | 1.383 | 0.534 | 0.507 |
| | 3 | 2.229 | 0.372 | 1.233 | 0.309 | 2.601 | 1.368 | 1.060 |
| | 4 | 3.318 | 0.426 | 1.294 | 1.330 | 3.744 | 2.449 | 1.120 |
| | 5 | 2.863 | 0.427 | 0.988 | 1.052 | 3.290 | 2.302 | 1.250 |
| | 6 | 3.802 | 0.463 | 0.979 | 1.660 | 4.266 | 3.287 | 1.627 |
| | 7 | 4.975 | 0.379 | 1.390 | 0.031 | 5.353 | 3.963 | 3.932 |
| | 8 | 6.447 | 2.096 | 0.151 | 0.000 | 8.544 | 8.393 | 8.393 |
| | 9 | 11.124 | 0.000 | 0.332 | 0.000 | 11.124 | 10.792 | 10.792 |
| | Total | 2.720 | 0.402 | 1.075 | 0.885 | 3.122 | 2.047 | 1.162 |

Table 4. Eastern Nova Scotia 10 year periodic annual increment in merchantable m³/ha/yr by landowner and cover type.

| Softwood | | | | | | | | |
|---------------------|-----------|-----------|----------|-----------|---------|--------------|------------|------------|
| Landowner | Covertype | Accretion | Ingrowth | Mortality | Harvest | Gross Growth | Net Growth | Net Change |
| Crown | Softwood | 1.000 | 0.273 | 1.303 | 0.396 | 1.274 | -0.030 | -0.425 |
| | Mixedwood | 1.487 | 0.284 | 0.953 | 0.345 | 1.771 | 0.817 | 0.473 |
| | Hardwood | 0.363 | 0.088 | 0.083 | 0.000 | 0.451 | 0.369 | 0.369 |
| | Total | 1.057 | 0.257 | 1.090 | 0.343 | 1.314 | 0.224 | -0.118 |
| Large Private | Softwood | 1.518 | 0.156 | 1.054 | 3.341 | 1.674 | 0.620 | -2.721 |
| | Mixedwood | 1.715 | 0.369 | 1.316 | 0.000 | 2.084 | 0.768 | 0.768 |
| | Hardwood | 0.962 | 0.686 | 0.072 | 0.092 | 1.648 | 1.576 | 1.483 |
| | Total | 1.464 | 0.315 | 0.936 | 1.817 | 1.779 | 0.844 | -0.973 |
| Small Private | Softwood | 1.856 | 0.309 | 1.368 | 0.959 | 2.165 | 0.797 | -0.162 |
| | Mixedwood | 1.249 | 0.207 | 1.130 | 0.801 | 1.456 | 0.327 | -0.474 |
| | Hardwood | 0.425 | 0.136 | 0.114 | 0.024 | 0.561 | 0.447 | 0.423 |
| | Total | 1.471 | 0.254 | 1.120 | 0.779 | 1.725 | 0.605 | -0.174 |
| Total | Softwood | 1.380 | 0.277 | 1.319 | 0.767 | 1.657 | 0.338 | -0.430 |
| | Mixedwood | 1.331 | 0.238 | 1.062 | 0.563 | 1.570 | 0.508 | -0.055 |
| | Hardwood | 0.427 | 0.158 | 0.088 | 0.019 | 0.585 | 0.496 | 0.478 |
| | Total | 1.236 | 0.250 | 1.081 | 0.610 | 1.486 | 0.405 | -0.204 |
| Hardwood | | | | | | | | |
| Landowner | Covertype | Accretion | Ingrowth | Mortality | Harvest | Gross Growth | Net Growth | Net Change |
| Crown | Softwood | 0.162 | 0.034 | 0.052 | 0.066 | 0.196 | 0.144 | 0.078 |
| | Mixedwood | 1.114 | 0.091 | 0.493 | 0.434 | 1.205 | 0.712 | 0.278 |
| | Hardwood | 1.738 | 0.067 | 0.734 | 0.000 | 1.805 | 1.071 | 1.071 |
| | Total | 0.563 | 0.052 | 0.232 | 0.152 | 0.614 | 0.382 | 0.230 |
| Large Private | Softwood | 0.204 | 0.023 | 0.024 | 0.000 | 0.227 | 0.203 | 0.203 |
| | Mixedwood | 1.189 | 0.064 | 1.303 | 0.000 | 1.253 | -0.050 | -0.050 |
| | Hardwood | 1.485 | 0.261 | 0.716 | 0.204 | 1.747 | 1.030 | 0.826 |
| | Total | 0.716 | 0.080 | 0.501 | 0.039 | 0.795 | 0.294 | 0.255 |
| Small Private | Softwood | 0.275 | 0.086 | 0.096 | 0.046 | 0.361 | 0.266 | 0.220 |
| | Mixedwood | 1.457 | 0.134 | 0.544 | 0.563 | 1.591 | 1.047 | 0.484 |
| | Hardwood | 2.207 | 0.244 | 0.541 | 0.261 | 2.451 | 1.910 | 1.649 |
| | Total | 0.905 | 0.123 | 0.294 | 0.233 | 1.027 | 0.733 | 0.501 |
| Total | Softwood | 0.207 | 0.055 | 0.068 | 0.049 | 0.263 | 0.195 | 0.146 |
| | Mixedwood | 1.322 | 0.112 | 0.553 | 0.467 | 1.434 | 0.881 | 0.414 |
| | Hardwood | 1.934 | 0.188 | 0.578 | 0.144 | 2.122 | 1.543 | 1.400 |
| | Total | 0.745 | 0.089 | 0.269 | 0.175 | 0.834 | 0.565 | 0.390 |
| Softwood + Hardwood | | | | | | | | |
| Landowner | Covertype | Accretion | Ingrowth | Mortality | Harvest | Gross Growth | Net Growth | Net Change |
| Crown | Softwood | 1.162 | 0.307 | 1.355 | 0.462 | 1.469 | 0.115 | -0.347 |
| | Mixedwood | 2.601 | 0.375 | 1.446 | 0.779 | 2.976 | 1.530 | 0.751 |
| | Hardwood | 2.102 | 0.155 | 0.816 | 0.000 | 2.256 | 1.440 | 1.440 |
| | Total | 1.620 | 0.309 | 1.323 | 0.494 | 1.929 | 0.606 | 0.112 |
| Large Private | Softwood | 1.722 | 0.178 | 1.077 | 3.341 | 1.900 | 0.823 | -2.518 |
| | Mixedwood | 2.904 | 0.432 | 2.619 | 0.000 | 3.337 | 0.718 | 0.718 |
| | Hardwood | 2.448 | 0.947 | 0.789 | 0.297 | 3.395 | 2.606 | 2.309 |
| | Total | 2.180 | 0.394 | 1.437 | 1.856 | 2.574 | 1.137 | -0.719 |
| Small Private | Softwood | 2.131 | 0.396 | 1.464 | 1.005 | 2.526 | 1.063 | 0.058 |
| | Mixedwood | 2.706 | 0.341 | 1.673 | 1.364 | 3.047 | 1.374 | 0.010 |
| | Hardwood | 2.632 | 0.380 | 0.656 | 0.285 | 3.012 | 2.357 | 2.072 |
| | Total | 2.375 | 0.377 | 1.414 | 1.012 | 2.752 | 1.339 | 0.327 |
| Total | Softwood | 1.588 | 0.332 | 1.387 | 0.817 | 1.920 | 0.533 | -0.284 |
| | Mixedwood | 2.653 | 0.351 | 1.615 | 1.031 | 3.004 | 1.389 | 0.359 |
| | Hardwood | 2.361 | 0.346 | 0.667 | 0.162 | 2.707 | 2.040 | 1.878 |
| | Total | 1.981 | 0.339 | 1.349 | 0.785 | 2.320 | 0.971 | 0.186 |

Table 5a. Eastern Nova Scotia 10 year periodic annual increment in merchantable m³/ha/yr by landowner and age class for softwood.

| Softwood | | | | | | | | |
|---------------|-----------|-----------|----------|-----------|---------|--------------|------------|------------|
| Landowner | Age Class | Accretion | Ingrowth | Mortality | Harvest | Gross Growth | Net Growth | Net Change |
| Crown | 0 - 20 | 0.021 | 0.007 | 0.184 | 2.249 | 0.028 | -0.155 | -2.405 |
| | 21 - 40 | 0.805 | 0.740 | 0.218 | 0.000 | 1.545 | 1.327 | 1.327 |
| | 41 - 60 | 1.638 | 0.451 | 1.034 | 0.000 | 2.088 | 1.055 | 1.055 |
| | 61 - 80 | 1.277 | 0.181 | 1.675 | 0.062 | 1.457 | -0.217 | -0.280 |
| | 81 - 100 | 1.118 | 0.166 | 1.390 | 0.000 | 1.283 | -0.106 | -0.106 |
| | 101+ | 0.884 | 0.196 | 1.282 | 0.000 | 1.080 | -0.203 | -0.203 |
| | Uneven | 1.614 | 0.390 | 0.073 | 0.000 | 2.003 | 1.930 | 1.930 |
| | Total | 1.062 | 0.268 | 1.084 | 0.341 | 1.330 | 0.245 | -0.096 |
| Large Private | 0 - 20 | 0.150 | 0.109 | 0.183 | 7.795 | 0.259 | 0.077 | -7.719 |
| | 21 - 40 | 0.647 | 1.044 | 0.000 | 0.115 | 1.690 | 1.690 | 1.575 |
| | 41 - 60 | 2.051 | 0.244 | 1.008 | 0.000 | 2.295 | 1.287 | 1.287 |
| | 61 - 80 | 1.625 | 0.310 | 1.495 | 0.000 | 1.935 | 0.440 | 0.440 |
| | 81 - 100 | 2.133 | 0.319 | 0.920 | 0.000 | 2.452 | 1.532 | 1.532 |
| | 101+ | 1.888 | 0.259 | 2.051 | 0.000 | 2.147 | 0.096 | 0.096 |
| | Total | 1.429 | 0.357 | 0.901 | 1.749 | 1.787 | 0.886 | -0.864 |
| Small Private | 0 - 20 | 0.071 | 0.043 | 0.799 | 4.593 | 0.114 | -0.686 | -5.278 |
| | 21 - 40 | 1.653 | 0.504 | 0.169 | 0.345 | 2.157 | 1.988 | 1.643 |
| | 41 - 60 | 2.266 | 0.327 | 0.765 | 0.456 | 2.593 | 1.829 | 1.373 |
| | 61 - 80 | 1.261 | 0.206 | 1.639 | 0.431 | 1.467 | -0.173 | -0.604 |
| | 81 - 100 | 0.930 | 0.171 | 1.529 | 0.244 | 1.101 | -0.428 | -0.672 |
| | 101+ | 0.973 | 0.178 | 0.973 | 0.000 | 1.151 | 0.178 | 0.178 |
| | Uneven | 2.038 | 0.258 | 2.363 | 0.000 | 2.295 | -0.068 | -0.068 |
| Total | Total | 1.458 | 0.254 | 1.108 | 0.772 | 1.712 | 0.604 | -0.169 |
| | 0 - 20 | 0.052 | 0.030 | 0.429 | 3.621 | 0.082 | -0.346 | -3.968 |
| | 21 - 40 | 1.210 | 0.650 | 0.175 | 0.185 | 1.859 | 1.684 | 1.499 |
| | 41 - 60 | 1.960 | 0.347 | 0.821 | 0.269 | 2.307 | 1.486 | 1.217 |
| | 61 - 80 | 1.237 | 0.203 | 1.650 | 0.260 | 1.440 | -0.210 | -0.470 |
| | 81 - 100 | 1.001 | 0.159 | 1.366 | 0.086 | 1.160 | -0.206 | -0.291 |
| | 101+ | 0.972 | 0.182 | 1.111 | 0.000 | 1.154 | 0.043 | 0.043 |
| | Uneven | 1.744 | 0.358 | 0.680 | 0.000 | 2.101 | 1.421 | 1.421 |
| | Total | 1.231 | 0.257 | 1.071 | 0.604 | 1.488 | 0.417 | -0.188 |

Table 5b. Eastern Nova Scotia 10 year periodic annual increment in merchantable m³/ha/yr by landowner and age class for hardwood.

| Hardwood | | | | | | | | |
|---------------|-----------|-----------|----------|-----------|---------|--------------|------------|------------|
| Landowner | Age Class | Accretion | Ingrowth | Mortality | Harvest | Gross Growth | Net Growth | Net Change |
| Crown | 0 - 20 | 0.012 | 0.007 | 0.156 | 0.973 | 0.019 | -0.138 | -1.110 |
| | 21 - 40 | 0.168 | 0.130 | 0.308 | 0.000 | 0.298 | -0.010 | -0.010 |
| | 41 - 60 | 0.528 | 0.075 | 0.196 | 0.000 | 0.604 | 0.408 | 0.408 |
| | 61 - 80 | 0.837 | 0.049 | 0.181 | 0.045 | 0.887 | 0.706 | 0.661 |
| | 81 - 100 | 0.764 | 0.025 | 0.325 | 0.000 | 0.789 | 0.464 | 0.464 |
| | 101+ | 0.495 | 0.008 | 0.290 | 0.000 | 0.502 | 0.213 | 0.213 |
| | Uneven | 1.108 | 0.195 | 0.233 | 0.000 | 1.303 | 1.070 | 1.070 |
| | Total | 0.560 | 0.052 | 0.231 | 0.151 | 0.611 | 0.380 | 0.229 |
| Large Private | 0 - 20 | 0.116 | 0.039 | 0.045 | 0.000 | 0.154 | 0.109 | 0.109 |
| | 21 - 40 | 0.096 | 0.163 | 0.008 | 0.255 | 0.259 | 0.250 | -0.005 |
| | 41 - 60 | 1.278 | 0.159 | 0.794 | 0.000 | 1.437 | 0.643 | 0.643 |
| | 61 - 80 | 0.826 | 0.006 | 0.258 | 0.000 | 0.832 | 0.574 | 0.574 |
| | 81 - 100 | 1.048 | 0.032 | 1.503 | 0.000 | 1.080 | -0.423 | -0.423 |
| | 101+ | 0.055 | 0.026 | 0.000 | 0.000 | 0.081 | 0.081 | 0.081 |
| | Total | 0.689 | 0.077 | 0.483 | 0.038 | 0.766 | 0.283 | 0.245 |
| Small Private | 0 - 20 | 0.037 | 0.024 | 0.107 | 1.937 | 0.060 | -0.047 | -1.983 |
| | 21 - 40 | 0.322 | 0.352 | 0.032 | 0.004 | 0.674 | 0.642 | 0.638 |
| | 41 - 60 | 0.970 | 0.170 | 0.174 | 0.059 | 1.141 | 0.967 | 0.909 |
| | 61 - 80 | 1.100 | 0.072 | 0.524 | 0.107 | 1.172 | 0.648 | 0.541 |
| | 81 - 100 | 1.288 | 0.074 | 0.354 | 0.000 | 1.362 | 1.008 | 1.008 |
| | 101+ | 0.837 | 0.003 | 0.162 | 0.000 | 0.840 | 0.678 | 0.678 |
| | Uneven | 0.393 | 0.000 | 0.000 | 0.000 | 0.393 | 0.393 | 0.393 |
| Total | Total | 0.897 | 0.123 | 0.292 | 0.231 | 1.020 | 0.728 | 0.497 |
| | 0 - 20 | 0.031 | 0.016 | 0.120 | 1.210 | 0.047 | -0.074 | -1.284 |
| | 21 - 40 | 0.236 | 0.242 | 0.151 | 0.022 | 0.478 | 0.327 | 0.305 |
| | 41 - 60 | 0.827 | 0.141 | 0.206 | 0.035 | 0.968 | 0.762 | 0.728 |
| | 61 - 80 | 0.949 | 0.059 | 0.370 | 0.077 | 1.009 | 0.639 | 0.562 |
| | 81 - 100 | 1.011 | 0.047 | 0.362 | 0.000 | 1.059 | 0.697 | 0.697 |
| | 101+ | 0.654 | 0.011 | 0.227 | 0.000 | 0.665 | 0.438 | 0.438 |
| | Uneven | 0.897 | 0.142 | 0.170 | 0.000 | 1.039 | 0.868 | 0.868 |
| | Total | 0.739 | 0.089 | 0.267 | 0.174 | 0.828 | 0.561 | 0.388 |

Table 5c. Eastern Nova Scotia 10 year periodic annual increment in merchantable m³/ha/yr by landowner and age class for softwood and hardwood.

| Softwood + Hardwood | | | | | | | | |
|---------------------|-----------|-----------|----------|-----------|---------|--------------|------------|------------|
| Landowner | Age Class | Accretion | Ingrowth | Mortality | Harvest | Gross Growth | Net Growth | Net Change |
| Crown | 0 - 20 | 0.033 | 0.013 | 0.340 | 3.222 | 0.047 | -0.293 | -3.515 |
| | 21 - 40 | 0.973 | 0.870 | 0.526 | 0.000 | 1.844 | 1.317 | 1.317 |
| | 41 - 60 | 2.166 | 0.526 | 1.230 | 0.000 | 2.692 | 1.462 | 1.462 |
| | 61 - 80 | 2.114 | 0.230 | 1.855 | 0.107 | 2.344 | 0.489 | 0.381 |
| | 81 - 100 | 1.882 | 0.191 | 1.715 | 0.000 | 2.073 | 0.358 | 0.358 |
| | 101+ | 1.378 | 0.203 | 1.572 | 0.000 | 1.582 | 0.010 | 0.010 |
| | Uneven | 2.722 | 0.584 | 0.306 | 0.000 | 3.306 | 3.000 | 3.000 |
| | Total | 1.621 | 0.320 | 1.316 | 0.492 | 1.941 | 0.625 | 0.134 |
| Large Private | 0 - 20 | 0.266 | 0.148 | 0.228 | 7.795 | 0.414 | 0.186 | -7.609 |
| | 21 - 40 | 0.742 | 1.207 | 0.008 | 0.371 | 1.949 | 1.941 | 1.570 |
| | 41 - 60 | 3.329 | 0.403 | 1.802 | 0.000 | 3.732 | 1.930 | 1.930 |
| | 61 - 80 | 2.452 | 0.316 | 1.753 | 0.000 | 2.767 | 1.014 | 1.014 |
| | 81 - 100 | 3.181 | 0.352 | 2.422 | 0.000 | 3.532 | 1.110 | 1.110 |
| | 101+ | 1.943 | 0.285 | 2.051 | 0.000 | 2.227 | 0.176 | 0.176 |
| | Total | 2.119 | 0.434 | 1.384 | 1.787 | 2.552 | 1.169 | -0.619 |
| Small Private | 0 - 20 | 0.107 | 0.067 | 0.906 | 6.529 | 0.174 | -0.732 | -7.262 |
| | 21 - 40 | 1.975 | 0.855 | 0.201 | 0.349 | 2.830 | 2.630 | 2.281 |
| | 41 - 60 | 3.237 | 0.498 | 0.938 | 0.514 | 3.734 | 2.796 | 2.282 |
| | 61 - 80 | 2.360 | 0.279 | 2.163 | 0.538 | 2.639 | 0.476 | -0.063 |
| | 81 - 100 | 2.218 | 0.245 | 1.883 | 0.244 | 2.463 | 0.580 | 0.336 |
| | 101+ | 1.810 | 0.181 | 1.135 | 0.000 | 1.991 | 0.856 | 0.856 |
| | Uneven | 2.431 | 0.258 | 2.363 | 0.000 | 2.689 | 0.326 | 0.326 |
| Total | Total | 2.355 | 0.376 | 1.400 | 1.003 | 2.732 | 1.332 | 0.329 |
| | 0 - 20 | 0.083 | 0.046 | 0.549 | 4.831 | 0.129 | -0.420 | -5.251 |
| | 21 - 40 | 1.446 | 0.892 | 0.326 | 0.207 | 2.337 | 2.011 | 1.804 |
| | 41 - 60 | 2.787 | 0.488 | 1.027 | 0.304 | 3.275 | 2.249 | 1.945 |
| | 61 - 80 | 2.186 | 0.262 | 2.020 | 0.337 | 2.448 | 0.428 | 0.092 |
| | 81 - 100 | 2.013 | 0.207 | 1.728 | 0.086 | 2.219 | 0.491 | 0.405 |
| | 101+ | 1.626 | 0.193 | 1.337 | 0.000 | 1.819 | 0.481 | 0.481 |
| | Uneven | 2.641 | 0.499 | 0.850 | 0.000 | 3.140 | 2.290 | 2.290 |
| | Total | 1.970 | 0.345 | 1.338 | 0.778 | 2.315 | 0.978 | 0.200 |

Table 6a. Eastern Nova Scotia 10 year periodic annual increment in merchantable m³/ha/yr by landowner and land capability for softwood.

| Softwood | | | | | | | | |
|---------------|----------|-----------|----------|-----------|---------|--------------|------------|------------|
| Landowner | Land Cap | Accretion | Ingrowth | Mortality | Harvest | Gross Growth | Net Growth | Net Change |
| Crown | 3 | 0.886 | 0.224 | 1.375 | 0.263 | 1.109 | -0.266 | -0.528 |
| | 4 | 1.217 | 0.196 | 1.418 | 0.494 | 1.413 | -0.005 | -0.499 |
| | 5 | 1.159 | 0.321 | 0.850 | 0.347 | 1.480 | 0.630 | 0.283 |
| | 6 | 2.041 | 0.688 | 0.888 | 2.599 | 2.729 | 1.841 | -0.759 |
| | Total | 1.062 | 0.268 | 1.084 | 0.341 | 1.330 | 0.245 | -0.096 |
| Large Private | 3 | 1.612 | 0.546 | 1.294 | 0.000 | 2.158 | 0.864 | 0.864 |
| | 4 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |
| | 5 | 1.787 | 0.412 | 0.790 | 2.952 | 2.199 | 1.409 | -1.544 |
| | 6 | 0.344 | 0.004 | 2.519 | 0.000 | 0.348 | -2.172 | -2.172 |
| | Total | 1.429 | 0.357 | 0.901 | 1.749 | 1.787 | 0.886 | -0.864 |
| Small Private | 3 | 1.120 | 0.241 | 1.540 | 0.122 | 1.360 | -0.180 | -0.302 |
| | 4 | 1.972 | 0.255 | 1.237 | 0.793 | 2.227 | 0.990 | 0.197 |
| | 5 | 1.307 | 0.267 | 0.918 | 1.111 | 1.573 | 0.656 | -0.456 |
| | 6 | 1.906 | 0.319 | 0.957 | 0.929 | 2.225 | 1.268 | 0.339 |
| | Total | 1.458 | 0.254 | 1.108 | 0.772 | 1.712 | 0.604 | -0.169 |
| Total | 3 | 0.998 | 0.242 | 1.433 | 0.178 | 1.240 | -0.192 | -0.370 |
| | 4 | 1.711 | 0.234 | 1.236 | 0.685 | 1.945 | 0.710 | 0.025 |
| | 5 | 1.224 | 0.290 | 0.854 | 0.878 | 1.515 | 0.661 | -0.217 |
| | 6 | 1.723 | 0.371 | 0.978 | 1.230 | 2.094 | 1.117 | -0.114 |
| | Total | 1.231 | 0.257 | 1.071 | 0.604 | 1.488 | 0.417 | -0.188 |

Table 6b. Eastern Nova Scotia 10 year periodic annual increment in merchantable m³/ha/yr by landowner and land capability for hardwood.

| Hardwood | | | | | | | | |
|---------------|----------|-----------|----------|-----------|---------|--------------|------------|------------|
| Landowner | Land Cap | Accretion | Ingrowth | Mortality | Harvest | Gross Growth | Net Growth | Net Change |
| Crown | 3 | 0.393 | 0.018 | 0.285 | 0.021 | 0.411 | 0.126 | 0.105 |
| | 4 | 0.956 | 0.065 | 0.112 | 0.114 | 1.021 | 0.909 | 0.795 |
| | 5 | 0.675 | 0.077 | 0.321 | 0.293 | 0.752 | 0.431 | 0.138 |
| | 6 | 0.226 | 0.126 | 0.008 | 0.000 | 0.352 | 0.344 | 0.344 |
| | Total | 0.560 | 0.052 | 0.231 | 0.151 | 0.611 | 0.380 | 0.229 |
| Large Private | 3 | 0.547 | 0.007 | 0.853 | 0.000 | 0.554 | -0.299 | -0.299 |
| | 4 | 2.122 | 0.171 | 0.633 | 0.000 | 2.293 | 1.660 | 1.660 |
| | 5 | 0.614 | 0.103 | 0.259 | 0.064 | 0.717 | 0.459 | 0.395 |
| | 6 | 2.292 | 0.045 | 4.149 | 0.000 | 2.337 | -1.812 | -1.812 |
| | Total | 0.689 | 0.077 | 0.483 | 0.038 | 0.766 | 0.283 | 0.245 |
| Small Private | 3 | 0.795 | 0.093 | 0.499 | 0.173 | 0.887 | 0.388 | 0.215 |
| | 4 | 0.978 | 0.137 | 0.342 | 0.301 | 1.115 | 0.773 | 0.473 |
| | 5 | 0.901 | 0.140 | 0.209 | 0.235 | 1.041 | 0.832 | 0.596 |
| | 6 | 1.057 | 0.059 | 0.142 | 0.211 | 1.116 | 0.974 | 0.762 |
| | Total | 0.897 | 0.123 | 0.292 | 0.231 | 1.020 | 0.728 | 0.497 |
| Total | 3 | 0.612 | 0.054 | 0.384 | 0.081 | 0.666 | 0.281 | 0.200 |
| | 4 | 0.987 | 0.122 | 0.290 | 0.240 | 1.109 | 0.820 | 0.579 |
| | 5 | 0.782 | 0.107 | 0.254 | 0.235 | 0.889 | 0.635 | 0.401 |
| | 6 | 1.110 | 0.085 | 0.350 | 0.132 | 1.195 | 0.844 | 0.712 |
| | Total | 0.739 | 0.089 | 0.267 | 0.174 | 0.828 | 0.561 | 0.388 |

Table 6c. Eastern Nova Scotia 10 year periodic annual increment in merchantable m³/ha/yr by landowner and land capability for softwood and hardwood.

| Softwood + Hardwood | | | | | | | | |
|---------------------|----------|-----------|----------|-----------|---------|--------------|------------|------------|
| Landowner | Land Cap | Accretion | Ingrowth | Mortality | Harvest | Gross Growth | Net Growth | Net Change |
| Crown | 3 | 1.279 | 0.241 | 1.660 | 0.284 | 1.520 | -0.140 | -0.423 |
| | 4 | 2.172 | 0.262 | 1.529 | 0.609 | 2.434 | 0.905 | 0.296 |
| | 5 | 1.834 | 0.398 | 1.171 | 0.639 | 2.232 | 1.061 | 0.422 |
| | 6 | 2.267 | 0.814 | 0.896 | 2.599 | 3.081 | 2.184 | -0.415 |
| | Total | 1.621 | 0.320 | 1.316 | 0.492 | 1.941 | 0.625 | 0.134 |
| Large Private | 3 | 2.158 | 0.554 | 2.147 | 0.000 | 2.712 | 0.565 | 0.565 |
| | 4 | 2.122 | 0.171 | 0.633 | 0.000 | 2.293 | 1.660 | 1.660 |
| | 5 | 2.401 | 0.515 | 1.049 | 3.016 | 2.916 | 1.867 | -1.149 |
| | 6 | 2.636 | 0.049 | 6.669 | 0.000 | 2.685 | -3.984 | -3.984 |
| | Total | 2.119 | 0.434 | 1.384 | 1.787 | 2.552 | 1.169 | -0.619 |
| Small Private | 3 | 1.914 | 0.334 | 2.040 | 0.296 | 2.248 | 0.208 | -0.088 |
| | 4 | 2.951 | 0.392 | 1.579 | 1.094 | 3.343 | 1.764 | 0.670 |
| | 5 | 2.207 | 0.407 | 1.127 | 1.347 | 2.614 | 1.487 | 0.141 |
| | 6 | 2.963 | 0.378 | 1.099 | 1.140 | 3.341 | 2.241 | 1.101 |
| | Total | 2.355 | 0.376 | 1.400 | 1.003 | 2.732 | 1.332 | 0.329 |
| Total | 1 | 0.439 | 0.177 | 0.571 | 0.000 | 0.616 | 0.045 | 0.045 |
| | 2 | 0.753 | 0.174 | 1.125 | 0.024 | 0.927 | -0.198 | -0.222 |
| | 3 | 1.610 | 0.296 | 1.817 | 0.259 | 1.906 | 0.089 | -0.170 |
| | 4 | 2.698 | 0.356 | 1.525 | 0.925 | 3.054 | 1.529 | 0.604 |
| | 5 | 2.006 | 0.397 | 1.108 | 1.112 | 2.403 | 1.296 | 0.184 |
| | 6 | 2.833 | 0.456 | 1.328 | 1.362 | 3.289 | 1.961 | 0.599 |
| | 7 | 4.461 | 0.377 | 1.689 | 0.082 | 4.838 | 3.149 | 3.067 |
| | Total | 1.970 | 0.345 | 1.338 | 0.778 | 2.315 | 0.978 | 0.200 |

Table 7. Central Nova Scotia 10 year periodic annual increment in merchantable m³/ha/yr by landowner and cover type.

| Softwood | | | | | | | | |
|---------------------|-----------|-----------|----------|-----------|---------|--------------|------------|------------|
| Landowner | Covertype | Accretion | Ingrowth | Mortality | Harvest | Gross Growth | Net Growth | Net Change |
| Crown | Softwood | 2.215 | 0.319 | 1.181 | 1.285 | 2.535 | 1.354 | 0.069 |
| | Mixedwood | 2.085 | 0.654 | 0.729 | 0.343 | 2.739 | 2.009 | 1.666 |
| | Hardwood | 0.787 | 0.231 | 0.031 | 0.000 | 1.017 | 0.986 | 0.986 |
| | Total | 1.873 | 0.377 | 0.825 | 0.786 | 2.250 | 1.425 | 0.638 |
| Large Private | Softwood | 2.244 | 0.348 | 0.855 | 2.271 | 2.593 | 1.737 | -0.534 |
| | Mixedwood | 2.559 | 0.275 | 0.833 | 0.070 | 2.834 | 2.001 | 1.931 |
| | Hardwood | 0.684 | 0.125 | 0.129 | 0.119 | 0.809 | 0.680 | 0.561 |
| | Total | 2.084 | 0.293 | 0.735 | 1.321 | 2.377 | 1.642 | 0.322 |
| Small Private | Softwood | 3.075 | 0.415 | 1.453 | 1.185 | 3.491 | 2.038 | 0.853 |
| | Mixedwood | 2.287 | 0.289 | 0.662 | 0.428 | 2.576 | 1.914 | 1.486 |
| | Hardwood | 0.645 | 0.207 | 0.191 | 0.091 | 0.852 | 0.661 | 0.570 |
| | Total | 2.441 | 0.340 | 0.990 | 0.758 | 2.782 | 1.792 | 1.034 |
| Total | Softwood | 2.661 | 0.376 | 1.222 | 1.512 | 3.038 | 1.816 | 0.304 |
| | Mixedwood | 2.323 | 0.340 | 0.714 | 0.328 | 2.663 | 1.949 | 1.621 |
| | Hardwood | 0.697 | 0.190 | 0.131 | 0.074 | 0.887 | 0.756 | 0.682 |
| | Total | 2.233 | 0.334 | 0.886 | 0.912 | 2.568 | 1.682 | 0.769 |
| Hardwood | | | | | | | | |
| Landowner | Covertype | Accretion | Ingrowth | Mortality | Harvest | Gross Growth | Net Growth | Net Change |
| Crown | Softwood | 0.181 | 0.032 | 0.067 | 0.075 | 0.212 | 0.145 | 0.070 |
| | Mixedwood | 0.694 | 0.084 | 0.453 | 0.107 | 0.778 | 0.325 | 0.218 |
| | Hardwood | 1.423 | 0.196 | 0.607 | 0.083 | 1.619 | 1.012 | 0.928 |
| | Total | 0.571 | 0.080 | 0.275 | 0.084 | 0.650 | 0.376 | 0.292 |
| Large Private | Softwood | 0.171 | 0.027 | 0.067 | 0.108 | 0.198 | 0.131 | 0.023 |
| | Mixedwood | 1.044 | 0.095 | 0.487 | 0.040 | 1.139 | 0.652 | 0.612 |
| | Hardwood | 2.078 | 0.259 | 0.564 | 0.626 | 2.337 | 1.774 | 1.148 |
| | Total | 0.713 | 0.082 | 0.260 | 0.171 | 0.795 | 0.535 | 0.364 |
| Small Private | Softwood | 0.330 | 0.065 | 0.066 | 0.103 | 0.396 | 0.330 | 0.228 |
| | Mixedwood | 1.347 | 0.173 | 0.338 | 0.104 | 1.520 | 1.182 | 1.078 |
| | Hardwood | 1.912 | 0.238 | 0.713 | 0.447 | 2.150 | 1.438 | 0.991 |
| | Total | 0.920 | 0.129 | 0.256 | 0.154 | 1.049 | 0.792 | 0.638 |
| Total | Softwood | 0.253 | 0.047 | 0.066 | 0.098 | 0.300 | 0.234 | 0.136 |
| | Mixedwood | 1.176 | 0.141 | 0.391 | 0.089 | 1.317 | 0.926 | 0.837 |
| | Hardwood | 1.820 | 0.231 | 0.649 | 0.394 | 2.052 | 1.402 | 1.009 |
| | Total | 0.794 | 0.106 | 0.262 | 0.144 | 0.901 | 0.639 | 0.495 |
| Softwood + Hardwood | | | | | | | | |
| Landowner | Covertype | Accretion | Ingrowth | Mortality | Harvest | Gross Growth | Net Growth | Net Change |
| Crown | Softwood | 2.396 | 0.351 | 1.248 | 1.360 | 2.747 | 1.499 | 0.139 |
| | Mixedwood | 2.779 | 0.737 | 1.182 | 0.450 | 3.516 | 2.334 | 1.884 |
| | Hardwood | 2.210 | 0.426 | 0.638 | 0.083 | 2.636 | 1.998 | 1.915 |
| | Total | 2.443 | 0.457 | 1.100 | 0.871 | 2.900 | 1.800 | 0.930 |
| Large Private | Softwood | 2.415 | 0.375 | 0.922 | 2.379 | 2.791 | 1.869 | -0.511 |
| | Mixedwood | 3.602 | 0.371 | 1.320 | 0.110 | 3.973 | 2.653 | 2.543 |
| | Hardwood | 2.762 | 0.384 | 0.692 | 0.745 | 3.146 | 2.454 | 1.709 |
| | Total | 2.797 | 0.376 | 0.995 | 1.492 | 3.172 | 2.177 | 0.686 |
| Small Private | Softwood | 3.406 | 0.481 | 1.519 | 1.288 | 3.886 | 2.368 | 1.080 |
| | Mixedwood | 3.633 | 0.462 | 1.000 | 0.532 | 4.096 | 3.096 | 2.564 |
| | Hardwood | 2.557 | 0.445 | 0.904 | 0.538 | 3.003 | 2.099 | 1.561 |
| | Total | 3.361 | 0.469 | 1.246 | 0.912 | 3.830 | 2.584 | 1.672 |
| Total | Softwood | 2.915 | 0.424 | 1.288 | 1.610 | 3.338 | 2.050 | 0.440 |
| | Mixedwood | 3.499 | 0.481 | 1.105 | 0.417 | 3.980 | 2.875 | 2.458 |
| | Hardwood | 2.518 | 0.421 | 0.780 | 0.468 | 2.938 | 2.158 | 1.690 |
| | Total | 3.028 | 0.441 | 1.148 | 1.056 | 3.468 | 2.320 | 1.264 |

Table 8a. Central Nova Scotia 10 year periodic annual increment in merchantable m³/ha/yr by landowner and age class for softwood.

| Softwood | | | | | | | | |
|---------------|-----------|-----------|----------|-----------|---------|--------------|------------|------------|
| Landowner | Age Class | Accretion | Ingrowth | Mortality | Harvest | Gross Growth | Net Growth | Net Change |
| Crown | 0 - 20 | 0.000 | 0.245 | 0.000 | 9.149 | 0.245 | 0.245 | -8.904 |
| | 21 - 40 | 1.540 | 1.051 | 0.111 | 0.904 | 2.591 | 2.481 | 1.577 |
| | 41 - 60 | 2.425 | 0.478 | 0.657 | 0.021 | 2.903 | 2.246 | 2.224 |
| | 61 - 80 | 1.865 | 0.238 | 1.141 | 0.160 | 2.103 | 0.962 | 0.802 |
| | 81 - 100 | 1.513 | 0.195 | 0.773 | 0.210 | 1.709 | 0.936 | 0.726 |
| | 101+ | 2.527 | 0.259 | 2.153 | 0.628 | 2.787 | 0.634 | 0.006 |
| | Uneven | 3.548 | 0.666 | 0.965 | 0.000 | 4.213 | 3.248 | 3.248 |
| | Total | 1.873 | 0.377 | 0.825 | 0.786 | 2.250 | 1.425 | 0.638 |
| Large Private | 0 - 20 | 0.015 | 0.062 | 0.221 | 8.419 | 0.077 | -0.144 | -8.563 |
| | 21 - 40 | 0.972 | 0.899 | 0.102 | 0.035 | 1.870 | 1.769 | 1.734 |
| | 41 - 60 | 2.544 | 0.391 | 0.635 | 0.402 | 2.934 | 2.300 | 1.898 |
| | 61 - 80 | 2.601 | 0.204 | 0.867 | 0.328 | 2.805 | 1.939 | 1.611 |
| | 81 - 100 | 2.463 | 0.179 | 0.737 | 0.301 | 2.642 | 1.906 | 1.605 |
| | 101+ | 2.234 | 0.110 | 1.995 | 0.000 | 2.344 | 0.348 | 0.348 |
| | Uneven | 1.404 | 0.124 | 0.315 | 5.302 | 1.528 | 1.213 | -4.089 |
| | Total | 2.084 | 0.293 | 0.735 | 1.321 | 2.377 | 1.642 | 0.322 |
| Small Private | 0 - 20 | 0.040 | 0.112 | 0.021 | 7.969 | 0.152 | 0.131 | -7.839 |
| | 21 - 40 | 1.323 | 1.061 | 0.286 | 0.637 | 2.384 | 2.097 | 1.460 |
| | 41 - 60 | 2.536 | 0.343 | 0.859 | 0.273 | 2.879 | 2.020 | 1.746 |
| | 61 - 80 | 2.884 | 0.302 | 1.306 | 0.401 | 3.186 | 1.880 | 1.479 |
| | 81 - 100 | 2.457 | 0.178 | 1.138 | 0.095 | 2.635 | 1.497 | 1.401 |
| | 101+ | 2.728 | 0.140 | 1.756 | 0.258 | 2.867 | 1.112 | 0.854 |
| | Uneven | 1.823 | 0.598 | 0.547 | 0.000 | 2.421 | 1.874 | 1.874 |
| | Total | 2.428 | 0.345 | 0.982 | 0.752 | 2.773 | 1.791 | 1.039 |
| Total | 0 - 20 | 0.022 | 0.114 | 0.111 | 8.647 | 0.136 | 0.025 | -8.622 |
| | 21 - 40 | 1.263 | 1.003 | 0.198 | 0.524 | 2.266 | 2.068 | 1.544 |
| | 41 - 60 | 2.528 | 0.380 | 0.762 | 0.252 | 2.908 | 2.146 | 1.894 |
| | 61 - 80 | 2.611 | 0.268 | 1.167 | 0.331 | 2.879 | 1.712 | 1.381 |
| | 81 - 100 | 2.240 | 0.182 | 0.940 | 0.176 | 2.421 | 1.482 | 1.305 |
| | 101+ | 2.488 | 0.148 | 1.883 | 0.212 | 2.635 | 0.753 | 0.541 |
| | Uneven | 2.028 | 0.362 | 0.505 | 3.181 | 2.389 | 1.884 | -1.297 |
| | Total | 2.227 | 0.337 | 0.883 | 0.908 | 2.564 | 1.682 | 0.773 |

Table 8b. Central Nova Scotia 10 year periodic annual increment in merchantable m³/ha/yr by landowner and age class for hardwood.

| Hardwood | | | | | | | | |
|---------------|-----------|-----------|----------|-----------|---------|--------------|------------|------------|
| Landowner | Age Class | Accretion | Ingrowth | Mortality | Harvest | Gross Growth | Net Growth | Net Change |
| Crown | 0 - 20 | 0.034 | 0.000 | 0.136 | 0.273 | 0.034 | -0.102 | -0.375 |
| | 21 - 40 | 0.177 | 0.148 | 0.079 | 0.000 | 0.324 | 0.245 | 0.245 |
| | 41 - 60 | 0.615 | 0.150 | 0.245 | 0.133 | 0.764 | 0.519 | 0.386 |
| | 61 - 80 | 0.698 | 0.047 | 0.300 | 0.000 | 0.745 | 0.445 | 0.445 |
| | 81 - 100 | 0.734 | 0.038 | 0.438 | 0.000 | 0.772 | 0.334 | 0.334 |
| | 101+ | 0.343 | 0.000 | 0.195 | 0.609 | 0.343 | 0.148 | -0.461 |
| | Uneven | 0.650 | 0.000 | 1.345 | 0.000 | 0.650 | -0.696 | -0.696 |
| | Total | 0.571 | 0.080 | 0.275 | 0.084 | 0.650 | 0.376 | 0.292 |
| Large Private | 0 - 20 | 0.002 | 0.003 | 0.027 | 0.485 | 0.005 | -0.022 | -0.507 |
| | 21 - 40 | 0.416 | 0.216 | 0.071 | 0.000 | 0.632 | 0.561 | 0.561 |
| | 41 - 60 | 1.092 | 0.138 | 0.187 | 0.133 | 1.230 | 1.043 | 0.910 |
| | 61 - 80 | 0.777 | 0.042 | 0.431 | 0.248 | 0.820 | 0.389 | 0.140 |
| | 81 - 100 | 0.801 | 0.045 | 0.522 | 0.003 | 0.845 | 0.323 | 0.320 |
| | 101+ | 0.355 | 0.048 | 0.082 | 0.000 | 0.402 | 0.321 | 0.321 |
| | Uneven | 0.303 | 0.000 | 0.144 | 0.348 | 0.303 | 0.160 | -0.188 |
| | Total | 0.713 | 0.082 | 0.260 | 0.171 | 0.795 | 0.535 | 0.364 |
| Small Private | 0 - 20 | 0.061 | 0.003 | 0.011 | 1.413 | 0.064 | 0.053 | -1.361 |
| | 21 - 40 | 0.444 | 0.198 | 0.069 | 0.033 | 0.642 | 0.573 | 0.539 |
| | 41 - 60 | 1.175 | 0.220 | 0.296 | 0.077 | 1.396 | 1.100 | 1.023 |
| | 61 - 80 | 1.038 | 0.084 | 0.286 | 0.080 | 1.122 | 0.836 | 0.756 |
| | 81 - 100 | 0.725 | 0.098 | 0.276 | 0.137 | 0.823 | 0.547 | 0.410 |
| | 101+ | 0.275 | 0.041 | 0.176 | 0.000 | 0.315 | 0.139 | 0.139 |
| | Uneven | 0.385 | 0.052 | 0.521 | 0.000 | 0.437 | -0.084 | -0.084 |
| | Total | 0.920 | 0.136 | 0.254 | 0.153 | 1.055 | 0.801 | 0.648 |
| Total | 0 - 20 | 0.032 | 0.003 | 0.041 | 0.840 | 0.034 | -0.007 | -0.847 |
| | 21 - 40 | 0.378 | 0.194 | 0.076 | 0.016 | 0.572 | 0.496 | 0.480 |
| | 41 - 60 | 1.049 | 0.186 | 0.261 | 0.100 | 1.236 | 0.975 | 0.876 |
| | 61 - 80 | 0.913 | 0.067 | 0.323 | 0.102 | 0.979 | 0.657 | 0.554 |
| | 81 - 100 | 0.744 | 0.069 | 0.382 | 0.067 | 0.813 | 0.431 | 0.365 |
| | 101+ | 0.332 | 0.037 | 0.134 | 0.116 | 0.368 | 0.235 | 0.119 |
| | Uneven | 0.393 | 0.010 | 0.564 | 0.209 | 0.404 | -0.160 | -0.369 |
| | Total | 0.795 | 0.110 | 0.261 | 0.143 | 0.905 | 0.644 | 0.501 |

Table 8c. Central Nova Scotia 10 year periodic annual increment in merchantable m³/ha/yr by landowner and age class for softwood and hardwood.

| Softwood + Hardwood | | | | | | | | |
|---------------------|-----------|-----------|----------|-----------|---------|--------------|------------|------------|
| Landowner | Age Class | Accretion | Ingrowth | Mortality | Harvest | Gross Growth | Net Growth | Net Change |
| Crown | 0 - 20 | 0.034 | 0.245 | 0.136 | 9.422 | 0.279 | 0.143 | -9.279 |
| | 21 - 40 | 1.717 | 1.199 | 0.190 | 0.904 | 2.915 | 2.726 | 1.822 |
| | 41 - 60 | 3.040 | 0.627 | 0.903 | 0.154 | 3.667 | 2.764 | 2.610 |
| | 61 - 80 | 2.563 | 0.284 | 1.441 | 0.160 | 2.848 | 1.407 | 1.247 |
| | 81 - 100 | 2.247 | 0.234 | 1.211 | 0.210 | 2.481 | 1.269 | 1.060 |
| | 101+ | 2.871 | 0.259 | 2.349 | 1.237 | 3.130 | 0.782 | -0.455 |
| | Uneven | 4.197 | 0.666 | 2.311 | 0.000 | 4.863 | 2.552 | 2.552 |
| | Total | 2.443 | 0.457 | 1.100 | 0.871 | 2.900 | 1.800 | 0.930 |
| Large Private | 0 - 20 | 0.017 | 0.065 | 0.248 | 8.904 | 0.082 | -0.167 | -9.070 |
| | 21 - 40 | 1.387 | 1.115 | 0.173 | 0.035 | 2.502 | 2.330 | 2.295 |
| | 41 - 60 | 3.636 | 0.529 | 0.822 | 0.535 | 4.164 | 3.343 | 2.808 |
| | 61 - 80 | 3.379 | 0.246 | 1.297 | 0.576 | 3.625 | 2.327 | 1.751 |
| | 81 - 100 | 3.264 | 0.224 | 1.259 | 0.304 | 3.487 | 2.229 | 1.925 |
| | 101+ | 2.589 | 0.157 | 2.077 | 0.000 | 2.746 | 0.669 | 0.669 |
| | Uneven | 1.707 | 0.124 | 0.458 | 5.650 | 1.831 | 1.373 | -4.277 |
| | Total | 2.797 | 0.376 | 0.995 | 1.492 | 3.172 | 2.177 | 0.686 |
| Small Private | 0 - 20 | 0.101 | 0.115 | 0.032 | 9.383 | 0.216 | 0.184 | -9.199 |
| | 21 - 40 | 1.767 | 1.259 | 0.356 | 0.670 | 3.026 | 2.670 | 2.000 |
| | 41 - 60 | 3.711 | 0.564 | 1.155 | 0.350 | 4.275 | 3.119 | 2.769 |
| | 61 - 80 | 3.922 | 0.386 | 1.592 | 0.481 | 4.308 | 2.716 | 2.236 |
| | 81 - 100 | 3.182 | 0.276 | 1.414 | 0.232 | 3.458 | 2.043 | 1.811 |
| | 101+ | 3.002 | 0.180 | 1.932 | 0.258 | 3.183 | 1.251 | 0.993 |
| | Uneven | 2.208 | 0.650 | 1.067 | 0.000 | 2.858 | 1.791 | 1.791 |
| | Total | 3.348 | 0.481 | 1.237 | 0.905 | 3.828 | 2.592 | 1.687 |
| Total | 0 - 20 | 0.054 | 0.117 | 0.153 | 9.486 | 0.170 | 0.018 | -9.469 |
| | 21 - 40 | 1.641 | 1.197 | 0.274 | 0.540 | 2.838 | 2.564 | 2.024 |
| | 41 - 60 | 3.577 | 0.567 | 1.023 | 0.352 | 4.144 | 3.121 | 2.769 |
| | 61 - 80 | 3.523 | 0.335 | 1.490 | 0.433 | 3.858 | 2.369 | 1.935 |
| | 81 - 100 | 2.983 | 0.251 | 1.321 | 0.243 | 3.234 | 1.913 | 1.670 |
| | 101+ | 2.819 | 0.185 | 2.016 | 0.328 | 3.004 | 0.988 | 0.660 |
| | Uneven | 2.421 | 0.372 | 1.068 | 3.390 | 2.793 | 1.724 | -1.666 |
| | Total | 3.022 | 0.447 | 1.143 | 1.052 | 3.469 | 2.326 | 1.274 |

Table 9a. Central Nova Scotia 10 year periodic annual increment in merchantable m³/ha/yr by landowner and land capability for softwood.

| Softwood | | | | | | | | |
|---------------|----------|-----------|----------|-----------|---------|--------------|------------|------------|
| Landowner | Land Cap | Accretion | Ingrowth | Mortality | Harvest | Gross Growth | Net Growth | Net Change |
| Crown | 3 | 1.155 | 0.440 | 1.151 | 0.271 | 1.595 | 0.444 | 0.174 |
| | 4 | 2.094 | 0.238 | 0.988 | 1.829 | 2.332 | 1.344 | -0.485 |
| | 5 | 2.323 | 0.487 | 0.760 | 0.790 | 2.810 | 2.050 | 1.261 |
| | 6 | 2.245 | 0.103 | 0.056 | 0.000 | 2.349 | 2.293 | 2.293 |
| | Total | 1.873 | 0.377 | 0.825 | 0.786 | 2.250 | 1.425 | 0.638 |
| Large Private | 3 | 2.729 | 0.354 | 0.605 | 0.464 | 3.083 | 2.478 | 2.014 |
| | 4 | 1.657 | 0.405 | 0.539 | 3.081 | 2.062 | 1.523 | -1.559 |
| | 5 | 2.206 | 0.247 | 0.787 | 1.313 | 2.453 | 1.666 | 0.352 |
| | 6 | 2.612 | 0.228 | 0.612 | 0.000 | 2.840 | 2.228 | 2.228 |
| | Total | 2.084 | 0.293 | 0.735 | 1.321 | 2.377 | 1.642 | 0.322 |
| Small Private | 3 | 2.131 | 0.399 | 1.162 | 0.423 | 2.530 | 1.369 | 0.946 |
| | 4 | 2.578 | 0.302 | 1.097 | 0.961 | 2.880 | 1.783 | 0.822 |
| | 5 | 2.576 | 0.339 | 0.986 | 0.687 | 2.915 | 1.930 | 1.243 |
| | 6 | 2.841 | 0.464 | 0.470 | 2.129 | 3.305 | 2.835 | 0.706 |
| | Total | 2.428 | 0.345 | 0.982 | 0.752 | 2.773 | 1.791 | 1.039 |
| Total | 3 | 2.108 | 0.395 | 1.018 | 0.406 | 2.503 | 1.485 | 1.078 |
| | 4 | 2.301 | 0.315 | 0.952 | 1.571 | 2.616 | 1.664 | 0.093 |
| | 5 | 2.411 | 0.341 | 0.878 | 0.889 | 2.752 | 1.874 | 0.985 |
| | 6 | 2.720 | 0.365 | 0.467 | 1.348 | 3.085 | 2.619 | 1.271 |
| | Total | 2.227 | 0.337 | 0.883 | 0.908 | 2.564 | 1.682 | 0.773 |

Table 9b. Central Nova Scotia 10 year periodic annual increment in merchantable m³/ha/yr by landowner and land capability for hardwood.

| Hardwood | | | | | | | | |
|---------------|----------|-----------|----------|-----------|---------|--------------|------------|------------|
| Landowner | Land Cap | Accretion | Ingrowth | Mortality | Harvest | Gross Growth | Net Growth | Net Change |
| Crown | 3 | 0.323 | 0.061 | 0.093 | 0.000 | 0.384 | 0.291 | 0.291 |
| | 4 | 1.006 | 0.133 | 0.737 | 0.234 | 1.139 | 0.402 | 0.168 |
| | 5 | 0.545 | 0.082 | 0.207 | 0.077 | 0.627 | 0.420 | 0.343 |
| | 6 | 0.207 | 0.019 | 0.117 | 0.000 | 0.226 | 0.109 | 0.109 |
| | Total | 0.571 | 0.080 | 0.275 | 0.084 | 0.650 | 0.376 | 0.292 |
| Large Private | 3 | 0.487 | 0.066 | 0.344 | 0.005 | 0.553 | 0.209 | 0.204 |
| | 4 | 0.744 | 0.118 | 0.201 | 0.289 | 0.862 | 0.661 | 0.372 |
| | 5 | 0.809 | 0.079 | 0.288 | 0.228 | 0.889 | 0.601 | 0.373 |
| | 6 | 1.494 | 0.164 | 0.432 | 0.000 | 1.659 | 1.226 | 1.226 |
| | Total | 0.713 | 0.082 | 0.260 | 0.171 | 0.795 | 0.535 | 0.364 |
| Small Private | 3 | 0.550 | 0.095 | 0.176 | 0.027 | 0.645 | 0.469 | 0.442 |
| | 4 | 1.350 | 0.164 | 0.356 | 0.172 | 1.513 | 1.158 | 0.986 |
| | 5 | 0.812 | 0.139 | 0.250 | 0.163 | 0.951 | 0.702 | 0.539 |
| | 6 | 1.482 | 0.171 | 0.282 | 0.445 | 1.653 | 1.371 | 0.926 |
| | Total | 0.920 | 0.136 | 0.254 | 0.153 | 1.055 | 0.801 | 0.648 |
| Total | 3 | 0.493 | 0.081 | 0.204 | 0.016 | 0.574 | 0.370 | 0.354 |
| | 4 | 1.148 | 0.147 | 0.385 | 0.207 | 1.295 | 0.911 | 0.704 |
| | 5 | 0.758 | 0.110 | 0.255 | 0.164 | 0.868 | 0.614 | 0.450 |
| | 6 | 1.358 | 0.154 | 0.305 | 0.282 | 1.512 | 1.206 | 0.924 |
| | Total | 0.795 | 0.110 | 0.261 | 0.143 | 0.905 | 0.644 | 0.501 |

Table 9c. Central Nova Scotia 10 year periodic annual increment in merchantable m³/ha/yr by landowner and land capability for softwood and hardwood.

| Softwood + Hardwood | | | | | | | | |
|---------------------|----------|-----------|----------|-----------|---------|--------------|------------|------------|
| Landowner | Land Cap | Accretion | Ingrowth | Mortality | Harvest | Gross Growth | Net Growth | Net Change |
| Crown | 3 | 1.478 | 0.501 | 1.244 | 0.271 | 1.979 | 0.735 | 0.464 |
| | 4 | 3.100 | 0.371 | 1.725 | 2.063 | 3.471 | 1.746 | -0.316 |
| | 5 | 2.868 | 0.569 | 0.967 | 0.867 | 3.437 | 2.471 | 1.603 |
| | 6 | 2.453 | 0.122 | 0.172 | 0.000 | 2.575 | 2.402 | 2.402 |
| | Total | 2.443 | 0.457 | 1.100 | 0.871 | 2.900 | 1.800 | 0.930 |
| Large Private | 3 | 3.216 | 0.419 | 0.949 | 0.469 | 3.636 | 2.686 | 2.218 |
| | 4 | 2.401 | 0.523 | 0.741 | 3.370 | 2.924 | 2.183 | -1.187 |
| | 5 | 3.015 | 0.326 | 1.075 | 1.541 | 3.341 | 2.266 | 0.725 |
| | 6 | 4.106 | 0.393 | 1.045 | 0.000 | 4.499 | 3.454 | 3.454 |
| | Total | 2.797 | 0.376 | 0.995 | 1.492 | 3.172 | 2.177 | 0.686 |
| Small Private | 3 | 2.681 | 0.494 | 1.338 | 0.450 | 3.175 | 1.838 | 1.388 |
| | 4 | 3.928 | 0.466 | 1.453 | 1.133 | 4.394 | 2.941 | 1.808 |
| | 5 | 3.388 | 0.479 | 1.235 | 0.850 | 3.866 | 2.631 | 1.782 |
| | 6 | 4.323 | 0.635 | 0.752 | 2.574 | 4.958 | 4.206 | 1.632 |
| | Total | 3.348 | 0.481 | 1.237 | 0.905 | 3.828 | 2.592 | 1.687 |
| Total | 1 | 0.726 | 0.244 | 0.455 | 0.010 | 0.970 | 0.515 | 0.505 |
| | 2 | 1.306 | 0.240 | 0.903 | 0.048 | 1.546 | 0.644 | 0.596 |
| | 3 | 2.601 | 0.476 | 1.222 | 0.422 | 3.077 | 1.855 | 1.432 |
| | 4 | 3.449 | 0.462 | 1.337 | 1.778 | 3.911 | 2.575 | 0.797 |
| | 5 | 3.169 | 0.451 | 1.132 | 1.053 | 3.620 | 2.488 | 1.434 |
| | 6 | 4.078 | 0.519 | 0.772 | 1.630 | 4.597 | 3.825 | 2.195 |
| | 7 | 4.561 | 0.446 | 0.977 | 0.000 | 5.007 | 4.030 | 4.030 |
| | 8 | 2.445 | 2.524 | 0.000 | 0.000 | 4.969 | 4.969 | 4.969 |
| | Total | 3.022 | 0.447 | 1.143 | 1.052 | 3.469 | 2.326 | 1.274 |

Table 10. Western Nova Scotia 10 year periodic annual increment in merchantable m³/ha/yr by landowner and cover type.

| Softwood | | | | | | | | |
|---------------------|-----------|-----------|----------|-----------|---------|--------------|------------|------------|
| Landowner | Covertype | Accretion | Ingrowth | Mortality | Harvest | Gross Growth | Net Growth | Net Change |
| Crown | Softwood | 2.415 | 0.299 | 0.542 | 0.010 | 2.714 | 2.171 | 2.161 |
| | Mixedwood | 1.994 | 0.243 | 0.614 | 0.451 | 2.237 | 1.622 | 1.171 |
| | Hardwood | 0.626 | 0.213 | 0.089 | 0.002 | 0.840 | 0.750 | 0.748 |
| | Total | 1.721 | 0.255 | 0.418 | 0.135 | 1.977 | 1.558 | 1.424 |
| Large Private | Softwood | 2.670 | 0.298 | 0.860 | 1.002 | 2.968 | 2.108 | 1.106 |
| | Mixedwood | 2.608 | 0.351 | 0.542 | 0.591 | 2.958 | 2.417 | 1.825 |
| | Hardwood | 1.528 | 0.348 | 0.127 | 0.278 | 1.876 | 1.749 | 1.470 |
| | Total | 2.539 | 0.324 | 0.662 | 0.770 | 2.863 | 2.202 | 1.432 |
| Small Private | Softwood | 3.317 | 0.376 | 0.842 | 0.695 | 3.692 | 2.850 | 2.155 |
| | Mixedwood | 2.155 | 0.320 | 0.644 | 0.796 | 2.475 | 1.832 | 1.036 |
| | Hardwood | 0.714 | 0.175 | 0.055 | 0.021 | 0.890 | 0.835 | 0.814 |
| | Total | 2.494 | 0.325 | 0.652 | 0.638 | 2.820 | 2.167 | 1.530 |
| Total | Softwood | 2.944 | 0.337 | 0.799 | 0.629 | 3.281 | 2.483 | 1.853 |
| | Mixedwood | 2.287 | 0.310 | 0.606 | 0.655 | 2.597 | 1.991 | 1.337 |
| | Hardwood | 0.793 | 0.219 | 0.090 | 0.046 | 1.013 | 0.922 | 0.876 |
| | Total | 2.325 | 0.307 | 0.603 | 0.537 | 2.632 | 2.028 | 1.491 |
| Hardwood | | | | | | | | |
| Landowner | Covertype | Accretion | Ingrowth | Mortality | Harvest | Gross Growth | Net Growth | Net Change |
| Crown | Softwood | 0.296 | 0.073 | 0.026 | 0.000 | 0.369 | 0.343 | 0.343 |
| | Mixedwood | 0.849 | 0.058 | 0.227 | 0.246 | 0.907 | 0.680 | 0.434 |
| | Hardwood | 1.037 | 0.089 | 0.161 | 0.081 | 1.127 | 0.965 | 0.884 |
| | Total | 0.692 | 0.074 | 0.127 | 0.097 | 0.766 | 0.639 | 0.542 |
| Large Private | Softwood | 0.193 | 0.031 | 0.073 | 0.058 | 0.224 | 0.151 | 0.093 |
| | Mixedwood | 1.078 | 0.069 | 0.187 | 0.652 | 1.147 | 0.960 | 0.308 |
| | Hardwood | 1.518 | 0.102 | 0.872 | 0.046 | 1.620 | 0.748 | 0.702 |
| | Total | 0.678 | 0.053 | 0.194 | 0.301 | 0.731 | 0.537 | 0.237 |
| Small Private | Softwood | 0.398 | 0.073 | 0.043 | 0.018 | 0.471 | 0.428 | 0.410 |
| | Mixedwood | 1.073 | 0.150 | 0.167 | 0.706 | 1.224 | 1.056 | 0.351 |
| | Hardwood | 1.358 | 0.294 | 0.422 | 0.319 | 1.652 | 1.230 | 0.912 |
| | Total | 0.797 | 0.135 | 0.146 | 0.327 | 0.932 | 0.786 | 0.459 |
| Total | Softwood | 0.320 | 0.061 | 0.047 | 0.025 | 0.381 | 0.334 | 0.309 |
| | Mixedwood | 1.031 | 0.107 | 0.190 | 0.586 | 1.139 | 0.949 | 0.363 |
| | Hardwood | 1.293 | 0.176 | 0.375 | 0.182 | 1.469 | 1.093 | 0.911 |
| | Total | 0.754 | 0.098 | 0.157 | 0.261 | 0.852 | 0.695 | 0.434 |
| Softwood + Hardwood | | | | | | | | |
| Landowner | Covertype | Accretion | Ingrowth | Mortality | Harvest | Gross Growth | Net Growth | Net Change |
| Crown | Softwood | 2.711 | 0.371 | 0.569 | 0.010 | 3.083 | 2.514 | 2.504 |
| | Mixedwood | 2.843 | 0.301 | 0.841 | 0.697 | 3.143 | 2.302 | 1.605 |
| | Hardwood | 1.663 | 0.303 | 0.251 | 0.083 | 1.966 | 1.715 | 1.632 |
| | Total | 2.414 | 0.329 | 0.545 | 0.231 | 2.743 | 2.197 | 1.966 |
| Large Private | Softwood | 2.863 | 0.329 | 0.933 | 1.060 | 3.192 | 2.259 | 1.198 |
| | Mixedwood | 3.685 | 0.420 | 0.728 | 1.244 | 4.105 | 3.377 | 2.133 |
| | Hardwood | 3.046 | 0.450 | 0.999 | 0.324 | 3.496 | 2.496 | 2.172 |
| | Total | 3.217 | 0.377 | 0.855 | 1.071 | 3.594 | 2.739 | 1.668 |
| Small Private | Softwood | 3.715 | 0.449 | 0.885 | 0.713 | 4.164 | 3.278 | 2.565 |
| | Mixedwood | 3.228 | 0.471 | 0.811 | 1.502 | 3.699 | 2.888 | 1.386 |
| | Hardwood | 2.073 | 0.469 | 0.477 | 0.340 | 2.542 | 2.065 | 1.726 |
| | Total | 3.291 | 0.460 | 0.798 | 0.965 | 3.751 | 2.954 | 1.989 |
| Total | Softwood | 3.264 | 0.398 | 0.846 | 0.654 | 3.662 | 2.816 | 2.162 |
| | Mixedwood | 3.318 | 0.417 | 0.795 | 1.241 | 3.735 | 2.940 | 1.700 |
| | Hardwood | 2.086 | 0.395 | 0.466 | 0.228 | 2.481 | 2.015 | 1.788 |
| | Total | 3.079 | 0.405 | 0.761 | 0.798 | 3.484 | 2.723 | 1.925 |

Table 11a. Western Nova Scotia 10 year periodic annual increment in merchantable m³/ha/yr by landowner and age class for softwood.

| Softwood | | | | | | | | |
|---------------|-----------|-----------|----------|-----------|---------|--------------|------------|------------|
| Landowner | Age Class | Accretion | Ingrowth | Mortality | Harvest | Gross Growth | Net Growth | Net Change |
| Crown | 0 - 20 | 0.000 | 0.077 | 0.000 | 5.415 | 0.077 | 0.077 | -5.338 |
| | 21 - 40 | 0.978 | 0.512 | 0.029 | 0.005 | 1.490 | 1.461 | 1.455 |
| | 41 - 60 | 2.134 | 0.273 | 0.277 | 0.000 | 2.406 | 2.130 | 2.130 |
| | 61 - 80 | 1.746 | 0.205 | 0.647 | 0.010 | 1.951 | 1.304 | 1.294 |
| | 81 - 100 | 1.427 | 0.178 | 0.542 | 0.000 | 1.605 | 1.063 | 1.063 |
| | 101+ | 2.555 | 0.199 | 0.218 | 0.000 | 2.754 | 2.536 | 2.536 |
| | Uneven | 0.935 | 0.113 | 0.641 | 0.000 | 1.048 | 0.407 | 0.407 |
| | Total | 1.721 | 0.255 | 0.418 | 0.135 | 1.977 | 1.558 | 1.424 |
| Large Private | 0 - 20 | 0.078 | 0.047 | 0.006 | 4.786 | 0.125 | 0.119 | -4.667 |
| | 21 - 40 | 1.413 | 0.957 | 0.009 | 0.000 | 2.371 | 2.361 | 2.361 |
| | 41 - 60 | 2.903 | 0.496 | 0.432 | 0.000 | 3.400 | 2.968 | 2.968 |
| | 61 - 80 | 3.132 | 0.225 | 1.047 | 0.050 | 3.357 | 2.310 | 2.260 |
| | 81 - 100 | 2.279 | 0.170 | 0.747 | 1.181 | 2.449 | 1.702 | 0.521 |
| | 101+ | 2.828 | 0.152 | 0.768 | 2.188 | 2.980 | 2.212 | 0.024 |
| | Uneven | 0.951 | 0.533 | 0.000 | 0.000 | 1.484 | 1.484 | 1.484 |
| | Total | 2.539 | 0.324 | 0.662 | 0.770 | 2.863 | 2.202 | 1.432 |
| Small Private | 0 - 20 | 0.026 | 0.022 | 0.117 | 3.399 | 0.048 | -0.069 | -3.468 |
| | 21 - 40 | 1.789 | 0.743 | 0.098 | 0.928 | 2.532 | 2.433 | 1.505 |
| | 41 - 60 | 2.736 | 0.394 | 0.459 | 0.455 | 3.130 | 2.671 | 2.216 |
| | 61 - 80 | 2.526 | 0.166 | 0.958 | 0.480 | 2.692 | 1.734 | 1.254 |
| | 81 - 100 | 2.703 | 0.191 | 1.101 | 0.384 | 2.895 | 1.794 | 1.410 |
| | 101+ | 2.653 | 0.232 | 0.705 | 1.694 | 2.885 | 2.180 | 0.486 |
| | Uneven | 1.756 | 0.417 | 0.501 | 0.000 | 2.173 | 1.672 | 1.672 |
| | Total | 2.469 | 0.324 | 0.645 | 0.631 | 2.793 | 2.148 | 1.517 |
| Total | 0 - 20 | 0.044 | 0.041 | 0.053 | 4.297 | 0.085 | 0.032 | -4.265 |
| | 21 - 40 | 1.487 | 0.732 | 0.061 | 0.474 | 2.219 | 2.158 | 1.683 |
| | 41 - 60 | 2.644 | 0.384 | 0.415 | 0.270 | 3.028 | 2.614 | 2.343 |
| | 61 - 80 | 2.455 | 0.195 | 0.891 | 0.233 | 2.650 | 1.759 | 1.526 |
| | 81 - 100 | 2.275 | 0.177 | 0.856 | 0.537 | 2.452 | 1.596 | 1.059 |
| | 101+ | 2.784 | 0.195 | 0.635 | 1.792 | 2.979 | 2.344 | 0.552 |
| | Uneven | 1.490 | 0.383 | 0.457 | 0.000 | 1.873 | 1.416 | 1.416 |
| | Total | 2.313 | 0.306 | 0.600 | 0.534 | 2.619 | 2.019 | 1.485 |

Table 11b. Western Nova Scotia 10 year periodic annual increment in merchantable m³/ha/yr by landowner and age class for hardwood.

| Hardwood | | | | | | | | |
|---------------|-----------|-----------|----------|-----------|---------|--------------|------------|------------|
| Landowner | Age Class | Accretion | Ingrowth | Mortality | Harvest | Gross Growth | Net Growth | Net Change |
| Crown | 0 - 20 | 0.000 | 0.000 | 0.120 | 2.947 | 0.000 | -0.120 | -3.066 |
| | 21 - 40 | 0.431 | 0.299 | 0.000 | 0.144 | 0.730 | 0.730 | 0.586 |
| | 41 - 60 | 0.514 | 0.062 | 0.079 | 0.021 | 0.576 | 0.497 | 0.477 |
| | 61 - 80 | 0.979 | 0.048 | 0.181 | 0.000 | 1.027 | 0.846 | 0.846 |
| | 81 - 100 | 0.800 | 0.008 | 0.205 | 0.000 | 0.808 | 0.603 | 0.603 |
| | 101+ | 0.337 | 0.004 | 0.055 | 0.000 | 0.341 | 0.286 | 0.286 |
| | Uneven | 0.782 | 0.032 | 0.303 | 0.000 | 0.814 | 0.511 | 0.511 |
| | Total | 0.692 | 0.074 | 0.127 | 0.097 | 0.766 | 0.639 | 0.542 |
| Large Private | 0 - 20 | -0.046 | 0.003 | 0.013 | 3.937 | -0.043 | -0.056 | -3.993 |
| | 21 - 40 | 0.180 | 0.124 | 0.175 | 0.000 | 0.304 | 0.129 | 0.129 |
| | 41 - 60 | 0.631 | 0.108 | 0.194 | 0.000 | 0.739 | 0.545 | 0.545 |
| | 61 - 80 | 0.876 | 0.035 | 0.150 | 0.000 | 0.911 | 0.761 | 0.761 |
| | 81 - 100 | 0.952 | 0.032 | 0.274 | 0.558 | 0.984 | 0.711 | 0.153 |
| | 101+ | 0.538 | 0.000 | 0.360 | 0.000 | 0.538 | 0.178 | 0.178 |
| | Uneven | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |
| | Total | 0.678 | 0.053 | 0.194 | 0.301 | 0.731 | 0.537 | 0.237 |
| Small Private | 0 - 20 | 0.014 | 0.015 | 0.000 | 3.060 | 0.028 | 0.028 | -3.031 |
| | 21 - 40 | 0.348 | 0.338 | 0.054 | 0.070 | 0.686 | 0.632 | 0.562 |
| | 41 - 60 | 0.784 | 0.149 | 0.120 | 0.139 | 0.932 | 0.813 | 0.674 |
| | 61 - 80 | 1.018 | 0.110 | 0.177 | 0.369 | 1.128 | 0.951 | 0.581 |
| | 81 - 100 | 0.868 | 0.042 | 0.189 | 0.176 | 0.910 | 0.721 | 0.545 |
| | 101+ | 0.683 | 0.071 | 0.182 | 0.593 | 0.754 | 0.572 | -0.021 |
| | Uneven | 0.566 | 0.059 | 0.399 | 0.000 | 0.625 | 0.226 | 0.226 |
| | Total | 0.789 | 0.134 | 0.144 | 0.324 | 0.924 | 0.780 | 0.456 |
| Total | 0 - 20 | -0.014 | 0.008 | 0.021 | 3.233 | -0.005 | -0.026 | -3.260 |
| | 21 - 40 | 0.334 | 0.281 | 0.067 | 0.077 | 0.615 | 0.548 | 0.472 |
| | 41 - 60 | 0.693 | 0.121 | 0.122 | 0.088 | 0.814 | 0.692 | 0.604 |
| | 61 - 80 | 0.989 | 0.073 | 0.181 | 0.173 | 1.062 | 0.880 | 0.708 |
| | 81 - 100 | 0.905 | 0.030 | 0.224 | 0.257 | 0.934 | 0.711 | 0.454 |
| | 101+ | 0.570 | 0.030 | 0.242 | 0.178 | 0.599 | 0.358 | 0.180 |
| | Uneven | 0.505 | 0.043 | 0.309 | 0.000 | 0.548 | 0.240 | 0.240 |
| | Total | 0.750 | 0.098 | 0.156 | 0.260 | 0.848 | 0.692 | 0.432 |

Table 11c. Western Nova Scotia 10 year periodic annual increment in merchantable m³/ha/yr by landowner and age class for softwood and hardwood.

| Softwood+ Hardwood | | | | | | | | |
|--------------------|-----------|-----------|----------|-----------|---------|--------------|------------|------------|
| Landowner | Age Class | Accretion | Ingrowth | Mortality | Harvest | Gross Growth | Net Growth | Net Change |
| Crown | 0 - 20 | 0.000 | 0.077 | 0.120 | 8.362 | 0.077 | -0.043 | -8.405 |
| | 21 - 40 | 1.408 | 0.811 | 0.029 | 0.150 | 2.220 | 2.191 | 2.041 |
| | 41 - 60 | 2.648 | 0.335 | 0.356 | 0.021 | 2.983 | 2.627 | 2.606 |
| | 61 - 80 | 2.725 | 0.253 | 0.828 | 0.010 | 2.978 | 2.150 | 2.140 |
| | 81 - 100 | 2.228 | 0.185 | 0.747 | 0.000 | 2.413 | 1.666 | 1.666 |
| | 101+ | 2.893 | 0.203 | 0.273 | 0.000 | 3.095 | 2.822 | 2.822 |
| | Uneven | 1.717 | 0.145 | 0.943 | 0.000 | 1.862 | 0.918 | 0.918 |
| | Total | 2.414 | 0.329 | 0.545 | 0.231 | 2.743 | 2.197 | 1.966 |
| Large Private | 0 - 20 | 0.031 | 0.050 | 0.019 | 8.723 | 0.082 | 0.063 | -8.660 |
| | 21 - 40 | 1.593 | 1.081 | 0.184 | 0.000 | 2.674 | 2.490 | 2.490 |
| | 41 - 60 | 3.534 | 0.604 | 0.626 | 0.000 | 4.138 | 3.513 | 3.513 |
| | 61 - 80 | 4.008 | 0.260 | 1.197 | 0.050 | 4.268 | 3.072 | 3.021 |
| | 81 - 100 | 3.231 | 0.201 | 1.020 | 1.739 | 3.433 | 2.412 | 0.674 |
| | 101+ | 3.366 | 0.152 | 1.128 | 2.188 | 3.518 | 2.389 | 0.201 |
| | Uneven | 0.951 | 0.533 | 0.000 | 0.000 | 1.484 | 1.484 | 1.484 |
| | Total | 3.217 | 0.377 | 0.855 | 1.071 | 3.594 | 2.739 | 1.668 |
| Small Private | 0 - 20 | 0.040 | 0.037 | 0.117 | 6.458 | 0.077 | -0.041 | -6.499 |
| | 21 - 40 | 2.137 | 1.080 | 0.152 | 0.998 | 3.218 | 3.065 | 2.067 |
| | 41 - 60 | 3.520 | 0.543 | 0.579 | 0.595 | 4.063 | 3.484 | 2.889 |
| | 61 - 80 | 3.544 | 0.277 | 1.135 | 0.849 | 3.820 | 2.685 | 1.836 |
| | 81 - 100 | 3.571 | 0.234 | 1.290 | 0.560 | 3.805 | 2.515 | 1.955 |
| | 101+ | 3.336 | 0.304 | 0.887 | 2.287 | 3.639 | 2.752 | 0.465 |
| | Uneven | 2.323 | 0.476 | 0.900 | 0.000 | 2.798 | 1.898 | 1.898 |
| | Total | 3.258 | 0.458 | 0.789 | 0.954 | 3.716 | 2.928 | 1.973 |
| Total | 0 - 20 | 0.030 | 0.050 | 0.075 | 7.530 | 0.080 | 0.005 | -7.525 |
| | 21 - 40 | 1.821 | 1.013 | 0.128 | 0.551 | 2.834 | 2.706 | 2.155 |
| | 41 - 60 | 3.337 | 0.506 | 0.537 | 0.358 | 3.842 | 3.305 | 2.947 |
| | 61 - 80 | 3.444 | 0.268 | 1.072 | 0.406 | 3.712 | 2.640 | 2.234 |
| | 81 - 100 | 3.180 | 0.207 | 1.080 | 0.794 | 3.387 | 2.307 | 1.513 |
| | 101+ | 3.354 | 0.224 | 0.877 | 1.970 | 3.578 | 2.702 | 0.732 |
| | Uneven | 1.995 | 0.427 | 0.766 | 0.000 | 2.421 | 1.655 | 1.655 |
| | Total | 3.063 | 0.404 | 0.756 | 0.794 | 3.468 | 2.711 | 1.917 |

Table 12a. Western Nova Scotia 10 year periodic annual increment in merchantable m³/ha/yr by landowner and land capability for softwood.

| Softwood | | | | | | | | |
|---------------|----------|-----------|----------|-----------|---------|--------------|------------|------------|
| Landowner | Land Cap | Accretion | Ingrowth | Mortality | Harvest | Gross Growth | Net Growth | Net Change |
| Crown | 3 | 1.153 | 0.266 | 0.415 | 0.000 | 1.420 | 1.004 | 1.004 |
| | 4 | 2.082 | 0.261 | 0.544 | 0.000 | 2.344 | 1.800 | 1.800 |
| | 5 | 1.898 | 0.257 | 0.385 | 0.280 | 2.155 | 1.770 | 1.489 |
| | 6 | 2.268 | 0.025 | 0.597 | 0.000 | 2.293 | 1.696 | 1.696 |
| | Total | 1.721 | 0.255 | 0.418 | 0.135 | 1.977 | 1.558 | 1.424 |
| Large Private | 3 | 2.123 | 0.276 | 0.610 | 0.007 | 2.399 | 1.789 | 1.783 |
| | 4 | 2.927 | 0.380 | 0.887 | 1.078 | 3.307 | 2.420 | 1.342 |
| | 5 | 2.823 | 0.331 | 0.666 | 1.151 | 3.154 | 2.488 | 1.337 |
| | 6 | 0.151 | 0.310 | 0.000 | 0.000 | 0.462 | 0.462 | 0.462 |
| | Total | 2.539 | 0.324 | 0.662 | 0.770 | 2.863 | 2.202 | 1.432 |
| Small Private | 3 | 2.068 | 0.291 | 0.619 | 0.152 | 2.359 | 1.740 | 1.588 |
| | 4 | 3.209 | 0.395 | 0.939 | 1.253 | 3.604 | 2.665 | 1.412 |
| | 5 | 2.503 | 0.315 | 0.550 | 0.576 | 2.818 | 2.268 | 1.692 |
| | 6 | 2.840 | 0.237 | 0.923 | 2.274 | 3.076 | 2.153 | -0.121 |
| | Total | 2.469 | 0.324 | 0.645 | 0.631 | 2.793 | 2.148 | 1.517 |
| Total | 3 | 1.857 | 0.280 | 0.564 | 0.073 | 2.137 | 1.573 | 1.499 |
| | 4 | 2.919 | 0.364 | 0.829 | 0.935 | 3.283 | 2.454 | 1.519 |
| | 5 | 2.426 | 0.302 | 0.556 | 0.636 | 2.728 | 2.172 | 1.536 |
| | 6 | 2.743 | 0.217 | 0.785 | 1.549 | 2.960 | 2.175 | 0.627 |
| | Total | 2.313 | 0.306 | 0.600 | 0.534 | 2.619 | 2.019 | 1.485 |

Table 12b. Western Nova Scotia 10 year periodic annual increment in merchantable m³/ha/yr by landowner and land capability for hardwood.

| Hardwood | | | | | | | | |
|---------------|----------|-----------|----------|-----------|---------|--------------|------------|------------|
| Landowner | Land Cap | Accretion | Ingrowth | Mortality | Harvest | Gross Growth | Net Growth | Net Change |
| Crown | 3 | 0.361 | 0.027 | 0.054 | 0.000 | 0.388 | 0.333 | 0.333 |
| | 4 | 0.983 | 0.027 | 0.192 | 0.000 | 1.010 | 0.818 | 0.818 |
| | 5 | 0.801 | 0.123 | 0.160 | 0.201 | 0.924 | 0.764 | 0.562 |
| | 6 | 2.548 | 0.020 | 0.164 | 0.000 | 2.567 | 2.403 | 2.403 |
| | Total | 0.692 | 0.074 | 0.127 | 0.097 | 0.766 | 0.639 | 0.542 |
| Large Private | 3 | 0.418 | 0.040 | 0.168 | 0.039 | 0.458 | 0.290 | 0.251 |
| | 4 | 0.839 | 0.051 | 0.213 | 0.000 | 0.890 | 0.676 | 0.676 |
| | 5 | 0.732 | 0.055 | 0.210 | 0.579 | 0.787 | 0.577 | -0.001 |
| | 6 | 2.734 | 0.416 | 0.343 | 0.000 | 3.150 | 2.807 | 2.807 |
| | Total | 0.678 | 0.053 | 0.194 | 0.301 | 0.731 | 0.537 | 0.237 |
| Small Private | 3 | 0.830 | 0.108 | 0.204 | 0.352 | 0.938 | 0.734 | 0.382 |
| | 4 | 0.822 | 0.119 | 0.114 | 0.356 | 0.941 | 0.827 | 0.471 |
| | 5 | 0.821 | 0.164 | 0.156 | 0.351 | 0.985 | 0.829 | 0.478 |
| | 6 | 1.166 | 0.128 | 0.157 | 0.617 | 1.294 | 1.136 | 0.519 |
| | Total | 0.789 | 0.134 | 0.144 | 0.324 | 0.924 | 0.780 | 0.456 |
| Total | 3 | 0.596 | 0.068 | 0.157 | 0.178 | 0.664 | 0.507 | 0.329 |
| | 4 | 0.866 | 0.082 | 0.165 | 0.192 | 0.949 | 0.783 | 0.591 |
| | 5 | 0.814 | 0.122 | 0.171 | 0.367 | 0.936 | 0.765 | 0.398 |
| | 6 | 1.536 | 0.145 | 0.254 | 0.425 | 1.681 | 1.428 | 1.003 |
| | Total | 0.750 | 0.098 | 0.156 | 0.260 | 0.848 | 0.692 | 0.432 |

Table 12c. Western Nova Scotia 10 year periodic annual increment in merchantable m³/ha/yr by landowner and land capability for softwood and hardwood

| Softwood + Hardwood | | | | | | | | |
|---------------------|----------|-----------|----------|-----------|---------|--------------|------------|------------|
| Landowner | Land Cap | Accretion | Ingrowth | Mortality | Harvest | Gross Growth | Net Growth | Net Change |
| Crown | 3 | 1.514 | 0.293 | 0.470 | 0.000 | 1.807 | 1.338 | 1.338 |
| | 4 | 3.065 | 0.289 | 0.736 | 0.000 | 3.354 | 2.618 | 2.618 |
| | 5 | 2.698 | 0.380 | 0.545 | 0.482 | 3.078 | 2.534 | 2.052 |
| | 6 | 4.815 | 0.045 | 0.761 | 0.000 | 4.860 | 4.099 | 4.099 |
| | Total | 2.414 | 0.329 | 0.545 | 0.231 | 2.743 | 2.197 | 1.966 |
| Large Private | 3 | 2.541 | 0.316 | 0.778 | 0.046 | 2.858 | 2.079 | 2.033 |
| | 4 | 3.765 | 0.431 | 1.100 | 1.078 | 4.197 | 3.096 | 2.019 |
| | 5 | 3.556 | 0.385 | 0.875 | 1.730 | 3.941 | 3.066 | 1.336 |
| | 6 | 2.885 | 0.726 | 0.343 | 0.000 | 3.611 | 3.269 | 3.269 |
| | Total | 3.217 | 0.377 | 0.855 | 1.071 | 3.594 | 2.739 | 1.668 |
| Small Private | 3 | 2.898 | 0.398 | 0.823 | 0.504 | 3.296 | 2.474 | 1.969 |
| | 4 | 4.031 | 0.514 | 1.053 | 1.609 | 4.545 | 3.492 | 1.883 |
| | 5 | 3.324 | 0.479 | 0.706 | 0.927 | 3.802 | 3.096 | 2.170 |
| | 6 | 4.005 | 0.365 | 1.081 | 2.892 | 4.370 | 3.289 | 0.398 |
| | Total | 3.258 | 0.458 | 0.789 | 0.954 | 3.716 | 2.928 | 1.973 |
| Total | 1 | 0.542 | 0.245 | 0.336 | 0.000 | 0.786 | 0.451 | 0.451 |
| | 2 | 1.415 | 0.345 | 0.437 | 0.007 | 1.760 | 1.323 | 1.316 |
| | 3 | 2.452 | 0.349 | 0.721 | 0.251 | 2.801 | 2.080 | 1.829 |
| | 4 | 3.785 | 0.447 | 0.994 | 1.127 | 4.232 | 3.237 | 2.110 |
| | 5 | 3.240 | 0.424 | 0.727 | 1.003 | 3.664 | 2.937 | 1.934 |
| | 6 | 4.279 | 0.362 | 1.039 | 1.973 | 4.642 | 3.603 | 1.630 |
| | 7 | 6.159 | 0.281 | 1.535 | 0.000 | 6.440 | 4.905 | 4.905 |
| | 8 | 8.449 | 1.882 | 0.227 | 0.000 | 10.331 | 10.104 | 10.104 |
| | 9 | 11.124 | 0.000 | 0.332 | 0.000 | 11.124 | 10.792 | 10.792 |
| | Total | 3.063 | 0.404 | 0.756 | 0.794 | 3.468 | 2.711 | 1.917 |