Canada

GEOLOGICAL SURVEY OF CANADA
COMMISSION GÉOLOGIQUE DU CANADA
DEPARTMENT OF ENERGY, MINES AND RESOURCES
MINISTÈRE DE L'ÉNERGIE, DES MINES ET DES RESSOURCES

COBALT

Nova Scotia Department of Mines and Energy

11 E/8 — 1:50 000 — Canada — EDITION 4 — 11 E/8

Co

LEGEND

Sample number ..... e.g. year 82 – sequential number – location – group 025

Analytical value in p.p.m. (unless otherwise specified) ... e.g. 106

Geochemical Sample Medium

- Stream sediment, sieved ..... •
- Stream sediment, unsieved ..... ◦
- Lake sediment ..... ⊙
- Heavy mineral / panned concentrate ..... ⊕
- Soil ..... □
- Rock ..... ☼
- Peat ..... △
- Till ..... ■
- Other ..... ⊠

Note: Two (2) sample numbers per sample location indicates duplicate sample site ... e.g. 82-I-025,026

N.R. = No Results

HISTOGRAM AND BASIC STATISTICS



Note: Only data within this 1:50,000 sheet is included.

Average:	20.95
Number of samples:	21.
Standard deviation:	7.11
Range:	2.00 - 162.00
Detection limit:	2 ppm

Sample collection and Geochemistry: P.J. Rogers and M.A. MacDonald
Analyses: Chemex Laboratories Ltd., North Vancouver, B.C.
Sample digestion: Hot HNO_3 – HCL Extraction
Analytical technique: Air – Acetylene AAS
Cartography: P.A. Lombard

TABLEAU D'ASSEMBLAGE DU SYSTÈME NATIONAL DE RÉFÉRENCE CARTOGRAPHIQUE

11 E/10	11 E/9	11 F/12
11 E/7	11 E/8	11 F/5
11 E/2	11 E/1	11 F/4

INDEX TO ADJOINING MAPS OF THE NATIONAL TOPOGRAPHIC SYSTEM

Produced by the SURVEYS AND MAPPING BRANCH, DEPARTMENT OF ENERGY, MINES AND RESOURCES. Updated from aerial photographs taken in 1976. Culture check 1980. Published in 1982.

Copies may be obtained from the Canada Map Office, Department of Energy, Mines and Resources, Ottawa, or your nearest map dealer.

Roads: hard-surface, all weather — Routes: pavés, toute saison; hard-surface, all weather — routes: toute saison; loose or stabilized surface, all weather — graveur, agglomeré, toute saison; loose surface, dry weather — de gravier, temps sec; unclassified streets — rues hors classe; cart track — de terre; trail, cut line or portage — sentier, percée ou portage.

FOR COMPLETE REFERENCE SEE REVERSE SIDE — POUR UNE LISTE COMPLÈTE DES SIGNES VOIR AU VERSO

LOCHABER
NOVA SCOTIA

Scale 1:50 000 Échelle

Miles 1 0 1 2 3 Milles
Metres 1000 0 1000 2000 3000 4000 Metres
Yards 1000 0 1000 2000 3000 4000 Yards

Information concerning location and precise elevation of bench marks can be obtained by writing to the Geodetic Survey, Surveys and Mapping Branch, Ottawa.

On peut obtenir des renseignements sur le lieu et l'altitude exacte des repères de nivellement en écrivant aux Levés géodésiques, Direction des levés et de la cartographie, Ottawa.

CONVERSION SCALE FOR ELEVATIONS — ÉCHELLE DE CONVERSION DES ALTITUDES

Metres 30 20 10 0 50 100 150 200 250 300 Mètres
Feet 100 50 0 100 200 300 400 500 600 700 800 900 1000 Pieds

CONTOUR INTERVAL 50 FEET
Elevations in Feet above Mean Sea Level
North American Datum 1927
Transverse Mercator Projection

EQUIDISTANCE DES COURBES 50 PIEDS
Altitudes en pieds
Système de référence géodésique nord-américain, 1927
Projection transverse de Mercator

Établie par la DIRECTION DES LEVÉS ET DE LA CARTOGRAPHIE, MINISTÈRE DE L'ÉNERGIE, DES MINES ET DES RESSOURCES. Mise à jour à l'aide de photographies aériennes prises en 1976. Vérification des ouvrages en 1980. Publiée en 1982.

Ces cartes sont en vente au Bureau des Cartes du Canada, Ministère de l'Énergie, des Mines et des Ressources, Ottawa, ou chez le détaillant le plus près.

OPEN FILE
DOSSIER PUBLIC
988
Geological Survey
Commission Geologique
Ottawa

CONTRIBUTION TO CANADA – NOVA SCOTIA
CO-OPERATIVE MINERAL PROGRAM 1981-84

OPEN FILE
84 - 14
Nova Scotia Department of Mines and Energy