




Hg

LEGEND

- Sample number e.g. year sequential number
 e.g. 82-1-025 location group
 Analytical value in p.p.m. (unless otherwise specified) e.g. *106
- Geochemical Sample Medium
- Stream sediment, sieved
 - Stream sediment, unsieved
 - Lake sediment
 - Heavy mineral / panned concentrate
 - Soil
 - Rock
 - Peat
 - Till
 - Other

Note: Two (2) sample numbers per sample location indicates duplicate sample site. e.g. 82-1-025,026
 N.R. = No Results

HISTOGRAM AND BASIC STATISTICS



Note: Only data within this 1:50,000 sheet is included.

Average: 95.17
 Number of samples: 29
 Standard deviation: 63.41
 Range: 20.00 - 1900.00
 Detection limit: 5 ppb

Sample collection and Geochemistry: P.J. Rogers and M.A. MacDonald
 Analyses: Chemex Laboratories Ltd., North Vancouver, B.C.
 Sample digestion: Hot HNO₃ - HCL Extraction
 Analytical technique: Flameless AAS
 Cartography: R.A. Lombard

TABLEAU D'ASSEMBLAGE DU SYSTÈME NATIONAL DE RÉFÉRENCE CARTOGRAPHIQUE

11F/13	11F/14	11F/15
11F/12	11F/11	11F/10
11F/5	11F/6	11F/7

INDEX TO ACQUIRING MAPS OF THE NATIONAL TOPOGRAPHIC SYSTEM

Produced by the SURVEYS AND MAPPING BRANCH, DEPARTMENT OF ENERGY, MINES AND RESOURCES. Digitized from aerial photographs taken in 1979. Colour check 1982. Published in 1981.

Copies may be obtained from the Canada Map Office, Department of Energy, Mines and Resources, Ottawa or your nearest map dealer.

© 1981 Her Majesty the Queen in Right of Canada, Department of Energy, Mines and Resources.


Roads: hard surface, all weather; hard surface, all weather, loose or stabilized surface, all weather; loose surface, dry weather; unconsolidated streets; dirt track; track, cut line or portage.

Roads: gravel, loose season; gravel, aggregate, loose season; old gravel, temps sec; cuts from cleared; dirt track; sentier, chemin de portage.

FOR COMPLETE REFERENCE SEE ROVERE SHEET. POUR UNE LISTE COMPLÈTE DES SIGNES VOIR AU VERO.

PORT HAWKESBURY
NOVA SCOTIA

Scale 1:50 000 Échelle



Information concerning location and precise elevation of bench marks can be obtained by writing to the Survey of Canada, Survey and Mapping Branch, Ottawa.

CONVERSION SCALE FOR ELEVATIONS

Feet 100 200 300 400 500 600 700 800 900 1000

Mètres 30 60 90 120 150 180 210 240 270 300

On peut obtenir des renseignements sur le tracé et l'altitude exacte des repères de nivellement de détail et leur géodésie, direction des lieux et de la cartographie, Ottawa.

ÉCHELLE DE CONVERSION DES ALTITUDES

Pieds 100 200 300 400 500 600 700 800 900 1000

Mètres 30 60 90 120 150 180 210 240 270 300

Échelle de référence géodésique nord-américaine, 1927
 Projection transversale de Mercator

Échelle de référence géodésique nord-américaine, 1927
 Projection transversale de Mercator

OPEN FILE
DOSSIER PUBLIC
991
Geological
Survey
Commission
Géologique
Ottawa

OPEN FILE
84-17
Nova Scotia
Department of
Mines and Energy