

Ni


LEGEND

- Sample number e.g. 82-1-025
 year sequential number
 location group
- Analytical value in p.p.m. (unless otherwise specified) ... e.g. 106
- Geochemical Sample Medium
- Stream sediment, sieved
 - Stream sediment, unsieved
 - Lake sediment
 - Heavy mineral / panned concentrate
 - Soil
 - Rock
 - Peat
 - Till
 - Other

Note: Two (2) sample numbers per sample location indicates duplicate sample site... e.g. 82-1-025,026

N. R. = No Results

HISTOGRAM AND BASIC STATISTICS



Note: Only data within this 1:50,000 sheet is included.

Average: 18.29
 Number of samples: 76.
 Standard deviation: 0.57
 Range: 3.00 - 54.00
 Detection limit: 2 ppm

Sample collection and Geochemistry: P.J. Rogers and M.A. MacDonald

Analyses: Chemex Laboratories Ltd., North Vancouver, B.C.

Sample digestion: Hot HNO₃ - HCL Extraction

Analytical technique: Air - Acetylene AAS

Cartography: P.A. Lombard

TABLAU D'ASSEMBLAGE DU SYSTÈME NATIONAL DE RÉFÉRENCE CARTOGRAPHIQUE

21 H/9	11 E/12	11 E/11
21 H/9	11 E/5W	11 E/6
21 H/1	11 E/4	11 E/3

INDEX TO ADJOINING MAPS OF THE NATIONAL TOPOGRAPHIC SYSTEM



BASS RIVER
NOVA SCOTIA


Compiled, 1964, by the SURVEYS AND MAPPING BRANCH, DEPARTMENT OF MINES AND TECHNICAL SURVEYS, from aerial photographs taken in 1959. Field surveys 1938-42. Culture check 1964. Printed 1966.

Copies may be obtained from the Map Distribution Office, Department of Mines and Technical Surveys, Ottawa.

Rédigé en 1964, par la DIRECTION DES LEVÉS ET DE LA CARTOGRAPHIE, MINISTÈRE DES MINES ET DES MÉTIERS TECHNIQUES, d'après des photographies aériennes prises en 1959. Levés sur le terrain en 1938-42. Vérification des ouvrages en 1964. Imprimé en 1966.

Ces cartes sont en vente au Bureau de distribution des cartes, ministère des Mines et des Métiers techniques, Ottawa.

- Roads
- hard surface, all weather
- hard surface, all weather
- loose or stabilized surface, all weather
- loose surface, dry weather
- cart track
- trail or path
- Railway, normal gauge, single track
- Horizontal control point, with elevation
- Bench mark, with elevation
- canal, single section
- canal, double section
- gravel aggregate, loose section
- de gravel, période sèche
- de terre
- chemin de fer à voie unique (standard gauge) normal
- Pont géodésique avec cote
- Point de nivellement avec cote



CONTOUR INTERVAL 50 FEET
 Elevations in Feet above Mean Sea Level
 North American Datum 1927
 Transverse Mercator Projection

ÉQUIDISTANCE DES COURBES 50 PIEDS
 Élévations en pieds au-dessus du niveau moyen de la mer
 Réseau géodésique nord-américain unifié (1927)
 Projection transverse de Mercator

- Building
- School
- Church
- Mine or Open cut
- Lighthouse
- Power transmission line
- River with bridge
- Stream, intermittent or dry
- Line, intermittent, indefinite
- Marsh or Swamp
- Depression contour
- Bar
- Post Office
- Cemetery
- Mine or Open cut
- Point
- Route with point
- Course d'eau intermittent, ou à sec
- Laie, intermittent, non représentée
- Marais ou Sauge
- Courbes de creux
- Bureau de poste
- Cimetière
- Crénelés
- 50'
- 5

OPEN FILE
DOSSIER PUBLIC
1187
Geological
Survey
Commission
Géologique
Ottawa

CONTRIBUTION TO CANADA-NOVA SCOTIA
CO-OPERATIVE MINERAL PROGRAM 1981-84

OPEN FILE
OFM 86-5
Nova Scotia
Department of
Mines and Energy