

Mn

LEGEND

- Sample number..... e.g. year sequential number
location group
- Analytical value in p.p.m. (unless otherwise specified)... e.g. *106
- Geochemical Sample Medium
- Stream sediment, sieved
 - Stream sediment, unsieved
 - Lake sediment
 - Heavy mineral / panned concentrate
 - Soil
 - Rock
 - Peat
 - Till
 - Other
- Note: Two (2) sample numbers per sample location indicates duplicate sample site... e.g. *82-1-025,026
- N. R. = No Results

HISTOGRAM AND BASIC STATISTICS



Note: Only data within this 1:50,000 sheet is included.

Average: 820.38
Number of samples: 159
Standard deviation: 54.34
Range: 70.00 - 5200.00
Detection limit: 5 ppm

Sample collection and Geochemistry: P.J. Rogers and M.A. MacDonald
Analyses: Chemex Laboratories Ltd., North Vancouver, B.C.
Sample digestion: Hot HNO₃-HCl Extraction
Analytical technique: Air - Acetylene AAS
Cartography: P. A. Lombard

TABLE 1. COORDINATE SYSTEMS AND REFERENCE CARTOGRAPHIC

I	L	L
21 H/16	11 E/13	11 E/14
21 H/9	11 E/12	11 E/11

INDEX TO ADJOINING MAPS OF THE NATIONAL TOPOGRAPHIC SYSTEM



PUGWASH
CUMBERLAND MUNICIPALITY - CUMBERLAND COUNTY
NOVA SCOTIA

Scale 1:50 000 Echelle

CONVERSION SCALE FOR ELEVATIONS
Metres 30 20 10 0 100 200 300 400 500 600 700 800 900 1000 Pieds

ECHELLE DE CONVERSION DES ALTITUDES

CONVERSION INTERVAL 30 FEET

© 1982, Les Minéraux et Énergie du Canada
Ministère de l'Énergie, des Mines et des Ressources

OPEN FILE
DOSSIER PUBLIC
1245
Geological
Survey
Commission
Géologique
Ottawa

OPEN FILE
OFM 86-12
Nova Scotia
Department of
Mines and Energy