


pH-w

LEGEND

- Sample number ..... e.g. year sequential number  
 location group  
 Analytical value in p.p.m. (unless otherwise specified) .. e.g. \*106
- Geochemical Sample Medium
- Stream sediment, sieved .. \*
  - Stream sediment, unsieved .. o
  - Lake sediment .. ○
  - Heavy mineral / panned concentrate .. ⊕
  - Soil .. □
  - Rock .. ⊙
  - Peat .. △
  - Till .. ■
  - Other .. ⊠

Note: Two (2) sample numbers per sample location indicates duplicate sample site. e.g. \*82-1-025,026  
 N.R. = No Results

HISTOGRAM AND BASIC STATISTICS



Note: Only data within this 1:50,000 sheet is included.

Average: 7.09  
 Number of samples: 12  
 Standard deviation: 0.04  
 Range: 6.80 - 7.30  
 Detection limit: 0.1 pH units

Sample collection and Geochemistry: P.J. Rogers and M.A. MacDonald  
 Analyses: Chemex Laboratories Ltd., North Vancouver, B.C.  
 Sample digestion: Not Applicable  
 Analytical technique: pH Meter  
 Cartography: P.A. Lombard

TABLEAU D'ADRESSAGE DU SYSTÈME NATIONAL DE RÉFÉRENCE CARTOGRAPHIQUE

H	21 H/6	21 H/7
H	21 H/3	21 H/2
21 A/13	21 A/14	21 A/15

INDEX TO ADJOINING MAPS OF THE NATIONAL TOPOGRAPHIC SYSTEM


Produced by the SURVEY AND MAPPING BRANCH  
 DEPARTMENT OF ENERGY, MINES AND RESOURCES  
 and published under the 1977 Copyright Act  
 Printed 1978  
 Copies may be obtained from the Canada Map Office,  
 Department of Energy, Mines and Resources, Ottawa,  
 K1P 6P6 under the Order

© Canada Copyright Reserved 1978

Roads	Routes	Contours	Contours
hard surface, all weather	gravel, brick, sand	1000	2000
hard surface, all weather	gravel, brick, sand	3000	4000
stone or cobblestone on base, all weather	gravel, aggregate, brick, sand	5000	6000
stone surface, aggregate and	all gravel, stone, or of	7000	8000
unimproved stone	any other material	9000	10000
unimproved stone	any other material	11000	12000
unimproved stone	any other material	13000	14000
unimproved stone	any other material	15000	16000
unimproved stone	any other material	17000	18000
unimproved stone	any other material	19000	20000

MARGARETSVILLE  
NOVA SCOTIA

Scale 1:50,000 Échelle



CONTOUR INTERVAL 10 FEET  
 Contour interval 3 mètres

ÉCHELLE DES COORDONNÉES UTM  
 Échelle des coordonnées UTM

Échelle par la DIRECTION DES LÈVES ET DE LA CARTOGRAPHIE  
 MINISTÈRE DE L'ÉNERGIE, DES MINES ET DES RESSOURCES  
 du Canada  
 Les cartes sont en vente au Bureau des Cartes du Canada,  
 Ministère de l'Énergie, des Mines et des Ressources, Ottawa,  
 au prix de 100 centimes par copie.

OPEN FILE  
 OFM 86-21  
 Nova Scotia  
 Department of  
 Mines and Energy

OPEN FILE  
 DOSSIER PUBLIC  
 1262  
 Geological  
 Survey  
 Commission  
 Géologique  
 Ottawa

pH-w