

11K/8 Bras d'Or




LEGEND

- Sample number e.g. 82-1-025
 year sequential number
 location group
- Analytical value in p.p.m. (unless otherwise specified) ... e.g. 106
- Geochemical Sample Medium
- Stream sediment, sieved
 - Stream sediment, unsieved
 - Lake sediment
 - Heavy mineral / panned concentrate
 - Soil
 - Rock
 - Peat
 - Till
 - Other

Note: Two (2) sample numbers per sample location indicates duplicate sample site. e.g. 82-1-025,026
 NoR. = No Results

HISTOGRAM AND BASIC STATISTICS



Note: Only data within this 1:50,000 sheet is included.

Average: 36.13
 Number of samples: 15
 Standard deviation: 1.31
 Range: 28.00 - 46.00
 Detection limit: 20ppb

Sample collection and Geochemistry: P.J. Rogers and M.A. MacDonald
 Analyses: Chemex Laboratories Ltd., North Vancouver, B.C.
 Sample digestion: Not Applicable
 Analytical technique: Direct Absorption
 Cartography: P. A. Lombard

TABLEAU D'ADRESSEMENT DU SYSTÈME NATIONAL DE RÉFÉRENCE CARTOGRAPHIQUE

11 K/10	11 K/9	11 J/12
11 K/7	11 K/8	11 J/5
11 K/2	11 K/1	11 J/4

INDEX TO ADDITIONAL MAPS OF THE NATIONAL TOPOGRAPHIC SYSTEM

Produced by the SURVEYS AND MAPPING BRANCH, DEPARTMENT OF ENERGY, MINES AND RESOURCES, Ottawa from aerial photographs taken in 1977. Contour interval 100 feet (30.5 metres).

Copies may be obtained from the Canada Map Office, Department of Energy, Mines and Resources, Ottawa, P.O. Box 117, Ottawa, Ontario K1P 6K6.

© 1979, by Her Majesty the Queen in Right of Canada, Department of Energy, Mines and Resources.

Roads	Routiers	Highway	Route
hard surface all weather	caouche, toute saison	unimproved	non amélioré
hard surface all weather	caouche, toute saison	improved	amélioré
stone or stabilized surface all weather	granite, agglomère, toute saison	unimproved	non amélioré
stone surface, all weather	de granite, toute saison	improved	amélioré
unimproved	non amélioré	improved	amélioré
cart track	route de charrette	unimproved	non amélioré
road track or cartway	sentier, chemin ou charrette	improved	amélioré

FOR COMPLETE REFERENCE SEE REVERSE SIDE. POUR UNE LISTE COMPLÈTE DES SIGNES VOIR AU VERSO

BRAS D'OR
NOVA SCOTIA
Scale 1:50,000 Échelle

CONVERSION SCALE FOR ELEVATIONS
 METERS TO FEET
 FEET TO METERS

Information concerning location and precise elevation of bench marks can be obtained by referring to the Geodetic Survey, Survey and Mapping Branch, Ottawa.

ÉCHELLE DE CONVERSION DES ÉLEVATIONS
 MÈTRES EN PIEDS
 PIEDS EN MÈTRES

Établi par la DIRECTION DES LÈVES ET DE LA CARTOGRAPHIE, MINISTÈRE DE L'ÉNERGIE, DES MINES ET DES RESSOURCES, Ottawa à partir de données photographiques aériennes prises en 1977. Intervalle des courbes en 100 mètres (30,5 mètres).

Ces cartes sont en vente au Bureau des Cartes du Canada, Ministère de l'Énergie, des Mines et des Ressources, Ottawa, au 117, rue Wellington, Ottawa, Ontario K1P 6K6.

© 1979, Sa Majesté la Reine du Chef du Canada, Ministère de l'Énergie, des Mines et des Ressources.

OPEN FILE
DOSSIER PUBLIC
1301
Geological
Survey
Commission
Géologique
Ottawa

OPEN FILE
86-39
Nova Scotia
Department of
Mines and Energy