


Cu

LEGEND

- Sample number ..... e.g. 82-1-025  
Analytical value in ppm. (unless otherwise specified) ... e.g. 106
- Geochemical Sample Medium
- Stream sediment, sieved
  - Stream sediment, unsieved
  - Lake sediment
  - Heavy mineral / panned concentrate
  - Soil
  - Peat
  - Till
  - Other

Note: Two (2) sample numbers per sample location indicates duplicate sample site... e.g. 82-1-025,026  
N.R. = No Results  
N/A = Not Analyzed

HISTOGRAM AND BASIC STATISTICS



Note: Only data within this 1:50,000 sheet is included.

Average: 19.41  
Number of samples: 87  
Standard deviation: 1.76  
Range: 2.00 - 98.00  
Detection limit: 2 ppm

Sample collection and Geochemistry: P.J. Rogers and M.A. MacDonald  
Analyses: Chemex Laboratories Ltd., North Vancouver, B.C.  
Sample digestion: Hot HNO<sub>3</sub>-HCl Extraction  
Analytical technique: Air-Acetylene AAS  
Cartography: P.A. Lombard


TABLEAU D'ADRESSEMENT DU SYSTÈME NATIONAL DE RÉFÉRENCE CARTOGRAPHIQUE

K	11 K/15	11 K/16
11 K/11	11 K/10	11 K/9
11 K/6	11 K/7	11 K/8

INDEX TO ADJOINING MAPS OF THE NATIONAL TOPOGRAPHIC SYSTEM



CHÉTICAMP RIVER  
NOVA SCOTIA



Information concerning the map and precise situation of bench marks can be obtained by writing to the Land Survey, Survey and Mapping Branch, Ottawa.

De plus, obtenir des renseignements sur la localisation exacte des points de nivellement en écrivant aux Levés géodésiques, Direction des levés et de la cartographie, Ottawa.

CONTOUR INTERVAL: 50 FEET / ÉCHELLE DES COURBES: 15 MÈTRES

CONTOUR INTERVAL: 50 FEET / ÉCHELLE DES COURBES: 15 MÈTRES

© 1981, by Her Majesty the Queen in Right of Canada, Department of Energy, Mines and Resources.

OPEN FILE  
DOSSIER PUBLIC  
1307  
Geological  
Survey  
Commission  
Géologique  
Ottawa

OPEN FILE  
87-1  
Nova Scotia  
Department of  
Mines and Energy