**Descriptive Text**

The flood risk limits were extracted from flood inundation layers, which were derived from a digital elevation model (DEM) that was collected using ground points measured by a Light Detection and Ranging (lidar) survey. The flood inundation layers were modeled in a geographic information system (GIS) and represent still water levels. Only low lying areas that are connected to the ocean or rivers are inundated. The flood inundation layers and the DEMs represent the ocean as a horizontal plane and do not incorporate wave run-up during storms. Wave run-up is controlled by the wind direction and associated wave direction during storms and is local offshore and nearshore topography.

Map Notes

GIS data produced by Tim Webster, Kevin McGuigan and Candace MacDonald from AGRG/NSCC. Data were collected in 2008 and processed to flood layers from 2010-2011. Cartography and reproduction by Angie Eiler of the Nova Scotia Department of Natural Resources Geomatics Information Services Section, 2012. The maps were developed using ArcGIS 10. Universal Transverse Mercator Projection (UTM), Zone 20, Central Meridian 63°0' West, North American Datum (NAD) 1983 Canadian Spatial Reference System (CSRS) 98.

The estimated return period water levels for 2025 and 2100 were derived from the 100-year and 25-year return period water levels respectively, and the time between high-water events occurring with a 95% probability according to Richards and Daigle (2011). Since this estimate of a return period of a high-water event is based on a 95% probability, it could happen any time in the future, even though the 100-year and 25-year return periods are time intervals such as 25 years or 100 years. These high-water events can be thought of as such as 25 or 100 years events. These return-period water levels were reported in Charron et al. (2011). The lidar data used to create the DEMs came from the Canadian Geodetic Vertical Datum of 1928 (CGVD28; land elevation vertical datum) based on the Jeggins CG-GV2028 offset of 6.9 m.

The lidar survey and flood risk maps were produced by the Applied Geomatics Research Group (AGRG), Nova Scotia Community College (NSCC) in Amherst et al. (2011). The lidar data is projected from CGVD28 to NAD83.

The background topography on the maps represents a shaded relief image derived from a 2 m lidar digital surface model (DSM), azimuth of 15° and sun angle depression of 45°, with the terrain vertically exaggerated five times. This model incorporates both ground elevations as well as those from vegetation (trees) and buildings.

Map of Coastal Flood Risk from Sea-level Rise and Storm Surge of the Nappan Area, Cumberland County, Nova Scotia

T. Webster*, K. McGuigan* and C. MacDonald*

* Applied Geomatics Research Group, Nova Scotia Community College, Middleton, Nova Scotia
Scale 1:10 000
0 0.5 1 km
Halifax, Nova Scotia 2012
Crown Copyright © 2012, Province of Nova Scotia, all rights reserved.

Nova Scotia Department of Natural Resources
Mineral Resources Branch
Open File Map ME 2012-028

Richards, W. and Daigle, R. 2011: Scenarios and guidance for adaptation to climate change and sea-level rise - NS and PEI municipalities; Atlantic Climate Adaptations Solutions Association, Nova Scotia Environment, 78 p.
<http://atlanticadaptation.ca/node/267>

Webster, T., McGuigan, K. and MacDonald, C. 2011: Lidar processing and flood risk mapping for coastal areas in the District of Lunenburg, Town and District of Yarmouth, Amherst, County Cumberland, Wolfville and Windsor; Atlantic Climate Adaptations Solutions Association, 130 p.
<http://atlanticadaptation.ca/caasa/node/126>

Acknowledgments

This project is part of the Atlantic Climate Adaptation Solutions Association (ACAS) project, a partnership between the Atlantic Provinces, Natural Resources Canada, regional municipalities and other partners. It was made possible with funding from the Province of Nova Scotia and federal support from Natural Resources Canada's Regional Adaptation Collaborative Program.


We thank the following people from the Applied Geomatics Research Group, Nova Scotia Community College, Alyson Fox and Chris Hopkins for some of the lidar collection, Bob Maher for administrative support, Nathan Crowell and Charly Moulard for lidar and flood inundation processing, and Theresa Smith and Wayne Reiger for cartographic assistance.

Disclaimer

The information on this map may have come from a variety of government and nongovernment sources. The Nova Scotia Department of Natural Resources and partners of the Atlantic Climate Adaptation Solutions Association do not assume any responsibility for that may occur. This map is intended for use at the published scale of 1:10 000.

Recommended Citation

Webster, T., McGuigan, K. and MacDonald, C. 2012: Map of coastal flood risk from sea-level rise and storm surge of the Nappan area, Cumberland County, Nova Scotia; Nova Scotia Department of Natural Resources, Mineral Resources Branch, Open File Map ME 2012-028, scale 1:10 000.



NOVA SCOTIA

AGRG
Applied Geomatics
Research Group

NSCC
education works for you

Atlantic Climate Adaptation Solutions Association
Solutions d'adaptation aux changements climatiques pour l'Atlantique

Canada
Natural Resources
Resources naturelles
Canada

Series or Map Name
Open File Map ME 2012-028

Jun 28, 2012