

## SELECTED REFERENCES

- Adams, G. C.  
1991: Gypsum and anhydrite resources in Nova Scotia; Nova Scotia Department of Natural Resources, Mines and Energy Branches, Economic Geology Series 91-1, 293 p.
- Bell, W. A.  
1929: Horton-Windsor district, Nova Scotia; Geological Survey of Canada, Memoir 155, 268 p.  
1958: Possibilities for the occurrence of petroleum reservoirs in Nova Scotia; Nova Scotia Department of Mines Report, p. 177.
- Benson, D. G.  
1962: Hopewell, Nova Scotia; Geological Survey of Canada, Map 3-1962, scale 1:63 360.  
1964: Lochaber, Nova Scotia; Geological Survey of Canada, Map 58-1963, scale 1:63 360.
- Boehner, R. C.  
1984: Stratigraphy and depositional history of marine evaporites in the Windsor Group, Shubenacadie and Musquodoboit structural basins, Nova Scotia, Canada; Ninth International Carboniferous Congress, 1979; *Compte Rendu*, v. 3, p. 173-178.  
1985: Salt and potash resources in Nova Scotia; Nova Scotia Department of Mines and Energy, Bulletin No. 5, 346 p.  
1988: Lithostratigraphic, geological and paleogeographical setting of carbonate buildups in the Lower Carboniferous Windsor and Horton Groups, Nova Scotia; *in* Mines and Minerals Branch, Report of Activities 1987, Part B, eds. D. R. MacDonald and Y. Brown; Nova Scotia Department of Mines and Energy, Report 88-1, p. 143-151.  
1989: Carbonate buildups of Windsor Group Major Cycle 2: Maxner and Miller Limestones, Miller Creek Formation and Mosher Road Member, Elderbank Formation and B<sub>2</sub> Limestone, Nova Scotia; *in* Reefs of Canada and Adjacent Areas, eds. H. H. J. Geldsetzer, N. P. James and G. E. Tebutt; Canadian Society of Petroleum Geologists, Memoir 13, p. 600-608.  
1991: Seismic interpretation, potential overthrust geology and mineral deposits in the Kennetcook Basin, Nova Scotia; *in* Mines and Minerals Branch, Report of Activities 1990, ed. D. R. MacDonald; Nova Scotia Department of Natural Resources, Mines and Energy Branches, Report 91-1, p. 37-47.  
1994: Carboniferous Basin Project activities 1993; *in* Mines and Minerals Branch, Report of Activities 1993; ed. D. R. MacDonald; Nova Scotia Department of Natural Resources, Mines and Energy Branches, Report 94-1, p. 123-130.

- Boehner, R. C., Giles, P. S., Horne, R. J., MacBeath, B. E., Murray, D. A. and Ryan, R. J.  
1987: Carbonate buildups in the Early Carboniferous Windsor and Horton Groups, Nova Scotia (a compilation); Nova Scotia Department of Mines and Energy, Open File Report 87-010, 99 p.
- Boehner, R. C., Giles, P. S., Murray, D. A. and Ryan, R. J.  
1989a: Carbonate buildups of the Gays River Formation, Lower Carboniferous Windsor Group, Nova Scotia; *in* Reefs of Canada and Adjacent Areas, eds. H. H. J. Geldsetzer, N. P. James and G. E. Tebutt; Canadian Society of Petroleum Geologists, Memoir 13, p. 609-621.
- Boehner, R. C., Horne, R. J. and Ryan, R. J.  
1989b: Carbonate bioherms in the Kennetcook and Herbert River Limestone Members, upper part of the Windsor Group, central mainland Nova Scotia; *in* Reefs of Canada and Adjacent Areas, eds. H. H. J. Geldsetzer, N. P. James and G. E. Tebutt; Canadian Society of Petroleum Geologists, Memoir 13, p. 622-625.
- Boehner, R. C. and Ryan, R. J.  
1989: Economic geology of late Paleozoic-early Mesozoic basins in Nova Scotia: Mid-Westphalian tectonism and metallogenesis; *in* Mines and Minerals Branch, Report of Activities 1989, Part A, eds. D. R. MacDonald and K. A. Mills; Nova Scotia Department of Mines and Energy, Report 89-3, p. 103-108.
- Dickie, G. B.  
1986: Cretaceous deposits of Nova Scotia; Nova Scotia Department of Mines and Energy, Paper 86-1, 54 p.
- Dome Exploration Company (Canada) Ltd.  
1960: Lead, Glenbervie, Colchester County, Nova Scotia, DDH records and maps; Nova Scotia Department of Mines, Assessment File 11E/07B 27-D-23(07)
- Donohoe, H. V. and Wallace, P. I.  
1982: Parrsboro-Five Islands region; Nova Scotia Department of Mines and Energy, Map 82-07, scale 1:50 000.
- Douglas, G. V.  
1943: Limestone, Antigonish Harbour; Nova Scotia Department of Mines, Annual Report, p. 140-144.
- Faribault, E. R.  
1907: Geological map of Halifax, Colchester and Hants Counties; Geological Survey of Canada, Gays River Sheet No. 55, scale 1:63 360.
- Felderhof, G. W.  
1978: Barite, celestite and fluorite in Nova Scotia; Nova Scotia Department of Mines, Bulletin 4, 464 p.

- Ferguson, S. A.  
1946: Strait of Canso map-area, Nova Scotia; Geological Survey of Canada, Paper 46-12 (report with map), p. 23.
- Ferguson, S. A. and Weeks, L. J.  
1950: Mulgrave, Nova Scotia; Geological Survey of Canada, Map 995A, scale 1:63 360.
- Fletcher, H.  
1881: Report on explorations and surveys in Richmond, Inverness, Guysborough and Antigonish Counties, Nova Scotia; Geological Survey of Canada, Report of Progress 1879-80, Pt. F.  
  
1902a: Province of Nova Scotia, Pictou County; Geological Survey of Canada, Map No. 43, scale 1:63 360.  
  
1902b: Province of Nova Scotia, Pictou County; Geological Survey of Canada, Map No. 47, scale 1:63 360.
- Fletcher, H. and Faribault, E. R.  
1887: Report on geological surveys and explorations in the Counties of Guysborough, Antigonish, Pictou, Colchester and Halifax, Nova Scotia from 1882 to 1886; Geological and Natural History Survey of Canada, Annual Report, 1887.  
  
1893a: Province of Nova Scotia, Antigonish County; Geological Survey of Canada, Map No. 32, scale 1:63 360.  
  
1893b: Province of Nova Scotia, Antigonish County; Geological Survey of Canada, Map No. 33, scale 1:63 360.  
  
1893c: Province of Nova Scotia, Antigonish and Pictou Counties; Geological Survey of Canada, Map No. 34, scale 1:63 360.  
  
1893d: Province of Nova Scotia, Guysborough, Antigonish and Pictou Counties; Geological Survey of Canada, Map No. 35, scale 1:63 360.  
  
1902: Province of Nova Scotia, Pictou, Colchester and Halifax Counties; Geological Survey of Canada, Map No. 48, scale 1:63 360.
- Giles, P. S.  
1981: Major transgressive and regressive cycles in the middle to late Viséan rocks of Nova Scotia; Nova Scotia Department of Mines and Energy, Paper 81-2, 27 p.
- Giles, P. S. and Boehner, R. C.  
1979: The Windsor Group stratigraphy in the Shubenacadie and Musquodoboit Basins of central Nova Scotia; Nova Scotia Department of Mines and Energy, Open File Report 410.

- Giles, P. S. and Boehner, R. C.  
 1982a: Geological map of the Shubenacadie and Musquodoboit Basins, central Nova Scotia; Nova Scotia Department of Mines and Energy, Map 82-4, scale 1:50 000.
- 1982b: Subdivision and regional correlation of strata of the Upper Windsor Group, Cape Breton Island and central Nova Scotia; *in* Mineral Resources Division, Report of Activities 1981, ed. K. A. Mills; Nova Scotia Department of Mines and Energy, Report 82-1, p. 69-78.
- Giles, P. S., Boehner, R. C. and Ryan, R. J.  
 1979: Carbonate banks of the Gays River Formation in central Nova Scotia; Nova Scotia Department of Mines and Energy, Paper 79-7, 57 p.
- Gillis, J. W.  
 1964: Geology of northwestern Pictou County, Nova Scotia, Canada; Ph.D. thesis, Pennsylvania State University.
- Goudge, M. F.  
 1934: Limestones of Canada, Part II, Maritime Provinces; Canada Department of Mines, Mines Branch, No. 742.
- Hilton, E. R.  
 1953: Geology of the Williams Point area, Antigonish, Nova Scotia; B.Sc. thesis, Massachusetts Institute of Technology.
- Howie, R. D.  
 1986: Windsor Group salt in the Minas Sub-basin of Nova Scotia; Geological Survey of Canada, Paper 85-10, 29 p.
- 1988: Upper Paleozoic evaporites of southeastern Canada; Geological Survey of Canada, Bulletin 380, 120 p.
- Lafrenière, C. and Clark, D. C.  
 1986: Report of geology, drilling and drill core chemical analysis, Canada Cement Lafarge Limited; Nova Scotia Department of Mines and Energy, Assessment Report 86-074.
- Lavoie, D., Sangster, D. F., Savard, M. M. and Fallara, F.  
 1995: Multiple breccia events in the lower part of the Carboniferous Windsor Group, Nova Scotia; *Atlantic Geology*, v. 31, p. 197-207.
- Levaque, J. Y., Deschenes, M. and Eshuis, J.  
 1988: Limestone Resources Extension Project - Phase 3, Canada Cement Lafarge Limited; Nova Scotia Department of Mines and Energy, Assessment Report 88-415.

MacDonald, R. H. and Boehner, R. C.

- 1994: Limestone in Nova Scotia-green gold; *in* Proceedings-30th Forum on the Geology of Industrial Minerals (1994), ed. Shasta A. A. Merlini; New Brunswick Department of Natural Resources and Energy, Minerals and Energy Division, Miscellaneous Report 16, p. 105-120.

Messervey, J. P.

- 1943: Marl deposits, Lanark; Nova Scotia Department of Mines, Annual Report.
- 1945a: Limestone, Afton, Antigonish County; Nova Scotia Department of Mines, Annual Report.
- 1945b: Limestone, Churchville, Pictou County; Nova Scotia Department of Mines, Annual Report.
- 1945c: Limestone, Mulgrave, Guysborough County; Nova Scotia Department of Mines, Annual Report.
- 1945d: Limestone deposit, Southside Antigonish Harbour; Nova Scotia Department of Mines, Annual Report.
- 1945e: Limestone, Williams Point, Antigonish County; Nova Scotia Department of Mines, Annual Report.
- 1946: Limestone, Churchville, Pictou County; Nova Scotia Department of Mines, Annual Report.

Moore, R. G.

- 1967: Lithostratigraphic units in the upper part of the Windsor Group, Minas Sub-basin, Nova Scotia; *in* Collected Papers on the Geology of the Atlantic Region; Geological Association of Canada, Special Paper No. 4, p. 245-266.

Moore, R. G. and Ferguson, S. A.

- 1986: Geological map of the Windsor area, Nova Scotia; Nova Scotia Department of Mines and Energy, Map 86-2, scale 1:25 000.

Moore, R. G. and Ryan, R. J.

- 1976: Guide to the invertebrate fauna of the Windsor Group in Atlantic Canada; Nova Scotia Department of Mines, Paper 76-5, 57 p.

Murray, D. A.

- 1975: Limestones and dolomites of Nova Scotia, Antigonish, Guysborough, Pictou and Cumberland Counties; Nova Scotia Department of Mines, Bulletin No. 2, Part II, 155 p.

- Pe-Piper, G. and Piper, D. J. W.  
1987: The Pre-Carboniferous rocks of the western Cobequid Hills, Avalon Zone, Nova Scotia; *Maritime Sediments and Atlantic Geology*, v. 23, no. 1, p. 41-48.
- Sage, N. M.  
1954: The stratigraphy of the Windsor Group in the Antigonish quadrangles and the Mahone Bay-St. Margarets Bay area, Nova Scotia; Nova Scotia Department of Mines, *Memoir 3*, 168 p.
- Schenk, P. E.  
1967a: The Macumber Formation of the Maritime Provinces, Canada, a Mississippian analogue to recent strandline carbonates of the Persian Gulf; *Journal of Sedimentary Petrology*, v. 37, no. 2, p. 365-376.  
  
1967b: The significance of algal stromatolites to paleo-environmental and chrono-stratigraphic interpretations of the Windsorian Stage (Mississippian), Maritime Provinces; *in* *Collected Papers on the Geology of the Atlantic Region*; Geological Association of Canada, *Special Paper No. 4*, p. 229-243.  
  
1969: Carbonate-sulphate-redbed facies and cyclic sedimentation of the Windsorian Stage (Middle Carboniferous), Maritime Provinces; *Canadian Journal of Earth Sciences*, v. 6, no. 5, p. 1037-1066.  
  
1984: Carbonate-sulfate relations in the Windsor Group, central Nova Scotia, Canada; *in* *Ninth International Congress on Carboniferous Stratigraphy and Geology, Compte Rendu*, v. 3, p. 143-162.
- Schenk, P. S., Matsumoto, R. and von Bitter, P. H.  
1994: Loch Macumber (early Carboniferous) of Atlantic Canada; *Journal of Paleolimnology*, v. 11, p. 151-172.
- Shea, F. S. and Murray, D. A.  
1969: Limestones and dolomites of Nova Scotia, Cape Breton Island; Nova Scotia Department of Mines, *Bulletin No. 2, Part I*, 300 p.
- Stacy, M. C.  
1953: Stratigraphy and palaeontology of the Windsor Group (Upper Mississippian) in parts of Cape Breton Island, Nova Scotia; Nova Scotia Department of Mines, *Memoir 2*, 143 p.
- Stea, R. R., Finck, P. W. and Fensome, R. A.  
1997: Lithostratigraphy of Cretaceous and Quaternary unconsolidated sediments in the Shubenacadie and Musquodoboit valleys, Nova Scotia; *in* *Minerals and Energy Branch, Report of Activities 1996*, eds. D. R. MacDonald and K. A. Mills; Nova Scotia Department of Natural Resources, Minerals and Energy Branch, *Report 97-1*, p. 163-173.

- Stea, R. R., Finck, P. W., Pullan, S. E. and Corey, M. C.  
1996: Cretaceous deposits of kaolin clay and silica sand in the Shubenacadie and Musquodoboit valleys, Nova Scotia, Canada; Nova Scotia Department of Natural Resources, Minerals and Energy Branch, Open File Report 96-003, 58 p.
- Stea, R. R. and Pullan, S. E.  
1998: Post-Early Cretaceous faulting in the Musquodoboit Valley, Nova Scotia; *in* Minerals and Energy Branch, Report of Activities 1997, eds. D. R. MacDonald and K. A. Mills, Nova Scotia Department of Natural Resources, Minerals and Energy Branch, Report 98-1, p. 135-143.
- Stevenson, I. M.  
1958: Truro map area, Colchester and Hants Counties, Nova Scotia; Geological Survey of Canada, Memoir 297, 124 p.  
  
1959: Shubenacadie and Kennetcook map areas, Colchester, Hants and Halifax Counties, Nova Scotia; Geological Survey of Canada, Memoir 302, 88 p.
- von Bitter, P. H.  
1976: Paleocology and distribution of Windsor Group (Viséan-Early Namurian) conodonts, Port Hood Island, Nova Scotia, Canada; *in* Geological Association of Canada, Special Paper 15, p. 225-241.
- Weeks, L. J.  
1948: Londonderry and Bass River map area, Colchester and Hants Counties, Nova Scotia; Geological Survey of Canada, Memoir 245, 86 p.
- Williams, G. L., Fyffe, L. R., Wardle, R. J., Colman-Sadd, S. P. and Boehner, R. C. (eds.)  
1986: Lexicon of Canadian Stratigraphy, Volume VI, Atlantic Region; Canadian Society of Petroleum Geologists, Calgary, Alberta, Canada, 572 p.
- Williams, M. Y.  
1914: Arisaig-Antigonish district, Nova Scotia; Geological Survey of Canada, Memoir 60.
- Wright, J. D.  
1969: Clay exploration in the Musquodoboit Valley, Halifax County, Nova Scotia; Nova Scotia Department of Mines, Open File Report 091.