

Appendix 3

Minerals and Energy Branch Digital Geoscience Data for Sale

<u>DIGITAL COLLECTIONS</u>	<u>FORMAT</u>	<u>SIZE/MEDIA</u>	<u>PRICE</u>
DC 001. Complete set of all Nova Scotia Department of Natural Resources digital geoscience data (except digital products DP 001a, DP 001b and the plot files from DP 008), version 1, 1997	E00, DXF/DBF, TIFF	478 Mb, 1 CD-ROM	\$215.00
<u>MAPS</u>	<u>FORMAT</u>	<u>SIZE/MEDIA</u>	<u>PRICE</u>
D94-08. Geological Map of Bridgetown, Nova Scotia [21A/14], [1:50 000], version 1, 1997, compiled by M. A. MacDonald and L. J. Ham, 1994 (line work only, no point data)	E00	360 Kb, 1 disk	\$ 5.00
	DXF/DBF	587 Kb, 1 disk	\$ 5.00
D94-07. Geological Map of Digby, Nova Scotia [21A/12], 1:50 000, version 1, 1997, compiled by L. J. Ham, 1994 (line work only, no point data)	E00	373 Kb, 1 disk	\$ 5.00
	DXF/DBF	493 Kb, 1 disk	\$ 5.00
D94-04. Geological Map of Weymouth, Nova Scotia [21A/05], version 1, 1997, compiled by M. A. MacDonald and L. J. Ham, 1994, scale 1:50 000 (line work only, no point data)	E00	106 Kb, 1 disk	\$ 5.00
	DXF/DBF	200 Kb, 1 disk	\$ 5.00
D94-03. Geological Map of Wentworth Lake, Nova Scotia [21A/04 and parts of 20P/13], version 1, 1997, compiled by L. J. Ham and M. A. MacDonald, 1994, scale 1:50 000 (line work only, no point data)	E00	156 Kb, 1 disk	\$ 5.00
	DXF/DBF	243 Kb, 1 disk	\$ 5.00
D94-02. Geological Map of Lake Rossignol, Nova Scotia [21A/03 West], version 1, 1997, compiled by M. C. Corey and R. J. Horne, 1994, scale 1:50 000 (line work only, no point data)	E00	76 Kb, 1 disk	\$ 5.00
	DXF/DBF	88 Kb, 1 disk	\$ 5.00
D94-01. Geological Map of the South Mountain Batholith, Western Nova Scotia [parts of 11D and 21A], version 1, 1997, compiled by M. A. MacDonald, 1994, scale 1:250 000 (line work only, no point data)	E00	1.5 Mb, 1 disk	\$ 5.00
	DXF/DBF	1.6 Mb, 1 disk	\$ 5.00
D92-03. Surficial Geology Map of the Province of Nova Scotia, version 1, 1997, compiled by R. R. Stea, H. Conley and Y. Brown, 1992, scale 1:500 000.	E00	20 Mb, 3 disks	\$15.00
	DXF/DBF	22 Mb, 2 disks	\$10.00

<u>DIGITAL COLLECTIONS</u>	<u>FORMAT</u>	<u>SIZE/MEDIA</u>	<u>PRICE</u>
D90-14. Cumberland Basin Geology Map Tatamagouche and Malagash, Cumberland, Colchester and Pictou Counties, Nova Scotia [11E/11 and 11E/14 south], version 1, 1997, compiled by R. J. Ryan and R. C. Boehner, 1990, scale 1:50 000 (line work only, no point data)	E00	400 Kb, 1 disk	\$ 5.00
	DXF/DBF	458 Kb, 1 disk	\$ 5.00
D90-13. Cumberland Basin Geology Map Oxford and Pugwash, Cumberland County, Nova Scotia [11E/12 and 11E/13], version 1, 1997, compiled by R. J. Ryan and R. C. Boehner, 1990, scale 1:50 000 (line work only, no point data)	E00	600 Kb, 1 disk	\$ 5.00
	DXF/DBF	763 Kb, 1 disk	\$ 5.00
D90-12. Cumberland Basin Geology Map Amherst, Springhill and Parrsboro, Cumberland County, Nova Scotia [21H/08, 21H/09 and 21H/10], version 1, 1997, compiled by R. J. Ryan, R. C. Boehner, A. J. Deal and J. H. Calder, 1990, scale 1:50 000 (line work only, no point data)	E00	500 Kb, 1 disk	\$ 5.00
	DXF/DBF	600 Kb, 1 disk	\$ 5.00
D90-11. Cumberland Basin Geology Map, Apple River and Cape Chignecto, Cumberland County, Nova Scotia [21H/07 and 21H/10], version 1, 1997, compiled by R. J. Ryan and R. C. Boehner, 1990, 1:50 000 (line work only, no point data)	E00	300 Kb, 1 disk	\$ 5.00
	DXF/DBF	408 Kb, 1 disk	\$ 5.00
D86-02. Geological Map of the Windsor Area, Nova Scotia [21A/16 north and 21H/01 south], version 1, 1997, compiled by R. G. Moore and S. A. Ferguson, 1986, 1:25 000 (line work only, no point data)	E00	864 Kb, 1 disk	\$ 5.00
	DXF/DBF	832 Kb, 1 disk	\$ 5.00
D86-01. Geological Map of the Sydney Basin-Cape Breton, Nova Scotia [11K/01, 11K/08 and 11J/04], version 1, 1997, compiled by R. C. Boehner and P. S. Giles, 1986, scale 1:50 000 (line work only, no point data)	E00	1.2 Mb, 1 disk	\$ 5.00
	DXF/DBF	1.6 Mb, 1 disk	\$ 5.00
D85-02. Geology of Loch Lomond Basin and Glengarry Half Graben, Nova Scotia [11F/15 east and 11F/16 west], version 1, 1997, compiled by R. C. Boehner and G. Prime, 1985, scale 1:50 000 (line work only, no point data)	E00	500 Kb, 1 disk	\$ 5.00
	DXF/DBF	610 Kb, 1 disk	\$ 5.00
D85-01. Industrial Mineral Commodities Map of the Province of Nova Scotia, version 1, 1997, compiled by J. H. Fowler, 1985, scale 1:500 000.	E00	200 Kb, 1 disk	\$ 5.00
	DXF/DBF	200 Kb, 1 disk	\$ 5.00
D84-02. Geological Map of the Boisdale Peninsula, Central Cape Breton Island, Cape Breton County, Nova Scotia [parts of 11F/15, 11F/16, 11K/01 and 11K/02], version 1, 1997, compiled by S. M. Barr and J. R. D. Setter, 1984, scale 1:100 000 (line work only, no point data)	E00	258 Kb, 1 disk	\$ 5.00
	DXF/DBF	371 Kb, 1 disk	\$ 5.00

<u>DIGITAL COLLECTIONS</u>	<u>FORMAT</u>	<u>SIZE/MEDIA</u>	<u>PRICE</u>
D83-05. Metallogenic Map of Nova Scotia , version 1, 1997, compiled by A. K. Chatterjee, 1983, scale 1:500 000 (includes the inset map Metallogenic Associations and Domains of Silver , scale 1:1 000 000).	E00	4 Mb, 1 disk	\$ 5.00
	DXF/DBF	6 Mb, 1 disk	\$ 5.00
D83-01. Geological Map of the Hantsport Area, Nova Scotia [21H/01] , version 1, 1997, compiled by S. A. Ferguson, 1983, scale 1:25 000 (line work only, no point data)	E00	459 Kb, 1 disk	\$ 5.00
	DXF/DBF	609 Kb, 1 disk	\$ 5.00
D82-09. Geological Map of the Cobequid Highlands-Colchester, Cumberland and Pictou Counties, Nova Scotia, sheet 4 of 4 [11E/06, 11E/07 west and 11E/10 west] , version 1, 1997, compiled by H. V. Donohoe Jr. and P. I. Wallace, 1982, scale 1:50 000 (line work only, no point data)	E00	600 Kb, 1 disk	\$ 5.00
	DXF/DBF	649 Kb, 1 disk	\$ 5.00
D82-08. Geological Map of the Cobequid Highlands-Colchester, Cumberland and Pictou Counties, Nova Scotia, sheet 3 of 4 [11E/05 and 11E/12] , version 1, 1997, compiled by H. V. Donohoe Jr. and P. I. Wallace, 1982, scale 1:50 000 (line work only, no point data)	E00	500 Kb, 1 disk	\$ 5.00
	DXF/DBF	690 Kb, 1 disk	\$ 5.00
D82-07. Geological Map of the Cobequid Highlands-Colchester, Cumberland and Pictou Counties, Nova Scotia, sheet 2 of 4 [21H/08 and 21H/09] , version 1, 1997, compiled by H. V. Donohoe Jr. and P. I. Wallace, 1982, scale 1:50 000 (line work only, no point data)	E00	600 Kb, 1 disk	\$ 5.00
	DXF/DBF	650 Kb, 1 disk	\$ 5.00
D82-06. Geological Map of the Cobequid Highlands-Colchester, Cumberland and Pictou Counties, Nova Scotia, sheet 1 of 4 [21H/07] , version 1, 1997, compiled by H. V. Donohoe Jr. and P. I. Wallace, 1982, scale 1:50 000 (line work only, no point data)	E00	400 Kb, 1 disk	\$ 5.00
	DXF/DBF	391 Kb, 1 disk	\$ 5.00
D82-05. Geology Map of the Northern Antigonish Highlands, Nova Scotia [11E/09, 11E/16, 11F/12 and 11F/13] , version 1, 1997, compiled by J. B. Murphy, J. D. Keppie and A. H. Hynes, 1991, scale 1:50 000 (line work only, no point data)	E00	38 Kb, 1 disk	\$ 5.00
	DXF/DBF	38 Kb, 1 disk	\$ 5.00
D82-04. Geological Map of the Shubenacadie and Musquodoboit Basins, Central Nova Scotia [11D/13, 11D/14, 11E/02 west, 11E/04 east and 11E/03] , version 1, 1997, compiled by P. S. Giles and R. C. Boehner, 1982, scale 1:50 000 (line work only, no point data)	E00	1 Mb, 1 disk	\$ 5.00
	DXF/DBF	1.4 Mb, 1 disk	\$ 5.00

<u>DIGITAL COLLECTIONS</u>	<u>FORMAT</u>	<u>SIZE/MEDIA</u>	<u>PRICE</u>
D82-03. Geological Map of the Eureka Area, Central Nova Scotia [11E/07D and 11E/10A], version 1, 1997, compiled by P. S. Giles, 1982, scale 1:50 000 (line work only, no point data)	E00	200 Kb, 1 disk	\$ 5.00
	DXF/DBF	195 Kb, 1 disk	\$ 5.00
D82-02. Geological Map of the Antigonish Basin, Nova Scotia [parts of 11E/09, 11F/12 and 11F/13], version 1, 1997, compiled by R. C. Boehner and P. S. Giles, 1982, scale 1:50 000 (line work only, no point data)	E00	691 Kb, 1 disk	\$ 5.00
	DXF/DBF	920 Kb, 1 disk	\$ 5.00
D79-03. Bouguer Gravity Anomaly Map of Nova Scotia, version 1, 1997, compiled by J. D. Keppie, 1979, scale 1:500 000.	E00	1 Mb, 1 disk	\$ 5.00
	DXF/DBF	2 Mb, 1 disk	\$ 5.00
D79-01S. Structural Map of Nova Scotia, version 1, 1997, compiled by J. D. Keppie, 1979, scale 1:1 000 000 (insert from Map 79-1)	E00	1 Mb, 1 disk	\$ 5.00
	DXF/DBF	1.5 Mb, 1 disk	\$ 5.00
D79-01M. Metamorphic Map of Nova Scotia, version 1, 1997, compiled by J. D. Keppie, 1979, scale 1:1 000 000 (insert from Map 79-1)	E00	700 Kb, 1 disk	\$ 5.00
	DXF/DBF	1 Mb, 1 disk	\$ 5.00
D79-01. Geological Map of the Province of Nova Scotia, version 1, 1997, compiled by J. D. Keppie, 1979, scale 1:500 000 (does not include the 1:1 000 000 structural and metamorphic inset maps).	E00	5 Mb, 1 disk	\$ 5.00
	DXF/DBF	6 Mb, 1 disk	\$ 5.00
D1752a. Geological map of northern Cape Breton Island, Nova Scotia [11K/02, 11K/03, 11K/06 to 11K/16, 11N/01, 11N/02] [1:100 000], version 1, 1997, compiled by S. M. Barr, R. A. Jamieson, R. P. Raeside, 1992, Geological Survey of Canada, Map 1752a.	E00	2 Mb, 1 disk	\$ 5.00
	DXF/DBF	2 Mb, 1 disk	\$ 5.00
DP 001a. Mineral occurrence query program, version 2, 1997. (This is a viewing and searching program with instructional manual (40 pages) for use with DP 001b Mineral Occurrence Database)	EXE	3 Mb, 2 disks	\$10.00
DP 001b. Mineral occurrence database, version 3, 1998. This database can be used with DP 001a, the Mineral Occurrence Query Program.	DBF	7 Mb, 2 disks	\$10.00
DP 002. Mineral occurrence database, version 3, 1998.	E00	4 Mb, 1 disk	\$ 5.00
	DXF/DBF	7 Mb, 1 disks	\$5.00
DP 003. Drillholes database, version 1, 1996.	E00	55 Mb, 3 disks	\$15.00
	DXF/DBF	16 Mb, 2 disks	\$10.00
DP 004. Regional geochemical datasets (biogeochemical, lake and stream sediment, lake and stream water, soil, rock and till geochemical surveys), version 1, 1996.	E00	24 Mb, 3 disks	\$15.00
	DXF/DBF	19 Mb, 2 disks	\$10.00

<u>DIGITAL COLLECTIONS</u>	<u>FORMAT</u>	<u>SIZE/MEDIA</u>	<u>PRICE</u>
DP 009. Claim reference map grid, Nova Scotia, version 1, 1997.	E00	1.4 Kb, 1 disk	\$ 5.00
	DXF/DBF	1.2 Kb, 1 disk	\$ 5.00
DP 010. Abandoned mine openings database, version 1, 1997.	E00	3.8 Mb, 1 disk	\$ 5.00
	DXF/DBF	3 Mb, 1 disk	\$ 5.00
DP 005. Airborne gamma ray spectrometric survey images, elemental and elemental ratio images covering 11D, 11E, 11F, 11G, 11J, 11K, 11N, 20O, 20P, 21A, 21B and 21H), version 1, 1997 (250 m x 250 m resolution).	TIFF	14 Mb, 4 disks	\$20.00
DP 006. Airborne magnetometer survey images, total field and vertical gradient images covering 11D, 11E, 11F, 11G, 11J, 11K, 11N, 20O, 20P, 21A, 21B and 21H, version 1, 1997 (250 m x 250 m resolution).	TIFF	8 Mb, 2 disks	\$10.00
DP 007. Airborne synthetic aperture radar (SAR) images covering 11D, 11E/01, 11E/02, 11E/03 and 11E/04, version 1, 1997, (6 images, 25 m x 25 m resolution).	TIFF	59 Mb, CD-ROM	\$20.00
DP 008. Meguma Terrane enhanced second vertical derivative aeromagnetic digital data, version 1, 1997. Includes:	TIFF	573 Mb, CD-ROM	\$20.00
(a) images in TIFF format of the aeromagnetic data from OFM's 97-7 to 97-28 and 97-30 to 97-33, without topographic base information or legends;			
(b) contractor's report on the processing methodology;			
(c) plot files in HP-GL/2 format of OFM's 97-7 to 97-28 and 97-30 to 97-33.			