

Salt and Potash Resources in Nova Scotia

by R.C. Boehner



**Department of
Mines and Energy**

a joint project with the
**Canada Department of
Regional Economic Expansion**

Bulletin 5



Bulletin No.5

SALT AND POTASH RESOURCES IN NOVA SCOTIA

by

R. C. Boehner

Honourable Joel R. Matheson, Q.C., Minister

John J. Laffin, P. Eng., FEIC, Deputy Minister


**Halifax, Nova Scotia
1986**

BANDED
ROCK
SALT

INTERBEDDED
HALITE
and
ANHYDRITE
(enterolithic)
folds

ROOF
WALL

Banded Anhydritic Halite



Pugwash Mine

Cumberland County, Nova Scotia
Highly contorted (enterolithic folding) anhydrite at the interbedded contact between major steeply dipping rock salt and anhydrite units.




TABLE OF CONTENTS

| | Page |
|--|------|
| ABSTRACT | 1 |
| ACKNOWLEDGMENTS | 2 |
| CHAPTER 1. INTRODUCTION | 3 |
| Historical Background | 3 |
| Properties, Occurrence and Use of Salt | 6 |
| General Geology of Nova Scotia | 7 |
| General Geology of Salt in Nova Scotia | 7 |
| History of Potash Exploration in Nova Scotia | 16 |
| Distribution of Salt Deposits and Occurrences | 19 |
| CHAPTER 2. HANTS-COLCHESTER AREA | 21 |
| Introduction | 21 |
| General Windsor Group Stratigraphy | 21 |
| Beaver Brook Deposit | 24 |
| Clarksville Occurrence | 25 |
| Falmouth Occurrence | 31 |
| Kennetcook Occurrence | 35 |
| Shubenacadie-Stewiacke Deposit | 41 |
| Stanley Occurrence | 47 |
| Summerville Occurrence | 56 |
| Upper Walton River Occurrence | 59 |
| Walton Occurrence | 63 |
| Cheverie | 66 |
| CHAPTER 3. MAHONE BAY AREA | 69 |
| CHAPTER 4. CUMBERLAND AREA | 71 |
| Introduction | 71 |
| General Geology of the Cumberland Area | 71 |
| Beckwith Occurrence | 74 |
| Malagash Deposit | 75 |
| Nappan Deposit | 98 |
| Oxford Deposit | 106 |
| Pugwash Deposit | 112 |
| Canfield Creek | 126 |
| Head of Wallace Bay (Simpson Lake) | 126 |
| Malagash Anticline Between Wallace River and Oxford | 126 |
| Springhill Area, Black River Diapir | 128 |
| Roslin Occurrence | 129 |
| CHAPTER 5. PICTOU AREA | 139 |
| Introduction | 139 |
| Dunmaglass-Knoydart | 139 |
| Kemptown | 142 |
| Bridgeville | 142 |
| Salt Springs, Pictou County | 145 |
| CHAPTER 6. ANTIGONISH-MABOU AREA | 149 |
| Introduction | 149 |
| General Geology | 149 |
| Antigonish Deposit | 155 |
| James River Deposit | 158 |
| Mabou Deposit | 165 |
| Ohio Occurrence | 175 |
| Pomquet River Occurrence | 178 |
| Southside Harbour Deposit | 183 |
| CHAPTER 7. CANSO-BRAS D'OR AREA | 193 |
| Introduction | 193 |
| General Geology and Carboniferous Stratigraphy | 193 |
| Kingsville Deposit | 196 |
| McIntyre Lake Deposit | 197 |
| Malagawatch Deposit | 211 |
| Orangedale Deposit | 212 |
| Port Richmond Deposit | 213 |
| St. Peters Deposit | 221 |
| Seaview Occurrence | 225 |
| Recently Discovered Salt Deposits and Areas with Salt Indications in the Canso-Bras d'Or Area | 227 |

| | |
|---|-----|
| CHAPTER 8. SYDNEY BASIN AREA | 233 |
| Introduction | 233 |
| General Geology | 233 |
| Boularderie Deposit | 233 |
| East Bay Occurrence | 239 |
| CHAPTER 9. CHETICAMP-MARGAREE AREA | 243 |
| Lake O'Law (Northeast Margaree) Salt Spring | 243 |
| CHAPTER 10. CAPE NORTH AREA | 245 |
| SELECTED BIBLIOGRAPHY | 247 |
| APPENDIX 1. Drillhole Data Summary Tables | 267 |
| APPENDIX 2. Chemical Analyses: Salt Rocks and Salt Brines | 277 |
| APPENDIX 3. Salt Production in Nova Scotia | 309 |
| APPENDIX 4. Index Map of Gravity Survey Coverage in Nova Scotia..... | 313 |
| APPENDIX 5. A Photographic History of Salt and Potash Exploration and Mining in Nova Scotia | 317 |

LIST OF TABLES

| | | |
|-------------|---|------------|
| Table 1-1. | Nova Scotia Department of Mines and Energy salt files and sub files | 5 |
| Table 1-2. | Nova Scotia salt deposits and occurrences | 20 |
| Table 2-1. | Chemical analyses, NSDM 4735 (SD-2) | 29 |
| Table 2-2. | Chemical analyses, evaporated brine, Falmouth occurrence | 35 |
| Table 2-3. | Chemical analyses, Kennetcook area salt springs | 41 |
| Table 2-4. | Bromine analyses, Anthony No. 3, Kennetcook occurrence | 41 |
| Table 2-5. | Summary of salt grades and intervals from drillholes 153-1 and SB-1, Shubenacadie-Stewiacke deposit | 53 |
| Table 2-6. | Chemical analyses, Otter Brook Spring, Shubenacadie-Stewiacke deposit | 54 |
| Table 2-7. | Salt spring analyses, Walton area, Hants County | 65 |
| Table 2-8. | Stratigraphic section, Cheverie area | 68 |
| Table 2-9. | Chemical analyses of Cheverie brine | 68 |
| Table 4-1. | Analyses of salt brines, South Wallace and Malagash | 98 |
| Table 4-2. | Analyses of upper 17 feet of Malagash Mine salt body as sampled by A. O. Hayes in 1918 | Appendix 2 |
| Table 4-3. | Analyses of samples representing channel sampling foot by foot, normal to dip of strata | Appendix 2 |
| Table 4-4. | Composite average of Series A samples | Appendix 2 |
| Table 4-5. | Analyses of salt samples, Amherst No. 1, Nappan deposit | 107 |
| Table 4-6. | Mineral assemblage by conventional combination, Amherst No. 1 | 107 |
| Table 4-7. | Salt spring analyses, Oxford area, Cumberland County | 112 |
| Table 4-8. | Chemical analyses, potash sections in Pugwash Mine | Appendix 2 |
| Table 4-9. | Chemical analyses, potash in CRSC-58 and CRSC-59, Pugwash, Nova Scotia .. | Appendix 2 |
| Table 4-10. | Drill cutting sample analyses, C-96-V, Pugwash area | 125 |
| Table 4-11. | Chemical analyses of salt springs in the Hartford-Hansford areas, Cumberland County | 128 |
| Table 4-12. | Chemical analyses of Salt Springs, Springhill, Cumberland County | 129 |
| Table 4-13. | Chemical analyses of Roslin Spring, Cumberland County | 133 |
| Table 5-1. | Chemical analyses of Kemptown salt spring | 142 |
| Table 5-2. | Analyses of the salt springs in the Salt Springs area | 145 |
| Table 5-3. | Analyses of the spring in Salt Springs, Pictou County | 145 |
| Table 6-1. | Analyses of salt springs, Antigonish deposit | 161 |
| Table 6-2. | Chemical analyses of salt samples from AP-1-74, James River deposit | 166 |
| Table 6-3. | Analyses of Glendyer spring, Mabou deposit, Inverness County | 175 |
| Table 6-4. | Chemical analyses, drill cuttings Port Hood No. 1 | 176 |
| Table 6-5. | Analyses of drill core samples, Port Hood No. 1 and cutting samples from Port Hood No. 1 and Lion Oil Mary No. 1 | 176 |

| | | |
|-------------|--|------------|
| Table 6-6. | Analyses of salt springs, Pomquet River area, Antigonish County | 184 |
| Table 6-7. | Chemical analyses, NSDME 1708, Southside Harbour, Antigonish County | 191 |
| Table 6-8. | Chemical analyses, Novasel-1 (NSDM 4862), Southside Harbour, Antigonish County | 192 |
| Table 7-1. | Rock density determinations, NCO Canso Strat No. 1, McIntyre Lake deposit, Inverness County | 212 |
| Table 7-2. | Chemical analyses, NCO Canso Strat No. 1, McIntyre Lake deposit, Inverness County | 213 |
| Table 7-3. | Chemical analyses, NCO Canso Strat No. 1, McIntyre Lake deposit, Inverness County | 214 |
| Table 7-4. | Summary of assay results, Chevron Standard Ltd. drilling at Malagawatch and St. Patricks Channel | 217 |
| Table 7-5. | Analyses of composite salt samples, drillhole PR-1, Port Richmond deposit | Appendix 2 |
| Table 7-6. | Analyses of composite salt samples (salt core basis) drillhole PR-2, Port Richmond deposit | Appendix 2 |
| Table 7-7. | Analyses of composite salt samples (salt brine basis) drillhole PR-2, Port Richmond deposit | Appendix 2 |
| Table 7-8. | Analyses of composite samples PR-3, calculated on salt core basis, Port Richmond deposit | Appendix 2 |
| Table 7-9. | Analyses of salt core samples, drillhole PM-1, Port Richmond deposit ... | Appendix 2 |
| Table 7-10. | Analyses of composite samples, calculated on brine basis, from drillhole PR-3, Port Richmond deposit | Appendix 2 |
| Table 7-11. | Chemical analysea, Bucklaw spring, Victoria County | 228 |
| Table 7-12. | Chemical analyses, drillhole NSDM 478, Bucklaw, Victoria County | 229 |
| Table 7-13. | Chemical analyses, Whycocomagh spring, Inverness County | 230 |
| Table 7-14. | Chemical analyses, Baddeck springs, Victoria County | 230 |
| Table 7-15. | Chemical analyses, Orangedale spring, Inverness County | 231 |
| Table 9-1. | Chemical analyses, Lake O'Law spring, Inverness County | 243 |

LIST OF FIGURES

| | | |
|-------------|---|----|
| Figure 1-1. | General geology and location map, Nova Scotia | 4 |
| Figure 1-2. | Summary of annual salt production in Nova Scotia between 1920 and 1980 | 6 |
| Figure 1-3. | General stratigraphy and tectonic events of Nova Scotia | 7 |
| Figure 1-4. | Windsor Group outcrop distribution, salt areas and deposits in Nova Scotia .. | 8 |
| Figure 1-5. | Upper Paleozoic stratigraphy and evaporites in Atlantic Canada | 9 |
| Figure 1-6. | Lithostratigraphy and major cycles of the Windsor Group in Nova Scotia | 10 |
| Figure 1-7. | Location map for major cycle sections in Nova Scotia | 10 |
| Figure 1-8. | Schematic representation of some Windsor Group facies relationships | 11 |
| Figure 1-9. | Schematic cross-section through the Malagash Anticline illustrating structural complexity of the diapir and settings for potash salts | 13 |

| | |
|---|-----------|
| Figure 1-10. New salt and potash resources map | in pocket |
| Figure 1-11. Summary of evaporite deposit classification in Nova Scotia | 15 |
| Figure 1-12. Distribution of salt deposit structural types in Nova Scotia | 15 |
| Figure 1-13. Comparative stratigraphy of selected Windsor Group evaporite basins in Nova Scotia and New Brunswick | 18 |
| Figure 2-1. Windsor Group stratigraphy and correlation, Hants-Colchester area | 22 |
| Figure 2-2. Structural zonation of the Windsor Group in the Hants-Colchester area | 24 |
| Figure 2-3. Geological map and Bouguer gravity anomaly map, Beaver Brook deposit, Colchester County | 26-7 |
| Figure 2-4. Drillhole profiles, Beaver Brook deposit, Colchester County | 28 |
| Figure 2-5. Bouguer gravity and geological cross-section, Beaver Brook deposit | 29 |
| Figure 2-6. Geology in the vicinity of the Clarksville occurrence, Hants County, Nova Scotia | 30 |
| Figure 2-7. Drillhole profiles, Clarksville occurrence, Hants County | 31 |
| Figure 2-8. Bouguer gravity anomaly map in the vicinity of the Clarksville, Kennetcook, Stanley and Upper Walton River occurrences | 32 |
| Figure 2-9. Bouguer gravity and geological cross-section, Clarksville occurrence, Hants County | 33 |
| Figure 2-10. Geological map, Falmouth occurrence, Hants County | 34 |
| Figure 2-11. Stratigraphic column, western Minas Sub-basin | 35 |
| Figure 2-12. Drillhole profiles, Mount Denaon, Hants County, Nova Scotia | 35 |
| Figure 2-13. Bouguer gravity anomaly map, Falmouth, Summerville and Walton occurrences, Hants County | 36 |
| Figure 2-14. Geology in the vicinity of the Kennetcook occurrence, Hants County | 38 |
| Figure 2-15. Drillhole profiles, Kennetcook occurrence | 39 |
| Figure 2-16. Bouger gravity and geological cross-section, Kennetcook occurrence, Hants County | 40 |
| Figure 2-17. Geological map, Shubenacadie-Stewiacke deposit | 42 |
| Figure 2-18. Stratigraphic column, Shubenacadie-Stewiacke deposit | 44 |
| Figure 2-19. Generalized correlation of drillholes intersecting the Shubenacadie-Stewiacke salt deposit | 45 |
| Figure 2-20. Drillhole profiles and correlation, 153-2, 153-1, SB-1, 153-3 and 153-4, Shubenacadie-Stewiacke deposit | 48-9 |
| Figure 2-21. Detailed profile of salt sections in drillhole SB-1, Shubenacadie-Stewiacke deposit | 50 |
| Figure 2-22. Detailed profile of salt sections in drillhole 153-1, Shubenacadie-Stewiacke deposit | 51 |
| Figure 2-23. Structural contour map, Stewiacke Formation salt, Shubenacadie-Stewiacke deposit | 52 |
| Figure 2-24. Bouguer gravity anomaly map, Shubenacadie-Stewiacke deposit | 52 |
| Figure 2-25. Schematic geological and Bouguer gravity cross-sections, Shubenacadie-Stewiacke deposit, Hants and Colchester Counties | 53 |
| Figure 2-26. Geology in the vicinity of the Stanley occurrence, Hants County | 55 |

| | |
|--|-------|
| Figure 2-27. Drillhole profiles, Stanley occurrence | 56 |
| Figure 2-28. Bouguer gravity anomaly map and cross-section, Stanley occurrence | 57 |
| Figure 2-29. Geological map of the Summerville occurrence, Hants County | 58 |
| Figure 2-30. Drillhole profiles, Summerville occurrence, Hants County | 59 |
| Figure 2-31. Geology in the vicinity of the Upper Walton River occurrence, Hants County .. | 60 |
| Figure 2-32. Drillhole profiles, Upper Walton River occurrence | 61 |
| Figure 2-33. Multiple structural repetition of a single carbonate unit in drillhole GM-5, Upper Walton River occurrence | 62 |
| Figure 2-34. Schematic interpretation of multiple repetition in GM-5, Upper Walton River occurrence | 63 |
| Figure 2-35. Geology in the vicinity of the Walton occurrence, Hants County | 64 |
| Figure 2-36. Geology of the Cheverie area, Hants County, Nova Scotia | 66 |
| Figure 2-37. Drillhole profile, Cheverie No. 1, near Cheverie | 67 |
| Figure 3-1. Geology of the Mahone Bay area | 69 |
| Figure 4-1. Bouguer gravity anomaly map and salt diapira, Cumberland area | 73 |
| Figure 4-2. Geology in the vicinity of the Beckwith occurrence, Cumberland County, Nova Scotia | 76-7 |
| Figure 4-3. Drillhole profiles, Beckwith occurrence, with legend for Cumberland drillhole profiles | 78 |
| Figure 4-4. Bouguer gravity and geological map with accompanying cross-section, Beckwith occurrence | 79 |
| Figure 4-5. Geology compilation map, Wallace-Malagash area, Cumberland County | 80 |
| Figure 4-6. Structure contour map on the base of the Lucas seam with accompanying sections, Malagash Mine | 81 |
| Figure 4-7. Bouguer gravity and geological cross-sections, Malagash deposit | 85 |
| Figure 4-8. Bouguer gravity anomaly map, Wallace-Malagash area, Cumberland County | 86 |
| Figure 4-9. Total intensity magnetometer survey, Wallace-Malagash area | 87 |
| Figure 4-10. Drillhole profiles Malagash Nos. 1 and 2, Malagash deposit | 88 |
| Figure 4-11. Drillhole profiles, Wallace Nos. 1 and 2, Malagash deposit | 90-1 |
| Figure 4-12. Geological map and cross-section, Lazy Bay | 92 |
| Figure 4-13. Drillhole profiles, Anschutz, Wallace Station No. 1 and Pacific Fox Harbour C-96-V, Cumberland County | 93 |
| Figure 4-14. Malagash Mine plan, Lucas seam, west workings | 94 |
| Figure 4-15. Malagash Mine plan, Lucas seam, east workings | 95 |
| Figure 4-16. Drillhole location map, Malagash Mine | 96 |
| Figure 4-17. Reflection seismic survey showing structural contours on a Windsor Group horizon, Malagash-Wallace area | 97 |
| Figure 4-18. Geology in the vicinity of the Nappan deposit, Minudie Anticline | 100-1 |
| Figure 4-19. Lime-kiln Brook area, geological map and cross-section | 102 |
| Figure 4-20. Drillhole profiles, Nappan deposit, Cumberland County | 104 |

| | |
|---|-------|
| Figure 4-21. Bouguer gravity and geological profile, Nappan deposit | 105 |
| Figure 4-22. Drillhole profile, Gulf et al., Hastings No. 1, Cumberland County | 106 |
| Figure 4-23. Bouguer gravity anomaly map, Nappan deposit | 107 |
| Figure 4-24. Bromine content of halite in Sunoco No. 1A, Nappan deposit | 108 |
| Figure 4-25. Geology in the vicinity of the Oxford deposit | 109 |
| Figure 4-26. Drillhole profiles, Oxford deposit | 111 |
| Figure 4-27. Bouguer gravity and geological cross-section, Oxford deposit | 112 |
| Figure 4-28. Bouguer gravity anomaly map, Oxford deposit | 113 |
| Figure 4-29. Geology in the vicinity of the Pugwash deposit, Canfield Creek and Simpson Lake, Cumberland County | 114 |
| Figure 4-30. Simplified stratigraphy of the sequence exposed in the Pugwash mine | 115 |
| Figure 4-31. Stratigraphic column of the lower part of the section exposed in the Pugwash Mine | 116 |
| Figure 4-32. Simplified geological map and mine plan, 630 foot level, Pugwash Mine, Cumberland County | 118 |
| Figure 4-33. Geological cross-sections A-A ₁ , and B-B ₁ , Pugwash Mine | 119 |
| Figure 4-34. Drillhole profiles, Pugwash deposit, Cumberland County | 120 |
| Figure 4-35. Update mine plan, 630 foot level, Pugwash Mine | 121 |
| Figure 4-36. Mine plan, 830 foot level, Pugwash Mine | 122 |
| Figure 4-37. Bouguer gravity anomaly map, Pugwash deposit | 123 |
| Figure 4-38. Geological, geochemical and geophysical profiles, CRSC #58 and #59, Pugwash deposit | 124 |
| Figure 4-39. Horizontal bromine profiles of stratigraphic units in drill core and mine workings, Pugwash Mine | 125 |
| Figure 4-40. Stratigraphic bromine profile of salt units exposed in the Pugwash Mine | 126 |
| Figure 4-41. Bouguer gravity anomaly map, Canfield Creek, Cumberland County | 127 |
| Figure 4-42. Geology in the vicinity of Canfield Creek, Cumberland County | 128 |
| Figure 4-43. Geology in the vicinity of Hartford, Cumberland County | 128 |
| Figure 4-44. Geology in the vicinity of Black River near Springhill, Cumberland County | 130 |
| Figure 4-45. Geological cross-section and legend to accompany Black River area geology map, Figure 4-44, Cumberland County | 131 |
| Figure 4-46. Geology in the vicinity of the Roslin occurrence, Cumberland County | 133 |
| Figure 4-47. Drillhole profile, Roslin No. 1 (NSDM 4307), Roslin occurrence, Cumberland County | 134 |
| Figure 4-48. Geological map and Bouguer gravity anomaly map with accompanying cross-section, Roslin occurrence, Cumberland County | 135 |
| Figure 4-49. Magnetometer survey, Roslin area, Cumberland County | 136 |
| Figure 4-50. Preliminary seismic survey shot points location map, Roslin occurrence, Cumberland County | 137 |
| Figure 5-1. Geological map, Dunmaglass, Antigonish County | 140-1 |

| | |
|--|-------|
| Figure 5-2. Correlation of Windsor Group strata in hole HB Fina F-25, with the Windsor Group of the Shubenacadie Basin | 143 |
| Figure 5-3. Geological map, Kemptown area, Colchester County | 144 |
| Figure 5-4. Geological map, Bridgewater area, Pictou County | 146-7 |
| Figure 6-1. Geological map of the Antigonish Basin showing salt deposits geological map areas | 150 |
| Figure 6-2. Horton Group stratigraphy and general correlation, Antigonish-Mabou area, Nova Scotia | 151 |
| Figure 6-3. Summary of Antigonish Basin stratigraphic nomenclature with approximate age correlation | 152 |
| Figure 6-4. Stratigraphic column for Antigonish Basin | 153 |
| Figure 6-5. Preliminary Windsor Group stratigraphic columns, Antigonish-Mabou area | 154 |
| Figure 6-6. Geological map and legend, Antigonish deposit | 156-7 |
| Figure 6-7. Drillhole profiles, Antigonish deposit | 159 |
| Figure 6-8. Bouguer gravity and geological cross-section, Antigonish deposit | 160 |
| Figure 6-9. Gravity anomaly and general geological map, Antigonish deposit | 160 |
| Figure 6-10. Geological map, James River deposit, Antigonish County | 162 |
| Figure 6-11. Drillhole profiles, James River deposit | 164 |
| Figure 6-12. Bouguer gravity and geological profiles, James River deposit | 165 |
| Figure 6-13. Bouguer gravity and general geological map, James River deposit | 165 |
| Figure 6-14. Geology in the vicinity of the Mabou deposit, Inverness County | 168-9 |
| Figure 6-15. Drillhole profiles, Mabou deposit | 170 |
| Figure 6-16. Gravity and geological cross-section, Mabou area, Inverness County | 171 |
| Figure 6-17. Schematic cross-section of the Mabou deposit | 173 |
| Figure 6-18. Bouguer gravity and general geology, Mabou area, Inverness County | 174 |
| Figure 6-19. Geological map, Ohio occurrence, Antigonish County | 177 |
| Figure 6-20. Drillhole profiles, Ohio occurrence, Antigonish County | 179 |
| Figure 6-21. Geological cross-section, Ohio occurrence | 180 |
| Figure 6-22. Geological map, Pomquet River occurrence, Antigonish County | 181 |
| Figure 6-23. Drillhole profiles, Pomquet River occurrence, Antigonish County | 182 |
| Figure 6-24. Bouguer gravity anomaly and general geological map, Pomquet River occurrence, Antigonish County | 182 |
| Figure 6-25. Reflection seismic survey, Line 6, Pomquet River occurrence, Antigonish County | 183 |
| Figure 6-26. Geology in the vicinity of the Southside Harbour deposit, Antigonish County | 185 |
| Figure 6-27. Drillhole profiles, Southside Harbour deposit, Antigonish County | 186 |
| Figure 6-28. Geological and gravity cross-section, Southside Harbour deposit, Antigonish County | 188 |
| Figure 6-29. Residual gravity anomaly map, Southside Harbour deposit, Antigonish County | 189 |

| | |
|---|-------|
| Figure 6-30. Reflection seismic survey, Lines 7 and 8, Southside Harbour deposit, Antigonish County | 190 |
| Figure 6-31. Bromine profile, NSDM 1708, Southside Harbour deposit | 191 |
| Figure 7-1. Composite Bouguer gravity anomaly map, Canso-Bras d'Or area, Cape Breton Island | 194 |
| Figure 7-2. Geology in the vicinity of the Kingsville deposit, Inverness County | 198-9 |
| Figure 7-3. Drillhole profiles, Kingsville deposit, Inverness County | 200-2 |
| Figure 7-4. Geological and gravity cross-section, Kingsville deposit, Inverness County .. | 203 |
| Figure 7-5. Bouguer gravity anomaly map, Kingsville deposit, Inverness County | 203 |
| Figure 7-6. Geology in the vicinity of the McIntyre Lake and Port Richmond deposits, Inverness and Richmond Counties | 204-5 |
| Figure 7-7. Drillhole profile NCO Canso Strat No. 1, McIntyre Lake deposit, Richmond County | 207 |
| Figure 7-8. Drillhole profile NCO Canso Strat No. 2, McIntyre Lake deposit, Richmond County | 208 |
| Figure 7-9. Geological and Bouguer gravity cross-section, McIntyre Lake deposit, Inverness County | 209 |
| Figure 7-10. Stratigraphic and structural section C-C ₁ showing distribution of Lower (accrened) and Upper Windao strata, and potash occurrences (black dots) | 210 |
| Figure 7-11. Bouguer gravity anomaly map, McIntyre Lake and Port Richmond deposits | 211 |
| Figure 7-12. Geology in the vicinity of the Malagawatch, Eatmere and Orangedale deposits, Inverness County | 214-5 |
| Figure 7-13. Schematic summary of total depth and stratigraphic section penetrated in Chevron Standard Ltd. drilling at Malagawatch and St. Patrick's Channel | 216 |
| Figure 7-14. Bouguer gravity anomaly map, Orangedale deposit, Inverness County | 218 |
| Figure 7-15. Drillhole profiles DCPR-4 to -10, Port Richmond deposit, Richmond County | 219 |
| Figure 7-16. Drillhole profiles DCPR-1 to -3, PM-1 and CIL-1, Port Richmond deposit | 220 |
| Figure 7-17. Geological and Bouguer gravity cross-section, Port Richmond deposit, Richmond County | 221 |
| Figure 7-18. Geology in the vicinity of the St. Peters deposit and Seaview occurrence, Richmond County | 222-3 |
| Figure 7-19. Drillhole profiles, St. Peters Nos. 1 and 3 (2) and Seaview No. 2, St. Peters deposit and Seaview occurrence, Richmond County | 224 |
| Figure 7-20. Geological and Bouguer gravity cross-section, St. Peters deposit | 224 |
| Figure 7-21. Bouguer anomaly map, St. Peters-Seaview area, Richmond County | 225 |
| Figure 7-22. Residual gravity anomaly map, St. Peters-Seaview area, Richmond County | 226 |
| Figure 7-23. Geological and Bouguer gravity cross-section, Seaview occurrence | 227 |
| Figure 8-1. Geology in the vicinity of the East Bay occurrence, Cape Breton County | 234-5 |
| Figure 8-2. Correlation and stratigraphy of limestone units in the Sydney area, Cape Breton County | 236 |
| Figure 8-3. Geology in the vicinity of the Boularderie deposit, Victoria County | 237 |
| Figure 8-4. Drillhole profile NSDME Kempt Head 84-1, Boularderie deposit, Victoria County | 238 |

| | |
|---|-----|
| Figure B-5. Drillhole profiles, East Bay occurrence, Cape Breton County | 240 |
| Figure 8-6. Geological cross-section, East Bay occurrence, Cape Breton County | 241 |
| Figure 9-1. Gravity anomaly map, Margaree area, Cape Breton Island | 243 |
| Figure 9-2. Geology in the vicinity of the Lake O'Law salt spring | 244 |