

References

- Adams, G. C. 1988: Gypsum and anhydrite in Nova Scotia; Nova Scotia Department of Mines and Energy, Information Circular No. 16, 14 p.
- Adams, G. C. 1991: Gypsum and anhydrite in Nova Scotia; Nova Scotia Department of Mines and Energy, Economic Geology Series 91-1, 293 p.
- Akande, S. O. 1982: Genesis of lead and zinc mineralization at Gays River, Nova Scotia, Canada: A geologic, fluid inclusion and stable isotope study; unpublished Ph.D. thesis, Dalhousie University, 349 p.
- Akande, S. O. and Zentilli, M. 1984: Geologic, fluid inclusion, and stable isotopic studies of the Gays River lead zinc deposit, Nova Scotia, Canada; *Economic Geology*, v. 79, p. 1187-1211.
- Alger, F. and Jackson, C. T. 1828: A description of the mineralogy of a part of Nova Scotia; *American Journal of Science*, v. XIV.
- Allen, J. R. L. 1965: A review on the origin and characteristics of recent alluvial sediments; *Sedimentology*, v. 5, p. 89-191.
- Allen, J. R. L. 1966: On bedforms and paleocurrents; *Sedimentology*, v. 6, p. 153-190.
- Allen, J. R. L. 1970: Studies in fluvial sedimentation: a comparison of fining upward cycles; *Journal of Sedimentary Petrology*, v. 40, p. 298-323.
- Allen, J. R. L. 1971: Studies in fluvial sedimentation: a comparison of fining upward cyclothems, with special reference to coarse member interpretation; *Journal of Sedimentary Petrology*, v. 40, p. 298-323.
- Allen, J. R. L. 1983: Studies in fluvial sedimentology: bars, bar complexes, and sandstone sheets (low sinuosity braided streams) in the Brownstones, Welsh Borders; *Sedimentary Geology*, v. 33, p. 237-293.
- Allen, J. R. L. 1984: Sedimentary structures, their character and physical basis; unabridged one volume edition, *Developments in Sedimentology*, No. 30; Elsevier, Amsterdam, Oxford, New York, Tokyo, v. 1, 593 p., v. 2, 664 p.
- Ami, H. M. 1902: On the subdivisions of the Carboniferous system in eastern Canada, The Joggins Section; Nova Scotia Institute of the Sciences, Series 2, v. 3, p. 165-167.
- Anderle, J. P., Crosby, K. S. and Waugh, D. C. E. 1979: Potash at Salt Springs, New Brunswick; *Economic Geology*, v. 74, p. 389-396.
- Anderson, A. R. 1988: Diatomite in Nova Scotia; Nova Scotia Department of Mines and Energy, Information Circular No. 17, 11 p.
- Archer, A. A. 1965: Redbeds in the Upper Coal Measures of the western part of the South Wales Coalfield; *Bulletin of the Geological Survey of Great Britain*, v. 23, p. 57-64.
- Arne, D. C., Duddy, I. R. and Sangster, D. F. 1990: Thermochronological constraints on the timing of ore formation at the Gays River Pb-Zn deposit, Nova Scotia, Canada, from apatite fission track analysis; *Canadian Journal of Earth Sciences*, v. 27, p. 1013-1022.
- Athias, Y. C. 1972: Northern Nova Scotia seismic interpretation; Anschutz (Canada) Exploration Limited, unpublished report submitted to the Nova Scotia Department of Mines and Energy, 9 p.
- Aumento, F. 1964: Authigenic minerals and preliminary investigations of the evaporite deposit at Pugwash, Nova Scotia; Nova Scotia Research Foundation, Unpublished Report 13-64, 39 p.
- Baar, C. A. 1965: Bromine investigations on Eastern Canada salt deposits; in *Second Symposium on Salt*, ed. J. L. Rau; Northern Ohio Geological Society, p. 276-292.
- Ballard, R. D. and Uchupi, E. 1972: Carboniferous and Triassic rifting: A preliminary outline of the tectonic history of the Gulf of Maine; *Geological Society of America Bulletin*, v. 83, p. 2285-2302.
- Ballard, R. D. and Uchupi, E. 1975: Triassic rift structure in the Gulf of Maine; *American Association of Petroleum Geologists Bulletin*, v. 59, p. 1041-1072.
- Bancroft, M. F. 1938: Salt deposits at Malagash, Nova Scotia; *Annual Report*, Pt. 2, 1937; Nova Scotia Department of Mines *Annual Report* p. 4-10.
- Barnes, M. A., Barnes, W. C. and Bustin, R. M. 1984: Diagenesis: chemistry and evolution of organic matter; *Geoscience Canada*, v. 11, p. 103-114.
- Barss, M. S. 1967: Carboniferous and Permian spores of Canada; *Geological Survey of Canada, Paper 67-11*, p. 1-17.
- Barss, M. S., Bujak, J. P. and Williams, G. L. 1979: Palynological zonation and correlation of sixty-seven wells, eastern Canada; *Geological Survey of Canada, Paper 78-24*, p. 1-103.

- Barss, M. S. and Hacquebard, P. A. 1967: Age and the stratigraphy of the Pietou Group in the Maritime Provinces as revealed by fossil spores; *in* Collected Papers on Geology of the Atlantic Region, Hugh Lilly Memorial Volume; Geological Association of Canada, Special Paper no. 4, p. 267-282.
- Barss, M. S., Hacquebard, P. A. and Howie, R. D. 1963: Palynology and stratigraphy of some Upper Pennsylvanian and Permian rocks of the Maritime Provinces; Geological Survey of Canada, Paper 63-3, p. 1-13.
- Baskov, E. A. 1987: The fundamentals of paleohydrogeology of ore deposits; Springer Verlag, 253 p.
- Beaver Geophysical Services Limited 1965: Reflection seismograph survey of Malagash area, Pugwash, Nova Scotia; Nova Scotia Department of Mines and Energy, Open File Report 049.
- Bell, W. A. 1912: Joggins Carboniferous section of Nova Scotia; Geological Survey of Canada, Summary Report 1911.
- Bell, W. A. 1914: Joggins Carboniferous section, Nova Scotia; Geological Survey of Canada, Summary Report for 1912, p. 360-371.
- Bell, W. A. 1924: Investigations of coal bearing formations in Nova Scotia; Geological Survey of Canada, Summary Report 1923, Part C2, p. 33-40.
- Bell, W. A. 1926: Carboniferous formations of Northumberland Strait, Nova Scotia; Geological Survey of Canada, Summary Report 1924, Pt. C, p. 142-180.
- Bell, W. A. 1927: Outline of the Carboniferous stratigraphy and geological history of the Maritime Provinces of Canada; Transactions of the Royal Society of Canada, Section 4.
- Bell, W. A. 1929: Horton - Windsor district, Nova Scotia; Geological Survey of Canada Memoir 155, 268 p.
- Bell, W. A. 1938: Springhill map sheet with marginal notes; Geological Survey of Canada, Map 337A.
- Bell, W. A. 1944: Carboniferous rocks and fossil floras of northern Nova Scotia; *in* Canada Department of Mines and Resources, Mines and Geology Branch, Bureau of Geology and Topography, Geological Survey of Canada, Memoir 238, p. 1-54.
- Bell, W. A. 1945: Shinimicas map sheet, Cumberland County, Nova Scotia; Geological Survey of Canada, Map 842A.
- Bell, W. A. 1958: Possibilities for occurrence of petroleum reservoirs in Nova Scotia; Nova Scotia Department of Mines Paper, 177 p.
- Belt, E. S. 1962: Stratigraphy and sedimentology of the Mabou Group (Middle Carboniferous), Nova Scotia, Canada; unpublished Ph.D thesis, Yale University, New Haven, Connecticut, 312 p.
- Belt, E. S. 1964: Revision of Nova Scotia Middle Carboniferous units; American Journal of Science, v. 262, p. 653-673.
- Belt, E. S. 1965: Stratigraphy and paleogeography of Mabou group and related Middle Carboniferous facies, Nova Scotia, Canada; Geological Society of America Bulletin, v. 76, p. 777-802.
- Belt, E. S. 1968a: Carboniferous continental sedimentation, Atlantic Provinces, Canada; *in* Late Paleozoic and Mesozoic Continental Sedimentation, Northeastern North America, ed. G. deV. Klein; Geological Society of America, Special Paper No. 106, p. 127-176.
- Belt, E. S. 1968b: Post-Acadian rifts and related facies, eastern Canada; *in* Studies in Appalachian Geology, eds. E-an Zen, W. S. White, J. B. Hadley and J. B. Thompson, New York, Interscience, p. 95-116.
- Belt, E. S. 1969: Newfoundland Carboniferous stratigraphy and its relation to the Maritimes and Ireland; *in* North Atlantic - Geology and Continental Drift; American Association of Petroleum Geologists, Memoir 12.
- Belt, E. S. 1979: Origin of Late Dinantian cyclothems, East Fife, Scotland; 9th International Congress on Carboniferous Stratigraphy, IX-ICC, v. 3, p. 570-588.
- Belt, E. S., Greshney, I. C. and Read, W. A. 1967: Sedimentology of Carboniferous cementstone facies, British Isles and eastern Canada; Geological Association of Canada, Special Volume 7.
- Bethke, C. M. 1986: Hydrologic constraints on the genesis of the Upper Mississippi Valley mineral district from Illinois Basin brines; Economic Geology, v. 81, p. 233-249.
- Bidgood, D. E. T. 1970: The distribution and diapiric nature of some Nova Scotia evaporites, a geophysical evaluation; *in* The Third Symposium on Salt; Northern Ohio Geological Society, p. 298-304.
- Bidgood, D. E. T. and Blanchard, J. E. 1967: Geophysical investigations of evaporites in Nova Scotia; *in* Mining and Groundwater Geophysics 1967; Geological Survey of Canada, Economic Geology Report no. 26, p. 497-503.
- Binney, W. P. and Kirkham, R. V. 1974: A study of copper mineralization in Mississippian rocks of Nova Scotia; Geological Survey of Canada, Paper 74-1, Part A, p. 129-130.
- Bishop, D. G. and Wright, J. D. 1974: Geology and trace element studies of manganese occurrences in Nova Scotia;

- Nova Scotia Department of Mines and Energy, Economic Geology Series 74-1, 255 p.
- Bjorlykke, A. and Sangster, D. F. 1981: An overview of sandstone lead deposits and their relation to red-bed copper and carbonate-hosted lead zinc deposits; *Economic Geology*, Seventy-fifth Anniversary Volume, p. 179-213.
- Boehner, R. C. 1977: Assessment of salt deposits in Nova Scotia; Nova Scotia Department of Mines and Energy, Report 78-1, p. 53-56.
- Boehner, R. C. 1980: Note on revised stratigraphy of the Lower Carboniferous Windsor Group, Crystal Cliff section, Antigonish County, Nova Scotia; *in* Mineral Resources Division, Report of Activities 1979; Nova Scotia Department of Mines and Energy, Report 80-1, p. 137-145.
- Boehner, R. C. 1981a: Preliminary report on the geology and mineral deposits of the Loch Lomond Basin, Cape Breton Island; *in* Mineral Resources Division, Report of Activities 1980; Nova Scotia Department of Mines and Energy, Report 81-1, p. 153-165.
- Boehner, R. C. 1981b: History of potash exploration in Nova Scotia; *in* Mineral Resources Division, Report of Activities 1980; Nova Scotia Department of Mines and Energy, Report 81-1, p. 141-152.
- Boehner, R. C. 1983: Loch Lomond Basin, Cape Breton Island, Windsor Group Project - an update; *in* Mines and Minerals Branch, Report of Activities 1982; Nova Scotia Department of Mines and Energy, Report 83-1, p. 97-104.
- Boehner, R. C. 1983: Windsor Group salt and potash in Nova Scotia, Canada; 6th International Symposium on Salt, v. 1, p. 99-113.
- Boehner, R. C. 1984: Stratigraphy and depositional history of marine evaporites in the Windsor Group, Shubenacadie and Musquodoboit structural basins, Nova Scotia, Canada; 9th International Congress on Carboniferous Stratigraphy, IX-ICC, v. 3, p. 163-178.
- Boehner, R. C. 1986: Salt and Potash Resources in Nova Scotia; Nova Scotia Department of Mines and Energy, Bulletin No. 5, 346 p.
- Boehner, R. C. 1988a: Lithostratigraphic, geological and paleogeographical setting of carbonate buildups in the Lower Carboniferous Windsor and Horton Groups, Nova Scotia; *in* Mines and Minerals Branch, Report of Activities 1987, Part B, eds. D. R. MacDonald and Y. Brown; Nova Scotia Department of Mines and Energy, Report 88-1, p. 143-151.
- Boehner, R. C. 1988b: Preliminary report on Windsor Group stratigraphy and correlation in the Cumberland Basin, Nova Scotia; *in* Mines and Minerals Branch, Report of Activities 1987, Part B, eds. D. R. MacDonald and Y. Brown; Nova Scotia Department of Mines and Energy, Report 88-1, p. 153-164.
- Boehner, R. C. 1990: Drillhole LMA 88-1, Lower Maccan, Cumberland County, Nova Scotia; Nova Scotia Department of Mines and Energy, Open File Report 90-010, 10 p.
- Boehner, R. C. 1992: An overview of the role of Windsor Group evaporites in the structural development of Carboniferous basins in Nova Scotia; *in* Mines and Minerals Branch, Report of Activities 1991, ed. D. R. MacDonald; Nova Scotia Department of Natural Resources, Mines and Energy Branches Report 92-1, p. 39-56.
- Boehner, R. C., Calder, J. H., Carter, D. C., Donohoe, H. V., Jr., Ferguson, L., Pickerill, R. K. and Ryan, R. J. 1986: Carboniferous-Jurassic Sedimentation and Tectonics: Minas, Cumberland and Moncton Basins, Nova Scotia and New Brunswick; Atlantic Geoscience Society, Special Publication No. 4, 122 p.
- Boehner, R. C. and Carter, D. C. 1988: Geology of Windsor Group evaporites and their role in the structural development of the late Paleozoic Maritimes Basin of Atlantic Canada; Geological Association of Canada - Mineralogical Association of Canada - Canadian Society of Petroleum Geologists Joint Annual Meeting; Program with Abstracts, v. 13, p. A11.
- Boehner, R. C., Giles, P. S., Horne, R. J., MacBeath, B. E. and Ryan, R. J. 1987: Carbonate buildups in the Early Carboniferous Windsor and Horton Groups, Nova Scotia; Contribution to Canadian Society of Petroleum Geologists, Canadian Reef Inventory Project, Reef Case Histories, republication release as Nova Scotia Department of Mines and Energy, Open File Report 87-010, 99 p.
- Boehner, R. C., Ryan, R. J. and Carter, D. C. 1985: Cumberland Basin project - an update; Nova Scotia Department of Mines and Energy, Information Series no. 12, p. 59-76.
- Boehner, R. C., Ryan, R. J. and Carter, D. C. 1987: Cumberland Basin project - an update; *in* Mines and Minerals Branch, Report of Activities 1986; Nova Scotia Department of Mines and Energy, Report 87-1, p. 123-131.
- Boehner, R. C., Ryan, R. J. and Carter, D. C. 1988a: The Maritimes Basin: Basin, Epicuegeosyncline, Taphrogeosyncline, Horst-Graben, Wrench, Rift, Successor, Aulacogen, Pull-apart, Transpression? Basins, Subbasins? Just a problem of Semantics?; Abstract, Mines and Minerals Branch Report of Activities 1987, Part B; Nova Scotia Department of Mines and Energy, Report 88-1, p. 278.
- Boehner, R. C., Ryan, R. J. and Deal, A. 1988b: Preliminary Geological Field Maps of the Cumberland Basin, NTS 21H/16, Amherst, Nova Scotia; Nova Scotia Department of Mines and

Energy, Open File Maps 88-43, 11 sheets and legend, scale 1:10 000.

Bonham-Carter, G. F., Rogers, P. J. and Ellwood, D. J. 1985: Catchment basin analysis approach to surficial geochemical data, Cobequid Highlands, Nova Scotia; Proceedings of the Eleventh International Geochemical Exploration Symposium, Toronto, 1985.

Bonham-Carter, G. F., Rogers, P. J. and Ellwood, D. J. 1987: Catchment basin analysis applied to surficial geochemical data, Cobequid Highlands, Nova Scotia; Journal of Geochemical Exploration, v. 29, p. 259-278.

Bostick, N. H., Cashman, S. M., McCulloch, T. H. and Waddel, C. T. 1978: Gradients of vitrinite reflectance and present temperature in the Los Angeles and Ventura Basins, California; in Low Temperature Metamorphism of Kerogen and Clay Minerals, ed. D. F. Oltz; Society of Economic Paleontologists and Mineralogists, p. 65-86.

Boyle, R. W. 1968: The geochemistry of silver and its deposits; Geological Survey of Canada, Bulletin 160, 264 p.

Bradley, D. C. 1982: Subsidence in Late Paleozoic Basins in Northern Appalachians; Tectonics, v. 1, no. 1, p. 107-123.

Bradley, D. C. and Bradley L. M. 1986: Tectonic significance of the Carboniferous Big Pond Basin, Cape Breton Island, Nova Scotia; Canadian Journal of Earth Sciences, v. 23, p. 2000-2011.

Breit, G. N., Meunier, J. D., Rowan, E. L. and Goldhamer, M. B. 1987: Alteration related to redbed copper mineralizing brines and other fault-controlled solutions in the Lisbon Valley, Utah, and the Slick Rock District of Colorado (abstract); United States Geological Survey, Circular 995, p. 7-8.

Bridge, J. S. 1985: Paleochannel patterns inferred from alluvial deposits: A critical evaluation; Journal of Sedimentary Petrology, v. 55, p. 579-589.

Bridge, J. S., Smith, N. D., Trent, F., Gabel, S. L. and Bernstein, P. 1986: Sedimentology and morphology of a low sinuosity river: Calamus River, Nebraska Sand Hills; Sedimentology, v. 33, p. 851-870.

Briggs, D. E. G., Plint, A. G. and Pickerill, R. K. 1984: Arthropleura trails from the Westphalian of Eastern Canada; Paleontology, v. 27, p. 843-855.

Briggs, D. E. G., Rolfe, W. D. I. and Brannan 1979: A giant myriapod trail from the Namurian of Arran, Scotland; Paleontology, v. 22, p. 273-291.

Bromley, D. S. and Calder, J. H. 1987: Structure and correlation of coal-bearing strata of the Athol Syncline, Cumberland Basin: results of recent seismic studies; in Mines

and Minerals Branch, Report of Activities 1988, Part A, ed. D. R. MacDonald; Nova Scotia Department of Mines and Energy, Report 88-3, p. 9-13.

Bromley, D. S. and Calder, J. H. In press: Seismic stratigraphy of the Cumberland Basin: implications for coal exploration; Geological Survey of Canada Paper.

Brown, A. A. 1950: Southern Margin of the Springhill Coal Basin; unpublished M.Sc. thesis, University of New Brunswick, Fredericton, New Brunswick.

Brown, A. C. 1971: Zoning in the White Pine copper deposit, Ontonogon County, Michigan; Economic Geology, v. 66, p. 543-573.

Brown, A. C. 1984: Alternative sources of metals for stratiform copper deposits; Preeambrian Research, v. 25, p. 61-74.

Brown, A. J. and Smith, D. 1829: Geology and mineralogy of Nova Scotia; in An Historical and Statistical Account of Nova Scotia, ed. T. Haliburton, v. 2, p. 414-453.

Brummer, J. J. 1958: Supergene copper-uranium deposit in northern Nova Scotia; Economic Geology, v. 53, p. 309-324.

Bujak, J. P., Barss, M. S. and Williams, G. L. 1977a: Offshore eastern Canada's organic type and color and hydrocarbon potential; in Offshore Eastern Canada, Part 1; The Oil and Gas Journal, p. 198-202.

Bujak, J. P., Barss, M. S. and Williams, G. L. 1977b: Organic type and color and hydrocarbon; in Offshore Eastern Canada, Part 2; The Oil and Gas Journal, p. 96-100.

Bustin, R. M. 1989: Diagenesis of kerogen; in Burial Diagenesis, ed. I. E. Hutcheon; MAC Short Course Handbook, p. 1-38.

Calder, J. H. 1980: Coal exploration in the Springhill coalfield; in Mineral Resources Division, Report of Activities 1979; Nova Scotia Department of Mines and Energy, Report 80-1, p. 41-50.

Calder, J. H. 1981: Cumberland coal basin; in Fifth Annual Open House and Review of Activities, Program and Summaries; Nova Scotia Department of Mines and Energy, Information Series No. 4, p. 43-45.

Calder, J. H. 1984a: Structural features of the Springhill coalfield with notes on geology and mining history; Nova Scotia Department of Mines and Energy, Open File Report 578, 57 p.

Calder, J. H. 1984b: Sedimentology studies within the Springhill coalfield, Cumberland County, Nova Scotia; in Mines and Minerals Branch, Report of Activities 1983, eds.

- J. Szostak and K. A. Mills; Nova Scotia Department of Mines and Energy, Report 84-1, p. 1-6.
- Calder, J. H. 1985a: Coal in Nova Scotia; Nova Scotia Department of Mines and Energy, 79 p.
- Calder, J. H. 1985b: Depositional environment of the Westphalian B, Cumberland Basin coals of Springhill, Nova Scotia; *in* Mines and Minerals Branch, Report of Activities 1984, eds. K. A. Mills and J. L. Bates; Nova Scotia Department of Mines and Energy, Report 85-1, p. 11-12.
- Calder, J. H. 1986a: The Westphalian B Springhill Coalfield of Nova Scotia: Processes of coal formation at an alluvial basin margin; presented at International Symposium on Coal and Coal-bearing Strata, Geological Society of London; Royal Holloway and Bedford New College, University of London; Abstract in Nova Scotia Department of Mines and Energy Report 87-1, p. 180.
- Calder, J. H. 1986b: Stratigraphic and coal-related studies in the Springhill Coalfield, Cumberland Basin; *in* Mines and Minerals Branch, Report of Activities 1985, eds. J. L. Bates and D. R. MacDonald; Nova Scotia Department of Mines and Energy, Paper 86-1, p. 3-5.
- Calder, J. H. 1987: Tectono-sedimentary evolution of the Cumberland Group in the Cumberland Coal Basin: implications for coal exploration; *in* Mines and Minerals Branch, Report of Activities 1986, eds. J. L. Bates and D. R. MacDonald; Nova Scotia Department of Mines and Energy, Report 87-1, p. 5-7.
- Calder, J. H. 1987: Preliminary interpretation of seismic stratigraphy of late Carboniferous strata in the Athol Syncline, Cumberland Basin: implications for coal exploration; *in* Mines and Minerals Branch, Report of Activities 1987, Part A, eds. J. L. Bates and D. R. MacDonald; Nova Scotia Department of Mines and Energy, Report 87-5, p. 5-9.
- Calder, J. H. 1990: Geological map of Springhill area; Nova Scotia Department of Natural Resources, Mines and Energy Branches Open File Map 90-006, scale 1:10 000.
- Calder, J. H. 1991: The genesis of Westphalian coal-bearing strata and rheotrophic coals of the southern Cumberland Basin, Nova Scotia; unpublished Ph.D. thesis, Dalhousie University, Halifax, Nova Scotia.
- Calder, J., Gibling, M. R., Ryan, R. and Yeo, G. 1988: Pennsylvanian drainage in the Maritimes Basin of Atlantic Canada and its tectonic implications; Geological Association of Canada-Mineralogical Association of Canada-Canadian Society of Petroleum Geologists Joint Annual Meeting; Program with Abstracts, v. 13, p. A16.
- Calder, J. H., McMahon, P., MacDonald, J., Naylor, R. and Smith, W. In prep.: Economic geology of late Paleozoic-early Mesozoic basins in Nova Scotia: energy resources; contribution to the Decade of North American Geology, Northern Appalachian Volume, Geological Society of America.
- Calder, J. H. and Naylor, R. 1985: Coal exploration in alluvial fan/lacustrine settings, the Salt Springs and Roslin districts of the Cumberland Basin; *in* Mines and Minerals Branch, Report of Activities 1984, eds. K. A. Mills and J. L. Bates; Nova Scotia Department of Mines and Energy, Report 85-1, p. 5-10.
- Cameron, R. A. 1965a: Potash exploration program, progress report #3; Nova Scotia Department of Mines and Energy, Open File Report 049.
- Cameron, R. A. 1965b: Potash exploration program, progress report #2; Nova Scotia Department of Mines and Energy, Open File Report 049.
- Cameron, R. A. 1965c: Potash exploration program, progress report #1; Nova Scotia Department of Mines and Energy, Open File Report 049.
- Cameron, R. A. 1966: Preliminary geological map, Wallace - Malagash area, Cumberland County; Nova Scotia Department of Mines and Energy, Open File Report 049.
- Cameron, R. A. 1967: Potash project, geological report, summer 1966; Nova Scotia Department of Mines and Energy, Open File Report 049.
- Campbell, C. V. 1976: Reservoir geometry of a fluvial sheet sandstone; Bulletin of the American Association of Petroleum Geologists, v. 60, p. 1009-1020.
- Canadian Salt Company Limited 1978: Pugwash Mine and Evaporation Plant; Unpublished pamphlet, Canadian Salt Company Limited, 4 p.
- Canadian Salt Company Limited 1979: Unpublished mine plan, 830 foot level, Pugwash Mine, Cumberland County, Nova Scotia; Nova Scotia Department of Mines and Energy, Halifax.
- Cant, D. J. 1982: Sedimentology and petroleum geology of the Spirit River Formation (Lower Cretaceous), Deep Basin, Alberta, Canada; American Association of Petroleum Geologists Bulletin, v. 66, p. 824.
- Cant, D. J. and Walker, R. G. 1976: Development of a braided-fluvial facies model for the Devonian Battery Point Sandstone, Quebec; Canadian Journal of Earth Sciences, v. 13, no. 1, p. 102-119.
- Cant, D. J. and Walker, R. G. 1978: Fluvial processes and facies sequences in sandy braids of the South Saskatchewan River, Canada; Sedimentology, v. 25, p. 625-648.
- Carroll, R. L. 1964: The earliest reptiles; Journal Linnean Society Zool., v. 45, p. 61-83.

- Carroll, R. L., Belt, E. S., Dineley, D. L., Baird, D. and McGregor, D. C. 1972: Vertebrate paleontology of eastern Canada; Field Excursion A49, International Geological Congress Guidebook.
- Carter, D. C. 1985a: Geology of the Pugwash Mine: a progress report; Ninth Annual Open House and Review of Activities; Nova Scotia Department of Mines and Energy, Information Series No. 9, p. 47-49.
- Carter, D. C. 1985b: The Late Devonian-Early Carboniferous Albert Formation: A sedimentological approach to the depositional history and facies relationships in a fluvial/deltaic and lacustrine basin; unpublished M.Sc. Thesis, University of New Brunswick, Fredericton, New Brunswick, 289 p.
- Carter, D. C. 1986: Geology of the Pugwash Mine-an update; *in* Program and Summaries, Tenth Annual Open House and Review of Activities; Nova Scotia Department of Mines and Energy, Information Series no. 12, p. 65-71.
- Carter, D. C. 1987: A three dimensional view of the Pugwash salt deposit, Cumberland County, Nova Scotia; *in* Mines and Minerals Branch, Report of Activities 1986, eds. J. L. Bates and D. R. MacDonald; Nova Scotia Department of Mines and Energy, Report 87-1, p. 133-139.
- Carter, D. C. 1989: Downhole geophysics as an aid to the interpretation of an evaporite sequence: examples from Nova Scotia; *in* Canadian Institute of Mining and Metallurgy Bulletin, v. 89, no. 925, p. 58-64.
- Carter, D. C. 1990: Geology of the Canadian Salt Company Limited Pugwash Mine, Pugwash, Nova Scotia; Nova Scotia Department of Mines and Energy, Map 90-1 (630 Level), Map 90-2 (730 Level) and Map 90-3 (830 Level), scale 1:1600.
- Carter, D. C. and Bohner, R. C. 1987a: Geology and development of the Pugwash salt diapir, Pugwash, Nova Scotia; abstract presented in a special session on Sedimentology and Diagenesis of Continental and Marine Evaporites, at the Geological Association of Canada - Mineralogical Association of Canada, Saskatoon, Saskatchewan, May 25-27, 1987.
- Carter, D. C. and Bohner, R. C. 1987b: Carboniferous evaporites of the Maritimes Basin, eastern Canada; abstract, presented in a special session on Late Paleozoic Evaporite Basin, at the Society of Economic Paleontologists and Mineralogists, midyear meeting, Austin, Texas, August 21-23, 1987.
- Carter, D. C., Bohner, R. C. and Adams, G. C. 1987c: Sulphur in Nova Scotia: Pugwash and Hilden occurrences; Nova Scotia Department of Mines and Energy, Open File Report 87-032, 7 p.
- Carter, D. C., Bohner, R. C. and Adams, G. C. 1988: Caprock and stratabound biopigenic sulphur in Nova Scotia; *in* Mines and Minerals Branch, Report of Activities 1987, eds. D. R. MacDonald and Y. Brown; Nova Scotia Department of Mines and Energy, Report 88-1, p. 277.
- Carter, D. C. and McMahon, P. G. 1989: A Carboniferous hydrocarbon-bearing evaporite sequence from Nova Scotia, Canada; American Association of Petroleum Geologists/Society of Economic Paleontologists, Annual General Meeting, San Antonio, Texas, April 23-26, 1989.
- Carter, D. C. and Pickerill, R. K. 1985a: Lithostratigraphy of the Late Devonian - Early Carboniferous Horton Group of the Moncton Subbasin, southern New Brunswick; *Maritime Sediments and Atlantic Geology*, v. 21, p. 11-24.
- Carter, D. C. and Pickerill, R. K. 1985b: Algal swamp, marginal and shallow evaporitic lacustrine lithofacies from the Late Devonian - Early Carboniferous Albert Formation, southeastern New Brunswick, Canada; *Maritime Sediments and Atlantic Geology*, v. 21, p. 69-86.
- Carter, R. M. 1975: Mass-emplaced sand fingers at Mararoa construction site, southern New Zealand; *Sedimentology*, v. 22, p. 275-288.
- Caudill, M. R. and Nance, R. D. 1986: Variscan tectonostratigraphy of the Mispec Group, southern New Brunswick: stratigraphy and depositional setting; *in* Current Research, Part A; Geological Survey of Canada, Paper 86-1, p. 343-350.
- Chambers, A. R. 1924: The salt deposits of Malagash, Nova Scotia; *Transactions, Canadian Institute of Mining and Metallurgy*, v. XXVII, p. 248-258.
- Chatterjee, A. K. 1977: Uranium mineralization at McLean Point, Cumberland County; *in* Report of Activities 1976; Nova Scotia Department of Mines and Energy, Report 77-1, p. 89.
- Chatterjee, A. K. 1983: Metallogenic map of Nova Scotia, scale 1:500 000; Nova Scotia Department of Mines and Energy.
- Chatterjee, A. K. 1984: Devonian-Carboniferous magmatism and epithermal mineralization in the Debert Lake area, eastern Cobequid Highlands; *in* Mines and Minerals Branch, Report of Activities 1983, eds. J. Szostak and K. A. Mills; Nova Scotia Department of Mines, Report 84-1, p. 239-240.
- Clayton, G., Coquel, R., Doubinger, J., Gueinn, K. J., Loboziak, S., Owens, B. and Strell, M. 1977: Carboniferous miospores of western Europe, illustration and zonation; report of Commission Internationale de Microflore du Palaeozoique working group on Carboniferous stratigraphical palynology; *Mededelingen Rijks Geologische Dienst*, v. 29, p. 1-71.
- Clifton, H. E. 1967: Solution-collapse and cavity filling in the Windsor Group, Nova Scotia; *Geological Society of America*

- Bulletin, v. 78, p. 819-832.
- Cole, L. H. 1926: Malagash salt deposit, Nova Scotia; Nova Scotia Department of Mines and Energy, Assessment Report 11E/14B 42-E-19(0).
- Cole, L. H. 1930a: Potash salts in the Maritime Provinces of Canada; *in* Investigations of Mineral Resources and the Mining Industry, 1928; Department of Mines, Canada, Mines Branch, Publication no. 710, p. 19-27.
- Cole, L. H. 1930b: The salt industry of Canada, salt occurrences in the Maritime Provinces; Department of Mines, Canada, Mines Branch, Publication No. 716, p. 2-19.
- Collison, J. D. 1978: Vertical sequence and sand body shape in alluvial sequences; *in* Fluvial Sedimentology, ed. A. D. Miall; Canadian Society of Petroleum Geologists, Memoir 5, p. 577-586.
- Collinson, J. D. and Thompson, D. B. 1982: Sedimentary Structures; George Allen and Unwin, Winchester Mass, 276 p.
- Colwell, J. 1987: Report on the clay mineralogy of sandstones from the Upper Carboniferous strata in the Cumberland Basin; unpublished internal report, Nova Scotia Department of Natural Resources, 21 p.
- Cook, A. C. 1980: Optical techniques for the examination of organic matter in oil shale; *in* Oil Shale Petrography Workshop, eds. A. C. Cook and A. Kantsler; Wollangong, Keiraville Kokpiers, p. 1-15.
- Copeland, M. J. 1957: The arthropod fauna of the Upper Carboniferous rocks of the Maritime Provinces; Geological Survey of Canada, Memoir 286, 110 p.
- Copeland, M. J. 1959: Coalfields of the west half of Cumberland County, Nova Scotia; Geological Survey of Canada, Memoir 298, 89 p.
- Cotter, E. 1978: The evolution of fluoride style, with special reference to the Central Appalachian Paleozoic; *in* Fluvial Sedimentology, ed. A. Miall; Canadian Society of Petroleum Geologists, Memoir 5, p. 361-384.
- Currie, K. L. 1977: A note on post-Mississippian thrust faulting in northwestern Cape Breton Island; Canadian Journal of Earth Sciences, v. 14, p. 2937-2941.
- Davies, 1983: Sedimentary Depositional Environments; G. Allen and Urwin.
- Dawson, J. W. 1854: On the coal measures of the South Joggins, Nova Scotia; Quarterly Journal, Geological Society of London, v. 10, p. 1-41.
- Dawson, J. W. 1855: Acadian Geology; First Edition; MacMillan and Company, London.
- Dawson, J. W. 1868. Acadian Geology, Second Edition; MacMillan and Company, London, 694 p.
- Dawson, J. W. 1873: Note on footprints from the Carboniferous of Nova Scotia; Geological Magazine, v. 9, p. 251-253.
- Dawson, J. W. 1894: Synopsis of air breathing animals of the Paleozoic in Canada, up to 1894; Proceedings and Transactions of the Royal Society of Canada (2), v. 12, section 11, p. 71-78.
- Deal, A. 1990: Stratigraphy and sedimentology of the Ragged Reef Formation in the Athol Syncline, western part of the Cumberland Basin, Nova Scotia; unpublished M.Sc. Thesis, Acadia University, Wolfville, Nova Scotia, 253 p.
- Deal, A., Ryan, R. J. and Boehner, R. C. 1988: Preliminary geological field maps of the Cumberland Basin, NTS 21H/07 and 08, Cape Chignecto and Parrsboro, Nova Scotia; Nova Scotia Department of Mines and Energy, Open File Maps 88-41, 13 sheets and legend, scale 1:10 000.
- DeMont, G. J., Bates, J. L. E., Frotten, G. M., MacIntyre, W. A. and Lyttle, N. A. 1986a: Compilation of drillhole information from open assessment reports available to the end of December, 1985; eastern Nova Scotia map sheets 11F, 11G, 11J, 11K, 11N; Nova Scotia Department of Mines and Energy, Open File Report 86-020, 355 p.
- DeMont, G. J., Bates, J. L. E., Frotten, G. M., MacIntyre, W. A. and Lyttle, N. A. 1986b: Compilation of drillhole information from open assessment reports available to the end of December, 1985; western Nova Scotia map sheets 200, 20P, 21A, 21B, 21H; Nova Scotia Department of Mines and Energy, Open File Report 86-021, 235 p.
- DeRaff, J. F. M., Reading, H. G. and Walker, R. G. 1965: Cyclic sedimentation in Lower Westphalian of North Devon, England; Sedimentology, v. 4, p. 1-52.
- Dickie, G. B. 1988: Building stone in Nova Scotia; Nova Scotia Department of Mines and Energy, Information Circular No. 12, 22 p.
- Dickie, G. B. 1989: Nova Scotia dimension stone for designers, developers and quarriers; Nova Scotia Department of Mines and Energy, Information Series 19.
- Dolby, G. 1984: Palynological examination of 60 samples from the Springhill coalfield, Nova Scotia; unpublished Robertson Research Canada Limited, Report No. RRC/84/2238, 17 p.

- Dolby, G. 1986: Palynological analysis of corehole and field samples from the Cumberland Basin, Nova Scotia; unpublished report prepared by Robertson Research Canada Limited for the Nova Scotia Department of Mines and Energy, Open File Report 86-071, 64 p.
- Dolby, G. 1987: Palynology analysis of samples from the Cumberland Basin and Cape Breton Island, Nova Scotia; Project 86/10,12; unpublished report prepared for Mineral Resources Division, Cumberland Basin Project; Nova Scotia Department of Mines and Energy, Open File Report 87-033, 58 p.
- Dolby, G. 1988: Palynological analysis of samples from the Cumberland Basin and Cape Breton Island, Nova Scotia; Part II; unpublished report prepared for the Nova Scotia Department of Mines and Energy, Open File Reports 88-060, 88-061 and 88-062, 34 p.
- Dolby, G. 1989: Palynological analysis of samples from the Cumberland Basin, Nova Scotia; unpublished report prepared for the Nova Scotia Department of Mines and Energy, Open File Reports 89-031, 89-032 and 89-033, 23 p.
- Dolby, G. in press: The palynology of the western Cumberland Basin; contributions to Canadian Paleontology, Geological Survey of Canada.
- Donohoe, H. V. and Wallace P. I. 1978: Anatomy of the Cobequid Fault and its relationship to the Glooscap and Cabot Fault systems; Geological Society of America, Abstracts with programs, 10, No. 7, p. 391.
- Donohoe H. V. and Wallace, P. I. 1980: Structure and stratigraphy of the Cobequid Highlands, Nova Scotia; Geological Association of Canada - Mineralogical Association of Canada Joint Annual Meeting, Field Trip Excursion 19, p. 1-63.
- Donohoe, H. V. and Wallace, P. I. 1982: Geological map of the Cobequid Highlands, Colchester, Cumberland and Pictou Counties, Nova Scotia; Nova Scotia Department of Mines and Energy, Maps 82-6 to 82-9, scale 1:50 000.
- Donohoe, H. V. and Wallace, P. I. 1985: Repeated orogeny, faulting and stratigraphy in the Cobequid Highlands, Avalon terrain of northern Nova Scotia; Geological Association of Canada - Mineralogical Association of Canada Joint Annual Meeting, Field Trip Excursion 3, p. 1-75.
- D'Orsay, A. M. and Van de Poll, H. W. 1985: Quartz-grain surface textures: evidence for tropical climate during the Middle Pennsylvanian in Eastern Canada; Canadian Journal of Earth Sciences, v. 22, p. 786-790.
- Dostal, J., Keppie, J. D. and Dupuy, C. 1983: Petrology and geochemistry of Devonian-Carboniferous volcanic rocks in Nova Scotia; Maritime Sediments and Atlantic Geology, v. 19, p. 59-71.
- Dow, W. 1977: Kerogen studies and geological interpretations; Journal of Geochemical Exploration, v. 7, p. 70-99.
- Duff, P. McL. D., Forgeron, S. and van de Poll, H. W. 1982: Upper Pennsylvanian sediment dispersal and paleochannel orientation in the western part of the Sydney coalfield, Cape Breton, Nova Scotia; Maritime Sediments and Atlantic Geology, v. 18, p. 83-90.
- Duff, P. McL. D. and Walton, E. K. 1973: Carboniferous sediments at Joggins, Nova Scotia; Seventh International Carboniferous Congress on Stratigraphy, v. 2, p. 365-379.
- Dunnington, H. V. 1968: Salt-tectonic features of northern Iraq; in Saline Deposits, ed. R. B. Mattox; Geological Association of America, Special Paper No. 88, p. 183-227.
- Dunsmore, H. E. 1977a: A New genetic model for uranium-copper mineralization, Permo-Carboniferous basin, Northern Nova Scotia; in Report of Activities, Part B; Geological Survey of Canada, Paper 77-1B, p. 247-253.
- Dunsmore, H. E. 1977b: Uranium resources of the Permo-Carboniferous basin, Atlantic Canada; in Current Research, Part B; Geological Survey of Canada, Paper 77-1B, p. 341-347.
- Dzulynski, A. E. and Walton, E. K. 1965: Sedimentary Features of Flysch and Greywackes; Elsevier, Amsterdam.
- Eisbacher, G. H. 1967: Tectonic analysis in the Cobequid Mountains, Nova Scotia, Canada; unpublished Ph.D. thesis, Princeton University; Nova Scotia Department of Mines and Energy, Thesis 101, 108 p.
- Eisbacher, G. H. 1969: Displacement and stress field along part of the Cobequid Fault, Nova Scotia; Canadian Journal of Earth Sciences, v. 6, p. 1095-1104.
- Eisbacher, G. H. 1970: Deformation mechanisms of mylonitic rocks and fractured granites in the Cobequid Mountains, Nova Scotia, Canada; Geological Society of America Bulletin, v. 81, p. 2009-2020.
- Ells, R. W. 1885: Report on the geological formations of eastern Albert and Westmoreland Counties, New Brunswick, and portions of Cumberland and Colchester Counties, Nova Scotia; Geological Survey of Canada, Annual Report for 1884-85, v. 1, Part E, 71 p.
- Ellsworth, H. V. 1926: Chemistry of the potash-bearing horizon of the Malagash salt deposit, Nova Scotia; Geological Survey of Canada, Summary Report, part C, 1924, p. 181-198.
- Emery, K. O. and Noakes, L. C. 1968: Economic placer deposits of the continental shelf, in Economic Analysis of Heavy Minerals in Sediments, ed. G. Luepke; Benchmark Papers in Geology, v. 86, 1984, p. 270-286.

- Ethridge, F. G. and Sehum, S. A. 1978: Reconstructing paleochannel morphologic and flow characteristics: methodology, limitations, and assessment; Canadian Society of Petroleum Geologists, Memoir no. 5.
- Evans, R. 1965: Studies in the evaporites of the Maritime Provinces of Canada; unpublished M.Sc. thesis, Dalhousie University, Halifax, Nova Scotia; Nova Scotia Department of Mines and Energy, Thesis 102.
- Evans, R. 1970: Genesis of sylvite and carnallite bearing rocks from Wallace, Nova Scotia; *in* Third International Symposium on Salt, Volume One; Northern Ohio Geological Society Incorporated, Cleveland, Ohio, p. 239-245.
- Evans, R. 1972: Studies in the evaporites of the Maritime Provinces of Canada; unpublished Ph.D. thesis, University of Kansas, Lawrence, Kansas; Nova Scotia Department of Mines and Energy, Thesis 103, 109 p.
- Evans, R. 1974: Geometry and development of structures within the Pugwash diapir, Nova Scotia; *in* Fourth International Symposium on Salt; Northern Ohio Geological Society, Incorporated, Cleveland, Ohio, p. 251.
- Felderhof, G. W. 1978: Barite, celestite and fluorite in Nova Scotia; Nova Scotia Department of Mines, Bulletin no. 4, 463 p.
- Ferguson, L. 1966: The recovery of some large track-bearing slabs from Joggins, Nova Scotia; *Maritime Sediments*, v. 2, p. 128-130.
- Ferguson, L. 1970: Sedimentary evidence for the allochthonous origin of Stigmara, Carboniferous of Nova Scotia: Discussion; *Geological Society of America Bulletin*, v. 81, p. 2531-2534.
- Ferguson, L. 1975: The Joggins section; *in* Ancient Sediments of Nova Scotia, ed. I. McK. Harris; Guidebook for 1975 Fieldtrip, Eastern Section, Society of Economic Paleontologists and Mineralogists, p. 111-118.
- Ferguson, L. 1980: Coal formation and detrital sedimentation rates, Joggins, Nova Scotia; *Mineralogical Association of Canada - Geological Association of Canada Joint Meeting*, Halifax, Nova Scotia, 1980; Program with Abstracts, v. 5, p. 53.
- Ferguson, L. 1988: The Fossil Cliffs of Joggins; Nova Scotia Museum Publication, Pecper, Halifax, Nova Scotia.
- Fielding, C. R. 1984: Upper delta plain lacustrine and fluviolastic facies from the Westphalian of the Durham Coalfield, Northeast England; *Sedimentology*, v. 31, p. 547-567.
- Fletcher, H. 1892: Report on the geological investigations and explorations in the Pictou and Colechester Counties, Nova Scotia; Geological Survey of Canada, Annual Report 1889-1891, v. 5, Part P, p. 5-193.
- Fletcher, H. 1905: The counties of Cumberland, Hants, Kings and Annapolis, Nova Scotia; Geological Survey of Canada, Report 1904, Part A, p. 293-318.
- Fletcher, H. 1906: Section of rocks from Shulie to Spicer Cove, Cumberland County, Nova Scotia; *Proceedings and Transactions of the Nova Scotia Institute of Science*, v. 11, p. 417-550.
- Foley, P. L. 1984: Depositional setting of the Permo-Carboniferous redbeds around Hillsborough Bay, Prince Edward Island, Canada; Unpublished M.Sc. thesis, University of New Brunswick, Fredericton, New Brunswick, 129 p.
- Folk, R. 1974: Petrology of Sedimentary Rocks; Austin, Texas, Hemphill, 182 p.
- Forgeron, S. 1977: The Kaiser Celestite mining operation and mineral potential of the Loch Lomond Basin, Cape Breton, Nova Scotia; Nova Scotia Department of Mines, Open File Report 328.
- Forgeron, S. 1980: Some effects of paleosandstone river channels on coal mine operations, Sydney coalfield, Cape Breton, Nova Scotia; unpublished paper presented at the Geological Association of Canada Annual Meeting, Halifax, Nova Scotia, 30 p.
- Fowler, J. H. 1984: Aggregate resources in Nova Scotia; presented at the Annual Meeting of the Nova Scotia Road Builders Association, Dartmouth, Nova Scotia, September 1984.
- Fowler, J. H. 1988: Barite, celestite and fluorite in Nova Scotia; Nova Scotia Department of Mines and Energy, Information Circular No. 15, 14 p.
- Fowler, J. H. and Adams, G. C. 1988: Gypsum in Canada, present status and future developments; *Mining Engineering*, February 1988, p. 120-124.
- Fralick, P. W. 1980: Tectonic and sedimentological development of a Late Paleozoic wrench basin: the eastern Cumberland Basin; unpublished M.Sc. thesis, Dalhousie University, Halifax, Nova Scotia, 229 p.
- Fralick, P. W. and Schenk, P. E. 1981: Molasse deposition and basin evolution in a wrench tectonic setting: the late Paleozoic, eastern Cumberland Basin, Maritime Canada; *in* Sedimentation and Tectonics in Alluvial Basins, ed. A. D. Maill; Geological Society of Canada, Special Paper 23, p. 77-97.
- Fraser, D. C. 1961: Cupriferous peat: embryonic copper ore?;

Canadian Institute of Mining and Metallurgy Bulletin, v. 54, p. 500-503.

Friend, P. F. 1978: Distinctive features of some ancient River Systems; in *Fluvial Sedimentology*, ed. A. D. Miall; Canadian Society of Petroleum Geologists, Memoir 5, p. 531-542.

Fyffe, L. R. and Barr, S. M. 1986: Petrochemistry and tectonic significance of Carboniferous volcanic rocks in New Brunswick; *Canadian Journal of Earth Sciences*, v. 23, p. 1243-1256.

Fyson, W. K. 1967: Gravity sliding and cross folding in Carboniferous rocks, Nova Scotia; *American Journal of Science*, v. 265, p. 1-11.

Galloway, W. E. 1979: Fluvial depositional systems; in *Depositional and Groundwater Flow Systems in Exploration for Uranium*, eds. Galloway, Kreiter and McGowan; Bureau of Economic Geology, University of Texas, Austin, p. 13-43.

Galloway, W. E. and Hobday, D. K. 1983: Terrigenous Clastic Depositional Systems, Applications to Petroleum, Coal, and Uranium Exploration; Springer-Verlag, New York, Inc., 423 p.

Garven, G. and Freeze, A. 1984: Theoretical analysis of the role of groundwater flow in the genesis of stratabound ore deposits; *American Journal of Science*, v. 284, p. 1085-1174.

Gastaldo, R. A. 1984: A case against pelagochthony: The untenability of Carboniferous arborescent lycopod-dominated floating peat mats; in *The Evolution/Creation Controversy, Perspectives on Religion, Philosophy, Science and Education: A Handbook*, ed. K. R. Walker; Paleontological Society, Special Paper 1, p. 97-116.

Gastaldo, R. A. 1985: Upper Carboniferous paleoecological reconstruction: observations and reconsiderations; in *Dixieme Congress International Stratigraphie et Geologie du Carbonifere*, eds. J. L. Escobeda, L. F. Granados, B. Melendez, R. Pignatelli, R. Ray and R. H. Wagner; Madrid, 1983, v. 2, p. 281-296.

Gastaldo, R. A. 1986: Implications on the paleoecology of autochthonous lycopods in clastic sedimentary environments of the Early Pennsylvanian of Alabama; *Palaeogeography, Palaeoclimatology, Palaeoecology*, v. 53, no. 2-4, p. 191-213.

Geldsetzer, H. H. J. 1978: The Windsor Group in Atlantic Canada - an update; in *Geological Survey of Canada, Report of Activities, Part C; Geological Survey of Canada, Paper 78-1C*, p. 43-48.

George, T. N., Johnson, G. A. L., Mitchell, M., Prentice, J. E., Ramsbottom, W. H. C., Sevastopulo, G. D. and Wilson R. B. 1976: A correlation of Dinantian rocks in the British Isles; *Geological Society of London, Special Report No. 7*, 87 p.

Gersib, G. 1979: Earthquake-generated(?) liquifaction features in fluvial sediments of the Port Hood Formation, Upper Carboniferous, Cape Breton Island, Canada; 9th International Congress on Carboniferous Stratigraphy and Geology, Abstracts of Papers, p. 70.

Gersib, G. A. and McCabe, P. J. 1981: Continental coal-bearing sediments of the Port Hood Formation (Carboniferous), Cape Linzee, Nova Scotia, Canada; *Society of Economic Paleontologists and Mineralogists, Special Publication no. 31*, p. 95-108.

Gesner, A. 1836: Remarks on the geology and mineralogy of Nova Scotia; Halifax, Nova Scotia., 272 p.

Gibling, M. R. 1987: The Joggins section, Nova Scotia: A classic Carboniferous locality; *Decade of North American Geology, Northeastern Area Fieldguide*, p. 409-414.

Gibling, M. R., Bochner, R. C. and Rust, B. R. 1987: The Sydney Basin of Atlantic Canada: An Upper Paleozoic strike-slip basin in a collisional setting; in *Sedimentary Basins and Basin Forming Mechanisms*, ed. C. Beaumont and A. J. Tankard; Canadian Society of Petroleum Geologists, Memoir 12, and Atlantic Geoscience Society, Special Publication 5, p. 269-285.

Gibling, M. R., Calder, J. H., Ryan, R. J., van de Poll, W. and Yeo, G. 1991: Pennsylvanian and Permian paleoflow in Atlantic Canada; *Canadian Journal of Earth Sciences*, v. 28, p. 1157-1169.

Gibling, M. R. and Rust, B. R. 1984: Channel margins in Pennsylvanian braided fluvial deposits: the Morien Group near Sydney, Nova Scotia, Canada; *Journal of Sedimentary Petrology*, v. 54, no. 3, p. 773-782.

Giles, P. S. 1981: Major transgressive cycles in the middle to late Viséan rocks of Nova Scotia; *Nova Scotia Department of Mines and Energy, Paper 81-2*, 27 p.

Giles, P. S. and Bochner, R. C. 1979: The Windsor Group stratigraphy in the Shubenacadie and Musquodoboit Basins of central Nova Scotia; *Nova Scotia Department of Mines and Energy, Open File Report 410*.

Giles, P. S. and Bochner, R. C. 1982: Subdivision and regional correlation of strata of the upper Windsor Group, Cape Breton Island and central Nova Scotia; *Nova Scotia Department of Mines and Energy, Report 82-1*, p. 69-78.

Giles, P. S., Bochner, R. C. and Ryan, R. J. 1979: Carbonate banks of the Gays River Formation in central Nova Scotia; *Nova Scotia Department of Mines, Paper 79-6*, 57 p.

Gillis, J. W. 1964: Geology of northwestern Pictou County, Nova Scotia; unpublished Ph.D. thesis and map, Pennsylvania State University, University Park, Pennsylvania; *Nova Scotia Department of Mines and Energy, Thesis 124*.

- Goodman, N. R. 1952: Gypsum and anhydrite in Nova Scotia; Nova Scotia Department of Mines, Memoir no. 1, 75 p.
- Goodman N. R. 1985: All evaporite salt deposits are the same; Or are they?; Sixth International Symposium on Salt, v. 1, p. 131-138.
- Goodman, N. R. and Pendle, Y. S. 1955: An investigation into the polyhalite possibilities of the Windsor Formation in Nova Scotia; Nova Scotia Department of Mines and Energy, Open File Report 019.
- Goudge, M. G. 1943: Memo, drilling at Nappan; Nova Scotia Department of Mines and Energy, Assessment Report 21H/16A 42-E-21(00).
- Goudge, M. F. 1967: Nova Scotia potash, a survey of the economic possibilities of the deposits; Nova Scotia Department of Mines and Energy, Assessment Report 11E/14B 40-E-19.
- Gulf Oil Canada Limited 1975: Gulf *et al.* Hastings No. 1, Nova Scotia, well history report; Nova Scotia Department of Mines and Energy, Petroleum File.
- Gussow, W. C. 1953: Carboniferous stratigraphy and structural geology of New Brunswick, Canada; American Association of Petroleum Geologists Bulletin, v. 37, p. 213-228.
- Gustafson, L. B. and Williams, N. 1981: Sediment-hosted stratification deposits of copper, lead, and zinc; Economic Geology, 75th Anniversary Volume, p. 139-178.
- Hacquebard, P. A. 1950: The nomenclature and classification of coal petrography; Conference on the Origin and Constitution of Coal, Crystal Cliffs, Nova Scotia, p. 1-30.
- Hacquebard, P. A. 1972: The Carboniferous of Eastern Canada; 7th International Congress on Carboniferous Stratigraphy, Comptes Rendus, Band 1, p. 69-90.
- Hacquebard, P. A. 1979: A geological appraisal of the coal resources of Nova Scotia; Canadian Institute of Mining and Metallurgy Bulletin, v. 72, p. 76-87.
- Hacquebard, P. A. 1983: Geological development and economic evaluation of the Sydney coal basin, Nova Scotia; *in* Current Research, Part A; Geological Survey of Canada, Paper 83-1A, p. 71-81.
- Hacquebard, P. A. 1984a: Composition, rank and depth of burial of two Nova Scotia lignite deposits; *in* Current Research, Part A; Geological Survey of Canada, Paper 84-1A, p. 11-15.
- Hacquebard, P. A. 1984b: Coal rank changes in the Sydney and Pictou coalfields of Nova Scotia, cause and economic significance; Canadian Institute of Mining and Metallurgy Bulletin, v. 77, no. 865, p. 33-40.
- Hacquebard, P. A. 1986: The Gulf of St. Lawrence Carboniferous Basin, the largest coalfield of Eastern Canada; Canadian Institute of Mining Bulletin, v. 79, p. 67-68.
- Hacquebard, P. A. and Avery, M. P. 1984: Geological and geothermal effects on coal rank variations in the Carboniferous basin of New Brunswick; *in* Current Research, Part A; Geological Survey of Canada, Paper 84-1A, p. 17-28.
- Hacquebard, P. A. and Barss, M. S. 1970: Paleogeography and facies aspects of the Minto coal seam, New Brunswick, Canada; Comptes Rendus 6th Carboniferous Congress, v. 3, p. 861-872.
- Hacquebard, P. A. and Cameron, A. R. 1989: Distribution and coalification patterns in Canadian bituminous and anthracite coals; *in* International Journal of Coal Geology, v. 13, p. 207-260.
- Hacquebard, P. A. and Donaldson, J. R. 1964: Stratigraphy and palynology of Upper Carboniferous coal measures in the Cumberland Basin of Nova Scotia, Canada; Fifth International Congress on Carboniferous Stratigraphy and Geology, p. 1157-1169.
- Hacquebard, P. A. and Donaldson, J. R. 1969: Carboniferous coal deposition associated with flood-plain and limnic environments in Nova Scotia; Geological Society of America, Special Paper 114, Environments of Coal Deposition, p. 143-191.
- Hacquebard, P. A. and Donaldson, J. R. 1970: Coal metamorphism and hydrocarbon potential in the Upper Paleozoic of the Atlantic provinces, Canada; Canadian Journal of Earth Sciences, v. 7, no. 4, p. 1139-1163.
- Halbouty, M. T. 1967: Salt Domes, Gulf Region, United States and Mexico; Gulf Publishing Company, Houston, Texas, 425 p.
- Hamblin, A. P. 1988: Basin configuration and sedimentary facies of the Horton Group, Cape Breton Island; *in* Mines and Minerals Branch, Report of Activities 1988, Part A, eds. D. R. MacDonald and Y. Brown; Nova Scotia Department of Mines and Energy, Report 88-3, p. 189-191.
- Hamilton, J. B. 1961: Salt in New Brunswick; Mines Branch, Department of Lands and Mines, New Brunswick, Mineral Resources, Report no. 1, 73 p.
- Harms, J. C., Southard, J. B., Spearing, D. R. and Walker, R. G. 1975: Depositional environments as determined from primary sedimentary structures and stratification sequence; Society of Economic Paleontologists and Mineralogists, Short Course no. 2, 161 p.
- Harper, C. W., Jr. 1984: Improved methods of facies sequence analysis; *in* Facies Models, Second Edition, ed.

- R. G. Walker; Geoscience Canada, Reprint Series 1, p. 11-13.
- Harris, J. R., Bonham-Carter, G. F., Rencz, A. N., Sandster, A. L. and Bretzlaff, R. 1987: Liement analysis of Cobequid Highlands, Nova Scotia, using Seasat, Landsat and Spot data; paper presented at the 11th Canadian Symposium on Remote Sensing, University of Waterloo, Ontario.
- Hayes, A. O. 1920: The Malagash salt deposit, Cumberland County, Nova Scotia; Geological Survey of Canada, Memoir 121, 24 p.
- Hayes, A. O. 1931: Report on the potash possibilities of Nova Scotia; *in* Annual Report on the Mines, 1930, Part 2; Nova Scotia Department of Mines, 147 p.
- Hayes, T. S. and Einaudi, M. T. 1986: Genesis of the Spar Lake strata-bound copper-silver deposit, Montana, Part 1: Controls inherited from sedimentation and pre-ore diagenesis; *Economic Geology*, v. 81, p. 1899-1931.
- Hayes, T. S., Rye, R. D., Whalan, J. F. and Landis, G. P. 1989: Geology and sulphur-isotope geothermometry of the Spar Lake stratabound Cu-Ag deposit in the Belt Supergroup, Montana; *in* Sediment-hosted Stratiform Copper Deposits, eds. R. W. Boyle, A. C. Brown, C. W. Jefferson, E. C. Jowett and R. V. Kirkham; Geological Association of Canada, Special Paper 36, p. 319-338.
- Haynes, D. W. 1986: Stratiform copper deposits hosted by low energy sediments; *Economic Geology*, v. 81, p. 250-280.
- Haynes, D. W. and Bloom, M. S. 1987: Stratiform copper deposits hosted by low energy sediments: aspects of metal transport; *Economic Geology*, v. 82, p. 635-638.
- Hendriks, M. 1991: Apatite fission track analysis of the Great Northern Peninsula of Newfoundland: evidence of Late Paleozoic burial; unpublished M.Sc. Thesis, Dalhousie University, Halifax, Nova Scotia, 230 p.
- Hendriks, M., Jamieson, R. A., Zentilli, M. and Reynolds, P. H. 1992: Exhumation of crystalline basement rocks: low-temperature thermochronology of the Long Range Inlier; *in* Short Course Handbook on Low-Temperature Thermochronology, eds. M. Zentilli and P. H. Reynolds; Mineralogical Association of Canada, v. 20, p. 119-137.
- Heroux, Y., Chagnon, A., and Bertrand, R. 1979: Compilation and correlation of major thermal maturation indicators; *American Association of Petroleum Geologists Bulletin*, v. 12, p. 2128-2144.
- Heward, A. P. 1978: Alluvial fan sequence and megasequence models; with examples from the Westphalian D - Stephanian B coalfields, Northern Spain; *in* Fluvial Sedimentology, ed. A. D. Miall; Canadian Society of Petroleum Geologists, Memoir 5, p. 699-702.
- Holmes, A. D., Chambers, R. A., Ixer, Turner, P. and Vaughan, D. J. 1983: Diagenetic processes and mineralization in the Triassic of Central England; *Mineralium Deposita*, v. 18, p.
- Howie, R. D. 1968: Stony Creek gas and oil field, New Brunswick; *American Association of Petroleum Geology, Memoir 9*, p. 1819-1832.
- Howie, R. D. 1974: Compilation of geoscientific data in the Paleozoic basins of eastern Canada; *in* Current Research, Part B; Geological Survey of Canada, Paper 74-1, p. 139.
- Howie, R. D. 1979: Carboniferous evaporites in Atlantic Canada; 9th International Congress on Carboniferous Stratigraphy, *Compte Rendu*, v. 3, p. 93-94.
- Howie, R. D. 1984: Carboniferous evaporites in Atlantic Canada; *Compte Rendu* v. 3, Ninth International Congress of Carboniferous Stratigraphy and Geology, Urbana, Illinois, 1979, p. 131-142.
- Howie, R. D. 1986: Windsor Group Salt in the Cumberland Subbasin of Nova Scotia; Geological Survey of Canada, Paper 85-11, 12 p.
- Howie, R. D. 1988: Upper Paleozoic evaporites of Southeastern Canada; Geological Survey of Canada, Bulletin 380, 120 p.
- Howie, R. D. and Barss, M. S. 1975a: Paleogeography and sedimentation in the Upper Paleozoic, eastern Canada; *Canadian Society of Petroleum Geologists, Memoir 4*, p. 45-57.
- Howie, R. D. and Barss, M. S. 1975b: Upper Paleozoic rocks of the Atlantic Provinces, Gulf of St. Lawrence, and adjacent continental shelf; *in* Offshore Geology of Eastern Canada; Geological Survey of Canada, Paper 74-30, v. 2, p. 35-50.
- Howie, R. D. and Cumming, L. M. 1963: Basement features of the Canadian Appalachians; Geological Survey of Canada, Bulletin 89, p. 1-18.
- Hubert, J. F. and Mertz, K. A. Jr. 1984: Eolian sandstones in Upper Triassic-Lower Jurassic redbeds of the Fundy Basin, Nova Scotia; *Journal of Sedimentary Petrology*, v. 54, p. 798-810.
- Hyde, R., Kalkreuth, W. and Utting, J. 1991: Petrology, palynology and depositional environments of the coal of the Upper Carboniferous (Westphalian A-C), Barachois Group, southwest Newfoundland; *Canadian Journal of Earth Sciences*, v. 28, p. 1905-1924.
- Imperial Oil Limited 1931: Development work in Nova Scotia, 1931; *in* Annual Report on Mines, 1930; Nova Scotia Department of Mines, p. 45-91.

- Imperial Oil Limited 1932: Report on petroleum possibilities of Cumberland and Pictou Counties, Nova Scotia; *in* Annual Report on Mines, 1931, part 2; Nova Scotia Department of Mines, p. 2-24.
- Jackson, M. P. A. and Talbot, C. J. 1986: External shapes, strain rates, and dynamics of salt structures; *Geological Society of America Bulletin*, v. 97, p. 305-323.
- Jackson, R. G., II 1976: Depositional model of point bars in the Lower Wabash River; *Journal of Sedimentary Petrology*, v. 46, p. 579-584.
- Jackson, R. G., II 1978: Preliminary evaluation of lithofacies models for meandering alluvial streams; *in* *Fluvial Sedimentology*, ed. A. D. Miall; Canadian Society of Petroleum Geologists, Memoir 5, p. 543-576.
- Jansa, L. F. and Wade, J. A. 1975: Geology of the continental margin off Nova Scotia and Newfoundland; *in* *Offshore Geology of Eastern Canada*, v. 2, Regional Geology; Geological Survey of Canada, Paper 74-30, p. 51-105.
- Jensen, M. L. 1971: Stable isotopes in geochemical prospecting; *Geochemical Exploration*, ed. R. W. Boyle; Canadian Institute of Mining and Metallurgy, Special Volume 11, p. 464-468.
- Johnson, J. H. 1961: Limestone-building Algae and Algal Limestones; Colorado School of Mines, 297 p.
- Jones, R. W. and Edison, T. A. 1978: Microscopic observations on kerogen related to geochemical parameters with emphasis on thermal maturation; *in* *Low Temperature Metamorphism of Kerogen and Clay Minerals*, ed. D. F. Oltz; Pacific Section, Society of Economic Paleontologists and Mineralogists, Los Angeles, p. 1-12.
- Jowett, E. C. 1986: Genesis of Kupferschiefer Cu-Ag deposits by convective flow of Rotliegende brines during Triassic rifting; *Economic Geology*, v. 81, p. 1823-1837.
- Jowett, E. C. 1989: Effects of continental rifting on the location and genesis of stratiform copper-silver deposits; *in* *Sediment-hosted Stratiform Copper Deposits*, eds. R. W. Boyle, A. C. Brown, C. W. Jefferson, E. C. Jowett and R. V. Kirkham; Geological Association of Canada, Special Paper 36, p. 53-66.
- Kalkreuth, W. and MacAuley, G. 1984: Organic petrology of selected oil shale samples from the lower Carboniferous Albert Formation, New Brunswick, Canada; *Canadian Petroleum Geology Bulletin*, v. 32, p. 38-50.
- Kaplan, S. S. and Donohue, J. 1980: Sedimentologic description of part of coal-bearing Carboniferous sequence exposed near Joggins, Nova Scotia; *Bulletin of the American Association of Petroleum Geologists*, v. 64, p. 730-731.
- Kawasc, Y. 1967: Report on Scurry Rainbow Oil Limited sulphur project in the Province of Nova Scotia; Nova Scotia Department of Mines and Energy, Assessment Report 11E/04D 60-1-17(02).
- Kelley, D. G. 1967: Some aspects of Carboniferous stratigraphy and depositional history in the Atlantic Provinces; *in* *Collected Papers on Geology of the Atlantic Region*; Geological Association of Canada, Special Paper 4, p. 213-228.
- Kent, D. V. and Keppie, J. D. 1984: Paleocontinental reconstructions for the Late Caledonian and Hercynian Orogenies; presented at the International Geological Correlation Program, Caledonide Orogen Project Symposium, Glasgow, Scotland, September 1984.
- Kent, D. V. and Keppie, J. D. 1988: Silurian-Permian reconstructions and circum-Atlantic tectonics; *Geological Society of London, Special Publication No. 38*, p. 469-480.
- Keppie, J. D. 1976: Interpretation of P.P.I. Radar Imagery of Nova Scotia; Nova Scotia Department of Mines, Paper 76-3, 31 p.
- Keppie, J. D. 1977: Plate tectonic interpretation of Palaeozoic world maps (with emphasis on Circum-Atlantic Orogens and southern Nova Scotia); Nova Scotia Department of Mines and Energy, Paper 77-3, p. 1-45.
- Keppie, J. D. 1982a: The Minas Geofracture; *in* *Major Structural Zones and Faults of the Northern Appalachians*, eds. P. St. Julien and J. Beland; Geological Association of Canada, Special Paper 24, p. 263-280.
- Keppie, J. D. 1982b: Tectonic map of the Province of Nova Scotia; Nova Scotia Department of Mines and Energy, scale 1:500 000.
- Keppie, J. D. 1985: Accretionary deformation: Canadian Appalachian examples; presented at the Geological Association of Canada - Mineralogical Association of Canada Joint Annual Meeting, Fredericton, New Brunswick, May 1985; abstract in Fredericton 85, Geological Association of Canada - Mineralogical Association of Canada, Program with Abstracts, v. 10, p. A30.
- Keppie, J. D. 1985: The Appalachian collage; *in* *The Caledonide Orogen - Scandinavia and Related Areas*, ed. D. G. Gee and B. A. Sturt; J. Wiley and Sons, Ltd.
- Keppie, J. D. 1988: Northern Appalachian terranes and their accretionary history; *Geological Society of America, Special Paper 230*, p. 159-192.
- Keppie, J. D. and Dallmeyer, R. D. 1987: Dating transcurrent terrain accretion: an example from the Meguma and Avalon composite terrains in the northern Appalachians; *Tectonics*, v. 6, p. 831-847.

- Keppie, J. D., Gee, D. G. and Martinez-Garcia, E. 1984: Siluro-Devonian deformation in the Caledonide Orogen; presented at the International Geological Correlation Program, Caledonide Orogen Project Symposium, Glasgow, Scotland, September 1984.
- Keppie, J. D., Giles, P. S. and Bochner, R. C. 1978: Some Middle Devonian to Lower Carboniferous rocks of Cape George, Nova Scotia; Nova Scotia Department of Mines, Paper 78-4, 37 p.
- Keys, D. A. 1940: Salt, Malagash, Cumberland County, Nova Scotia; miscellaneous memos, mine plans and reports, 1926-1941; Nova Scotia Department of Mines and Energy, Assessment Report 11F/11B 42-E-19(00).
- Kingston, D. R., Dishroon, C. P. and Williams, P. A. 1983: Global basin classification system; American Association of Petroleum Geology Bulletin, v. 67, p. 2175-2193.
- Kingston, P. W. and Dickie, D. E. 1979: Geology of New Brunswick potash deposits; Canadian Institute of Mining and Metallurgy Bulletin, v. 72, no. 802, p. 134-141.
- Kirkham, R. V. 1978: Base Metal and uranium distribution along the Windsor-Horton contact, central Cape Breton Island, Nova Scotia; *in* Current Research, Part B; Geological Survey of Canada, Paper 78-1B, p. 121-135.
- Kirkham, R. V. 1989: Distribution, settings, and genesis of sediment-hosted stratiform copper deposits; *in* Sediment-hosted Stratiform Copper Deposits, eds. R. W. Boyle, A. C. Brown, C. W. Jefferson, E. C. Jowett and R. V. Kirkham; Geological Association of Canada, Special Paper 36, p. 3-38.
- Klein, G. deV. 1962: Triassic sedimentation, Maritime Provinces, Canada; Geological Society of America Bulletin, v. 73, p. 1127-1146.
- Knight, I. 1983: Geology of the Carboniferous Bay St. George Subbasin, Western Newfoundland; Mineral Development Division, Department of Mines and Energy, Government of Newfoundland and Labrador, Memoir 1, 357 p.
- LaPoint, D. J. 1979: Geology, geochemistry, and petrology of sandstone copper deposits in New Mexico; unpublished Ph.D. thesis, University of Colorado, 282 p.
- Leeder, M. R. 1978: Sedimentology: Process and Product; George Allen & Urwin (Publishers) Ltd., 344 p.
- Lemon, N. M. 1985: Physical modeling of sedimentation adjacent to diapirs and comparison with Late Precambrian Oratunga breccia body in central Flinders Ranges, south Australia; American Association of Petroleum Geologists Bulletin, v. 69, no. 9, p. 1327-1338.
- Light, M. P., Posey, H. H., Kyle, J. R. and Price, P. E. 1987: Model for the origins of geopressed brines, hydrocarbons, cap rocks and metallic mineral deposits: Gulf Coast, U.S.A.; *in* Dynamical Geology of Salt and Related Structures, eds. 1. Lerche and J. J. O'Brien; Academic Press, Inc., Orlando, p. 789-830.
- Link, M. H., Osborne, R. H. and Awramik, S. M. 1978: Lacustrine stromatolites and associated sediments of the Pliocene Ridge Route Formation, Ridge Basin, California; Journal of Sedimentary Petrology, v. 48, p. 143-158.
- Logan, W. E. 1845: A section of the Nova Scotia coal measures as developed at Joggins, on the Bay of Fundy, Nova Scotia; Geological Survey of Canada, Report of Progress 1843, Appendix, p. 92-156.
- Lopatin, N. V. 1971: Temperature and geologic time as factors of carbonification; Akad. Nauk. SSSR Izv. Ser. Geology, v. 3, p. 95-106.
- Luke, P. and MacDonald, R. H. 1988: Limestone and dolomite in Nova Scotia; Nova Scotia Department of Mines and Energy, Information Circular No. 13, 11 p.
- Lur'ye, A. M. 1978: Conditions of the migration of copper in redbed association; Geochimiya, no. 6, p. 926-932.
- Lur'ye, A. M. and Gablina, I. F. 1972: The copper source in the production of Manfeld-type deposits in the western Ural Foreland; Geochemistry International, v. 9, p. 56-67.
- Lur'ye, A. M. and Gablina, I. F. 1976: Zoning of sulfides in copper deposits localized in red beds; Geochemistry International, v. , p. 72-77.
- Lustwork, R. L. and Wasserman, M. D. 1989: Water escape structures in the Coates Lake Group, Northwest Territories, Canada, and their relationship to mineralization at the Redstone Stratiform Copper Deposits; *in* Sediment-hosted Stratiform Copper Deposits, eds. R. W. Boyle, A. C. Brown, C. W. Jefferson, E. C. Jowett and R. V. Kirkham; Geological Association of Canada, Special Paper 36, p. 207-224.
- Lyell, C. 1845: Travels in North America (revised); Quarterly Journal of the Geological Society of London, v. 1, part 3, p. 389-399.
- MacDonald, C. J. D. 1978: Uranium, Tatamagouche Area, Nova Scotia, Noranda Exploration Co. Ltd.; Nova Scotia Department of Mines and Energy, Assessment Report 11E/11C 54-D-45(11).
- MacDonald, D. R. 1973: Geological wellsite report, Wallace Station No. 1, Nova Scotia, Canada; Nova Scotia Department of Mines and Energy, Assessment Report 11E/14B 39-E-47(01).

- MacDonald, M. A., Lombard, P. A. and Boner, F. J. 1992: Multi-media detailed geochemical study of the Canfield Creek Cu-Ag deposit, north-central Nova Scotia; Nova Scotia Department of Natural Resources, Mines and Energy Branches Open File Report 92-003, 110 p.
- MacKay, R. M. and Zentilli, M. 1976: Mineralogical observations on the copper-uranium mineralization at Black Brook, Nova Scotia; Geological Survey of Canada, Report of Activities, Paper 76-1B, p. 343-344.
- MacQuarrie, J. R. 1975: Malagash salt, a compilation; North Cumberland Historical Society, Publication no. 5, 61 p.
- Malagash Salt Company Limited 1953: Borehole logs No. 41 and No. 42; Nova Scotia Department of Mines and Energy, Assessment Report 11E/12C 42-E-47(00).
- Mamet, B. L. 1970: Carbonate microfacies of the Windsor Group; Geological Survey of Canada, Paper 70-21, 121 p.
- Martel, A. T. 1987: Seismic stratigraphy and hydrocarbon potential of the strike-slip Sackville Sub-basin, New Brunswick; *in* Sedimentary Basins and Basin Forming Mechanisms, eds. C. Beaumont and A. J. Tankard; Canadian Society of Petroleum Geologists, Memoir 12, and Atlantic Geoscience Society, Special Publication 5, p. 319-334.
- Martinez, J. D. and Thoms, R. L. (eds.) 1977: Salt Dome Utilization and Environmental Considerations; Proceedings of a symposium held at Louisiana State University, Baton Rouge, Louisiana, 423 p.
- Masson, A. G. 1986: The sedimentology of the Upper Morien Group (Pennsylvanian) in the Sydney Basin, east of Sydney Harbour, Cape Breton, Nova Scotia; Unpublished Ph.D. thesis, University of Ottawa, 349 p.
- Mawer, C. K. and White, J. C. 1987: Sense of displacement on the Cobequid - Chedabucto fault system, Nova Scotia, Canada; Canadian Journal of Earth Sciences, v. 24, p. 217-223.
- May, H. M., Kinniburgh, D. G., Helmke, P. A. and Jackson, M. L. 1986: Aqueous dissolution, solubilities and thermodynamic stabilities of common aluminosilicate clay minerals: kaolinite and smectites; *Geochimica et Cosmochimica Acta*, v. 50, p. 1667-1677.
- Maynard, J. B. 1983: Geochemistry of Sedimentary Ore Deposits; Springer-Verlag, New York, 305 p.
- McBride, E. F. 1974: Significance of colour in red, green, purple, olive, brown and grey beds of Difunta Group, northeastern Mexico; *Journal of Sedimentary Petrology*, v. 44, p. 760-773.
- McCabe, P. J. 1978: Deposits of fine grained meandering rivers with large discharge variations, in the Carboniferous of the Maritime Provinces, Canada; *in* *Fluvial Sedimentology*, ed. A. D. Miall; Canadian Society of Petroleum Geology, Memoir 5, p. 853-854.
- McCabe, P. J. 1979: Tectonic and climatic controls on the sedimentological evolution of a Carboniferous basin: The Namurian of the Cumberland Basin, Maritime Canada; Ninth International Congress of Carboniferous Stratigraphy and Geology, Abstracts, p. 134.
- McCabe, P. J. 1984: Depositional environments of coal and coalbearing strata; International Association of Sedimentologists, Special Publication, p. 13-42.
- McCabe, P. J. and Schenk, P. E. 1982: From sabkha to coal swamp - the Carboniferous sediments of Nova Scotia and southern New Brunswick; International Association of Sedimentologists, Field Excursion 4A, 169 p.
- McCutcheon, S. R. 1981: Stratigraphy and paleogeography of the Windsor Group in southern New Brunswick; New Brunswick Department of Natural Resources, Geological Surveys Branch, Open File Report 81-31, 210 p.
- McCutcheon, S. R. and Robinson, P. T. 1987: Geological constraints on the genesis of the Maritimes Basin, Atlantic Canada; *in* Sedimentary Basins and Basin Forming Mechanisms, eds. C. Beaumont and A. J. Tankard; Canadian Society of Petroleum Geologists, Memoir 12, and Atlantic Geoscience Society, Special Publication 5, p. 287-297.
- McGowen, J. H. 1979: Alluvial fan systems; *in* Depositional and Groundwater Flow Systems in Exploration for Uranium; University of Texas, Austin, Bureau of Economic Geology, 379 p.
- McGowen, J. H. and Garner, L. E. 1970: Physiographic features and stratification types of coarse-grained point bars: modern and ancient examples; *Sedimentology*, v. 14, p. 77-111.
- McGowen, J. H. and Groat, T. 1971: Van Horn Sandstone, West Texas: an exploration model for mineral exploration; University of Texas, Austin, Bureau of Economic Geology, Report No. 72, 57 p.
- McKenzie, D. P. 1978: Some remarks on the development of sedimentary basins; *Earth and Planetary Science Letters*, v. 40, p. 25-32.
- McLeod, M. J. 1980: Geology and mineral deposits of the Hillsborough area, map-area V22 and V-23; New Brunswick Department of Natural Resources, Mineral Resources Branch, Map Report 79-6, 35 p.

- McMahon, P. G. 1988: Reflection seismic coverage of onshore and nearshore Nova Scotia 1942-1987; Nova Scotia Department of Mines and Energy, Information Series No. 14, 40 p.
- McMahon, P., Short, G. and Walker, D. 1986: Petroleum wells, and drillholes with petroleum significance, onshore Nova Scotia; Nova Scotia Department of Mines and Energy, Information Series No. 10, 194 p.
- McNabb, B. E. 1977: Uranium, Tatamagouche area of Nova Scotia, Lacana Exploration; Nova Scotia Department of Mines and Energy, Assessment Report 11E/NW 54-D-45(01).
- Messervey, J. P. 1926: Sandstones and grindstones in Nova Scotia; Nova Scotia Department of Public Works and Mines, Monograph Pamphlet No. 23, 24 p.
- Messervey, J. P. 1929: Copper in Nova Scotia; Nova Scotia Department of Mines, Annual Report 1928, p. 355-394.
- Messervey, J. P. 1930: Memo on Malagash drilling; Nova Scotia Department of Mines and Energy, Assessment Report 11E/14B 40-E-19(00).
- Messervey, J. P. 1942: Memo, Amherst drilling project; Nova Scotia Department of Mines and Energy, Assessment Report 21H/16A 42-E-01(00).
- Messervey, J. P. 1943: Memo, Amherst diamond-drilling project, Nova Scotia Department of Mines Record #961; Nova Scotia Department of Mines and Energy, Assessment Report 21H/16A 41-E-21(00).
- Messervey, J. P. 1950: Salt and potash in Nova Scotia; Nova Scotia Department of Mines and Energy, Pamphlet, 14 p.
- Miall, A. D. 1974: Paleocurrent analysis of alluvial sediments: a discussion of directional variance and vector magnitude; *Journal of Sedimentary Petrology*, v. 4, p. 1174-1185.
- Miall, A. D. 1977: A review of the braided-stream depositional environment; *Earth Science Review*, v. 13, p. 1-62.
- Miall, A. D. 1978: Tectonic setting and syndepositional deformation of molasse and other nonmarine-paralic sedimentary basins; *Canadian Journal of Earth Sciences*, v. 15, p. 1613-1633.
- Miall, A. D. 1980: Cyclicity and the facies model concept in fluvial sediments; *Bulletin of Canadian Petroleum Geology*, v. 28, p. 59-80.
- Miall, A. D. 1982: Fluvial Sedimentation; *Canadian Society of Petroleum Geologists, Memoir 5*, p. 441-721.
- Miall, A. D. 1985: Principles of Sedimentary Basin Analysis; Springer-Verlag, New York, 490 p.
- Miall, A. D. 1988: Facies architecture in clastic sedimentary basin; *in New Perspectives in Basin Analysis*, eds. K. Kleinspehn and C. Paola; Springer-Verlag, New York, p. 67-81.
- Middleton, G. V. 1973: Johannes Walther's Law of correlation of facies; *Geological Society of America Bulletin*, v. 84, p. 979-988.
- Middleton, G. V. 1978: Facies; *in Encyclopedia of Sedimentology*, eds. Farrbridge and Bourgeois; Strousberg, Pa., Dowden, Hutchinson and Ross, p. 323-325.
- Miller, A. H. 1934: Gravimetric survey of the Malagash salt deposit; Nova Scotia Department of Mines and Energy, Assessment Report 11E/14B 42-E-19(02).
- Miller, A. H. and Norman, G. W. H. 1936: Gravimetric survey of the Malagash salt deposit, Nova Scotia; *American Institute of Mining and Metallurgical Engineers, Technical Publication 737*, p. 2-11.
- Moody-Stuard, M. 1966: High- and low-sinuosity stream deposits: with examples from the Devonian of Spitsbergen; *Journal of Sedimentary Petrology*, v. 36, p. 1102-1117.
- Moore, R. G. 1967: Lithostratigraphic units in the upper part of the Windsor Group, Minas sub-basin, Nova Scotia; *Geological Association of Canada, Special Paper no. 4, Geology of the Atlantic Region*, p. 245-266.
- Moore, R. G. and Ryan, R. J. 1976: Guide to the invertebrate fauna of the Windsor Group in Atlantic Canada; Nova Scotia Department of Mines and Energy, Paper 76-5, 79 p.
- Morris, W. 1987: The paleomagnetic studies in the Cumberland Basin of Nova Scotia; unpublished Internal Report, Nova Scotia Department of Mines and Energy and Geological Survey of Canada, 45 p.
- Mukhopadhyay, P. K. 1991a: Maturation of organic matter as revealed by pulsed laser fluorescence; *in Developments in Sedimentology, Diagenesis III*, ed. K. Wolf; Elsevier, Amsterdam, v. 47, p. 471-498.
- Mukhopadhyay, P. K. 1991b: Source rock potential and maturation of Paleozoic sediments (Devonian-Permian) from onshore Nova Scotia; Nova Scotia Department of Natural Resources, Open File 91-018, 122 p.
- Murray, D. A. 1975: Limestones and dolomites of Nova Scotia; Nova Scotia Department of Mines, Bulletin no. 2, pt. 2, 155 p.

- Mykura, W. 1960: The replacement of coal by limestone and the reddening of coal measures in the Ayrshire Coalfield; *Bulletin of the Geological Survey of Great Britain*, v. 16, p. 69-109.
- Naeser, N. D. and McCulloch, T. H. 1989: *Thermal History of Sedimentary Basins*; Springer-Verlag, New York, 463 p.
- Naeser, N. D., Naeser, C. W. and McCulloch, T. H. 1990: Thermal history of rocks in southern San Joaquin Valley, California: Evidence from apatite fission track analysis; *American Association of Petroleum Geologists Bulletin*, v. 74, p. 13-29.
- Nami, M. and Leeder, M. R. 1978: Changing channel morphology and magnitude in the Scalby Formation; *in Fluvial Sedimentology*, ed. A. D. Miall; *Canadian Society of Petroleum Geologists Memoir 5*, p. 431-440.
- Nance, R. D. 1987: Dextral transpression and late Carboniferous sedimentation in the Fundy coastal zone of southern New Brunswick; *in Sedimentary Basins and Basin Forming Mechanisms*, eds. C. Beaumont and A. J. Tankard; *Canadian Society of Petroleum Geologists, Memoir 12*, and *Atlantic Geoscience Society, Special Publication 5*, p. 363-377.
- Nance, R. D. and Warner, J. B. 1986: Variscan tectonostratigraphy of the Mispec Group, Southern New Brunswick: structural geometry and deformational history; *in Current Research, Part A*; *Geological Survey of Canada, Paper 86-1A*, p. 351-358.
- Narkelynn, F. L. and Yurgenson, G. A. 1968: Copper sources in formation of deposits of the eupriferous sandstone type; *Lithology and Mineral Resources*, No. 6, p. 739-747.
- Nash, J. T., Granger, H. C. and Adams, S. S. 1981: Geology and concepts of genesis of important types of uranium deposits; *Economic Geology*, 75th Anniversary Volume, p. 63-116.
- Naylor, R. D., Kalkreuth, W. D., Smith, W. D. and Yeo, G. M. 1989: Stratigraphy, sedimentology and depositional environments of the coal-bearing Stellarton Formation, Nova Scotia; *in Geological Survey of Canada, Contributions to Canadian Coal Geoscience, Paper 89-8*, p. 2-13.
- Nash, J. T., Granger, H. C. and Adams, S. S. 1981: Geology and concepts of genesis of important types of uranium deposits; *Economic Geology*, 75th Anniversary Volume, ed. B. Skinner, p. 63-116.
- Naylor, R. D., Smith, W. D., Yeo, G. M. and Snow, R. J. 1988: Pictou Coalfield: a classic strike-slip lacustrine basin; *Geological Association of Canada Anniversary volume*, p. 63-116; *Mineralogical Association of Canada-Canadian Society of Petroleum Geologists Joint Annual Meeting; Program with Abstracts*, v. 13, p. A90.
- Nemec, W. and Steel, R. J. 1984: Alluvial and coastal conglomerates: their features and some comments on gravelly mass-flow deposits; *in Sedimentology of Gravels and Conglomerates*, eds. K. Koster and I. Steel; *Canadian Society of Petroleum Geology, Memoir 10*, p. 1-32.
- Neves, R. and Belt, E. S. 1970: Some observations on Namurian and Viséan spores from Nova Scotia, Britain and Northern Spain; *Sixieme Congres International de Stratigraphie et de Geologie du Carbonifere*, Sheffield, 1967, *Compte Rendu*, v. III, p. 1233-1242.
- Norman, G. W. H. 1932: Salt deposits of Nova Scotia and New Brunswick; *in Summary Report, 1931, Part D*; *Geological Survey of Canada*, p. 28-33.
- Norman, G. W. H. 1941: Hillsborough, Albert and Westmorland Counties, New Brunswick; *Geological Survey of Canada, Map 647A*.
- Norman, G. W. H. and Bell, W. A. 1938a. Oxford sheet (west half), Cumberland and Colchester Counties, Nova Scotia; *Geological Survey of Canada, Map 410A*.
- Norman, G. W. H. and Bell, W. A. 1938b: Oxford sheet (east half), Cumberland and Colchester Counties, Nova Scotia; *Geological Survey of Canada, Map 409A*.
- North American Commission on Stratigraphic Nomenclature 1983: North American Stratigraphic Code; *in The American Association of Petroleum Geologists Bulletin*, v. 67, p. 841-875.
- Nova Scotia Department of Mines 1966a: Potash, 1966; Nova Scotia Department of Mines and Energy, Open File Report 049.
- Nova Scotia Department of Mines 1966b: Drill log and report 4290 (Malagash No. 1); *in Annual Report on the Mines, 1965*; Nova Scotia Department of Mines, p. 48-49.
- Nova Scotia Department of Mines 1978: A history of coal mining in Nova Scotia; Nova Scotia Department of Mines, Information Series No. 2.
- Nova Scotia Research Foundation 1959: Report on geophysical exploration, Cumberland, Colchester and Pictou Counties; Nova Scotia Department of Mines and Energy, Open File Report 054.
- Nova Scotia Research Foundation 1962: Preliminary report, potash potential in Nova Scotia; unpublished Nova Scotia Research Foundation Report.
- Nova Scotia Research Foundation 1964: Bouguer gravity anomaly maps 11E/13, 21H/16 and 21H/09; Nova Scotia Research Foundation, scale 2" = 1 mile.

- Nova Scotia Research Foundation 1966a: Report of the first phase of geochemical investigation for Potash Exploration Project; Nova Scotia Research Foundation, Report No. 2-66.
- Nova Scotia Research Foundation 1966b: Gravity survey in Hants, Cumberland and Halifax Counties for Scurry-Rainbow Oil Company; Nova Scotia Research Foundation, Report 7-67.
- Nova Scotia Research Foundation 1967a: Second report on geophysical exploration, Roslin and Wallace areas, Cumberland County; Nova Scotia Research Foundation, Report No. 3-67; Nova Scotia Department of Mines and Energy, Open File Report 049.
- Nova Scotia Research Foundation 1967b: Analysis of drill cores from Wallace #1 and Wallace #2 bore-holes; Nova Scotia Department of Mines and Energy, Open File Report 049.
- Nova Scotia Research Foundation 1968a: Spectrochemical lab report, rock salt cores Wallace #1; Nova Scotia Department of Mines and Energy, Assessment Report 11E/14B 40-E-47(01).
- Nova Scotia Research Foundation 1968b: Spectrochemical lab report, water solution from salt core bags Wallace #2; Nova Scotia Department of Mines and Energy, Assessment Report 11E/14B 40-E-47(01).
- Nova Scotia Research Foundation 1969: Spectrochemical lab report, rock salts, Wallace #2; Nova Scotia Department of Mines and Energy, Assessment Report 11E/14B 40-E-47(01).
- O'Brien, C. A. E. 1957: Tectonic problems of the oilfield belt of south-west Iran; *Geologie en Mijnbouw*, v. 19, 357-376 p.
- Oliver, J. 1986: Fluids expelled tectonically from orogenic belts: their role in hydrocarbon migration and other geological phenomena; *Geology*, v. 14, p. 99-102.
- Olsen, P. E. 1981: Comment and reply on 'Eolian dune field of Late Triassic age, Fundy Basin, Nova Scotia'; *Geology*, December 1981, p. 557-559.
- O'Sullivan, J. R. 1981: Report on geological, geochemical, geophysical and diamond-drilling surveys on the Pugwash claim group; Nova Scotia Department of Mines and Energy, Assessment Report 11E/03A 13-E-33(03).
- Ozshin, S. 1967: Preliminary evaluation of the potash occurrence in Nova Scotia; Saskatchewan Research Council, Engineering Division; Nova Scotia Department of Mines and Energy, Open File Report 049.
- Pacific Petroleum Limited 1964: Well history, Pacific Fox Harbour C-96V; Nova Scotia Department of Mines and Energy, Assessment Report 11E/13A 39-E-14(01).
- Papenfus, E. B. 1931: "Redbed" Copper Deposits in Nova Scotia and New Brunswick; *Economic Geology*, v. 26, p. 314-330.
- Parks, W. A. 1914: Report on building and ornamental stones of Canada, Volume 2, Maritimes Provinces; Canada Department of Mines, Report No. 203, p. 60-81.
- Peterson, V. F. and Hickey, P. J. 1985: Visual kerogen assessment of thermal history; *American Association of Petroleum Geologists Bulletin*, v. 69, p. 296.
- Pickerill, R. K. and Carter, D. C. 1980: Sedimentary facies and depositional history of the Albert formation; New Brunswick Department of Natural Resources, Open File Report 80-3, 132 p.
- Pickerill, R. K., Carter, D. and St. Peter, C. 1985: Albert Formation - oil shales, lakes, fans and deltas; Geological Association of Canada - Mineralogical Association of Canada Joint Meeting, Field Guide Excursion 6, 71 p.
- Piper, D. J. W., Waldron, J. W. F. and Pe-Piper, G. 1988: Deformation of the Cape Chignecto Pluton, western Cobequids: a record of Avalon-Meguma convergence?; Abstract in Program and Abstracts, Geological Association of Canada - Mineralogical Association of Canada and Canadian Society of Petroleum Geologists Joint Annual Meeting, 1988, p. A99.
- Plint, A. G. 1985: Possible earthquake-induced soft sediment faulting and remobilization in Pennsylvanian alluvial strata, southern New Brunswick, Canada; *Canadian Journal of Earth Sciences*, v. 22, p. 907-912.
- Plint, A. G. 1986: Slump blocks, intraformational conglomerates and associated erosional structures in Pennsylvanian fluvial strata of eastern Canada; *Sedimentology*, v. 33, p. 387-399.
- Plint, A. G. and van de Poll, H. W. 1982: Alluvial fan and piedmont sedimentation in the Tynemouth Creek Formation (Lower Pennsylvanian) of southern New Brunswick; *Maritime Sediments and Atlantic Geology*, v. 18, p. 104-128.
- Plint, A. G. and van de Poll, H. W. 1984: Structural and sedimentary history of the Quaco Head area, southern New Brunswick; *Canadian Journal of Earth Sciences*, v. 21, p. 753-761.
- Ponsford, M., Demont, G. and Lyttle, N. A. 1985a: Industrial mineral occurrences map and data compilation, eastern Nova Scotia map sheets 11F, 11G, 11J, 11N; Nova Scotia Department of Mines and Energy, Open File Report 607, 29 p.
- Ponsford, M., Demont, G. and Lyttle, N. A. 1985b: Industrial mineral occurrences map and data compilation, western Nova Scotia map sheets 20O, 20P, 21A, 21B, 21H; Nova Scotia Department of Mines and Energy, Open File Report 608, 21 p.
- Ponsford, M. and Lyttle, N. A. 1984a: Metallic mineral occurrences map and data compilation, central Nova Scotia

- map sheets 11D and 11E; Nova Scotia Department of Mines and Energy, Open File Report 599, 21 p.
- Ponsford, M. and Lyttle, N. A. 1984b: Metallic mineral occurrences map and data compilation, eastern Nova Scotia map sheets 11F, 11G, 11J, 11K, 11N; Nova Scotia Department of Mines and Energy, Open File Report 600, 23 p.
- Ponsford, M. and Lyttle, N. A. 1984c: Metallic mineral occurrences map and data compilation, western Nova Scotia map sheets 20O, 20P, 21A, 21B, 21H; Nova Scotia Department of Mines and Energy, Open File Report 601, 21 p.
- Poole, H. S. 1908: A section of Carboniferous rocks in Cumberland County; Nova Scotia: (1) Detailed section of rocks from West Ragged Reef to Joggins Mines and Minudie, By Sir William Logan, (republished); and (2) from Shulie to Spicer Cove, by Hugh Fletcher, B. A., of the Geological Survey of Canada; The Proceedings and Transactions of the Nova Scotian Institute of Science, v. 11, p. 417-549.
- Poole, W. H. 1967: Tectonic evolution of Appalachian region of Canada; Geological Association of Canada, Special Paper no. 4, Collected Papers on Geology of the Atlantic Region, Hugh Lilly Memorial Volume, p. 9-51.
- Poole, W. H. 1976: Plate tectonic evolution of the Canadian Appalachian region; *in* Current Research, Part B; Geological Survey of Canada, Paper 76-1B, p. 113-126.
- Poole, W. H., Kelley, D. G. and Neale, E. R. W. 1964: Age and correlation problems in the Appalachian region of Canada; *in* Geochronology in Canada, ed. F. F. Osborne; Royal Society of Canada, Special Publication no. 8, p. 61-84.
- Poole, W. H., Sandord, B. V., Williams, H. and Kelly, D. G. 1970: Geology of southeastern Canada; *in* Geological Survey of Canada, ed. R. J. W. Douglas; Economic Geology Report no. 1, p. 229-299.
- Prime, G. 1988a: Salt in Nova Scotia; Nova Scotia Department of Mines and Energy, Information Circular 19, 11 p.
- Prime, G. 1988b: Aggregates in Nova Scotia; Nova Scotia Department of Mines and Energy, Information Circular 20, 12 p.
- Rast, N. 1984: The Alleghenian Orogeny in eastern North America; *in* Variscan Tectonics of the North Atlantic Region, eds. D. H. W. Hutton and D. F. Sanderson; Blackwell Scientific Publications, p. 197-217.
- Rast, N. and Grant, R. H. 1973: Transatlantic correlation of the Variscan Appalachian orogeny; American Journal of Science, v. 273, p. 572-579.
- Ravenhurst, C. E. 1987: An isotopically and thermochronologically constrained model for lead-zinc and barium mineralization related to Carboniferous basin formation in Nova Scotia, Canada; unpublished Ph.D. thesis, Dalhousie University, Halifax, Nova Scotia, 247 p.
- Ravenhurst, C. E., Reynolds, P. H. and Zentilli, M. 1987: Isotopic constraints on the genesis of Zn-Pb Mineralization at Gays River, Nova Scotia Canada; Economic Geology, v. 82, p. 1294-1308.
- Ravenhurst, C. E. and Zentilli, M. 1987: A model for the evolution of hot (>200° C) over-pressured brines under an evaporite seal; the Fundy - Magdalen Carboniferous Basin of Atlantic Canada and its associated Pb-Zn-Ba deposits; Canadian Society of Petroleum Geologists, Memoir 12, p. 335-349.
- Ravenhurst, C. E., Zentilli, M., Reynolds, P. H., Donelick, R. and Beaumont, C. 1990: A fission track pilot study of the thermal effects of rifting on the onshore Nova Scotia margin, Canada; Nuclear Tracks and Radiation Measurement, v. 17, p. 373-378.
- Reed, W. 1992: The structure of the Sand Cove and Athol faults, Cumberland Basin, Nova Scotia; unpublished M.Sc. Thesis, University of Ohio, 173 p.
- Reineck, H. E. and Singh, I. B. 1980: Depositional Sedimentary Environments, 2nd Edition; Berlin, Springer.
- Renfro, A. R. 1974: Genesis of evaporite associated stratiform metalliferous deposits - a sabkha process; Economic Geology, v. 69, p. 33-45.
- Richter-Bernburg, G. 1972: Saline deposits in Germany: a review and general introduction to the excursions; *in* Geology of Saline Deposits; Proceedings, Hanover Symposium, 1968, UNESCO, 1972, p. 275-287.
- Richter-Bernburg, G. 1980: Salt tectonics, interior structures of salt bodies; *in* Bulletin, Central Research Exploration Production, Elf-Aquitain, v. 4, no. 1, p. 373-393.
- Rickard, D. T. 1973: Limiting conditions for synsedimentary sulfide ore formation; Economic Geology, v. 68, p. 605-617.
- Riding, R. 1979: Origin and diagenesis of lacustrine algal bioherms at the margin of Riescrater, Upper Mioocene, southern Germany; Sedimentology, v. 26, p. 645-680.
- Rogers, P. J., Bonham-Carter, G. F. and Ellwood, D. J. 1986: Anomaly enhancement using catchment basin analysis on surficial geochemical data from the Cobequid Highlands, Nova Scotia; The Institute of Mining and Metallurgy, Prospecting in Areas of Glaciated Terrain 1986, p. 163-174.

- Rogers, P. J., Bonham-Carter, G. F. and Ellwood, D. J. 1986: Anomaly enhancement using catchment basin analysis on surficial geochemical data from the Cobequid Highlands, Nova Scotia; *in* *Prospecting in Areas of Glaciated Terrain 1986*; Institute of Mining and Metallurgy, p. 163-174.
- Rogers, P. J. and MacDonald, M. 1986: Stream sediment geochemistry maps; Geological Survey of Canada, Open File 986.
- Rolfe, W. D. I., Smith, I. and Chambers, L. 1982: A remarkable Stephanian Biota from Montceau-les-mines, France; *Journal of Paleontology*, v. 56, p. 426-428.
- Roliff, W. A. 1932: Imperial Oil Limited, development work in Nova Scotia, 1931; *in* *Annual Report on the Mines, 1931*; Nova Scotia Department of Mines, pt. 2, p. 43-91.
- Roliff, W. A. 1962: The Maritimes Carboniferous basin of eastern Canada; *Proceedings of the Geological Association of Canada*, v. 14, p. 21-41.
- Rose, A. W. 1976: The effect of cuprous chloride complexes in the origin of redbed copper and related deposits; *Economic Geology*, v. 71, p. 1036-1048.
- Rose, A. W. 1989: Mobility of copper and other heavy metals in sedimentary environments; *in* *Sediment-hosted Copper Deposits*, eds. R. W. Boyle, A. C. Brown, C. W. Jefferson, E. C. Jowett and R. V. Kirkham; Geological Association of Canada, Special Paper 36, p. 97-110.
- Rose, A. W. and Bianchi, G. C. 1985: Adsorption of Cu, Ag, and other metals on Fe-oxides as control on elemental composition of stratiform and redbed copper deposits, Abstract (74679); Geological Society of America, Abstracts and Programs, 1985, p. 702.
- Rose, P. A. and Carter, D. C. 1988: Petrography and geochemistry of anhydrite from the Pugwash salt mine, Pugwash, Nova Scotia; *in* *Programme and Abstracts, Atlantic Geoscience Society Colloquium, Antigonish, Nova Scotia, February 1988*, p. 35.
- Roth, J. 1979a: Report on gravity survey, Oxford, Nova Scotia (Amax Potash); Nova Scotia Department of Mines and Energy, Assessment Report 11E/12C 40-E-23(01).
- Roth, J. 1979b: Report on resistivity surveys, Oxford, Nova Scotia (Amax Potash); Nova Scotia Department of Mines and Energy, Assessment Report 11E/12C 40-E-23(02).
- Roulston, B. V. and Waugh, D. C. 1983: Stratigraphic comparison of the Mississippian potash deposits in New Brunswick, Canada; *Sixth International Symposium on Salt*, v. 1, p. 115-129.
- Roy, J. L. 1963: Paleomagnetism of Prince Edward Island; Royal Astronomical Society, *Geophysical Journal*, v. 8, p. 226-230.
- Roy, J. L. 1966: Desaimantation thermique et analyse statistique des directions de sediment Carboniferes et Permiens de l'est Canada; *Canadian Journal of Earth Sciences*, v. 3, p. 139-161.
- Ruitenburg, A. A. and McCutcheon, S. R. 1982: Acadian and Hercynian structural evolution of southern New Brunswick; *in* *Major Structural Zones and Faults in the Northern Appalachians*, eds. P. St. Julian and J. Beland; Geological Association of Canada, Special Paper No. 4, p. 131-148.
- Rust, B. R. 1979: The Cannes de Roche Formation: Carboniferous alluvial deposits in eastern Gaspé, Canada; *9th International Congress on Carboniferous Stratigraphy, IX-ICC*, v. 3, p. 72-84.
- Rust, B. R. 1981: Sedimentation in an arid-zone anastomosing fluvial system: Cooper's Creek, central Australia; *Journal of Sedimentary Petrology*, v. 51, p. 745-755.
- Rust, B. R., Gibling, M. R. and Legun, A. S. 1984: Coal deposition in an anastomosing-fluvial system: the Pennsylvanian Cumberland Group south of Joggins, Nova Scotia, Canada; *International Association of Sedimentologists, Special Publication 7*, p. 105-120.
- Ryan, R. J. 1984: Upper Carboniferous strata of the east half of the Tatamagouche Syncline, Cumberland Basin, Nova Scotia; *in* *Current Research Part A*; Geological Survey of Canada, Paper 84-1A, p. 473-476.
- Ryan, R. J. 1985: Upper Carboniferous strata of the Tatamagouche Syncline, Cumberland Basin, Nova Scotia; *in* *Current Research Part B*; Geological Survey of Canada, Paper 85-1B, p. 481-490.
- Ryan, R. J. 1986a: Fossil Myriapod trails in the Permo-Carboniferous strata of northern Nova Scotia, Canada; *Maritime Sediments and Atlantic Geology*, v. 22, p. 156-161.
- Ryan, R. J. 1986b: Geology and geophysics of the Falls drillhole, TF-86-1; Nova Scotia Department of Mines and Energy, Open File Report 86-062.
- Ryan, R. J. 1986c: Geology of the Tatamagouche Syncline, Cumberland Basin, Nova Scotia; Geological Survey of Canada, Open File 1257, 56 p.
- Ryan, R. J. 1988: Nova Scotia's copper-silver domain - the Cumberland Basin; *Annual Meeting of Prospectors and Developers Convention*, Nova Scotia Department of Mines and Energy Contribution, 21 p.

- Ryan, R. J. 1991: Selected mineral occurrences of the Cumberland and Stellarton Basins and their metallogenetic implications; Nova Scotia Department of Natural Resources, Mines and Energy Branches Open File Report 91-016, 199 p.
- Ryan, R. J. 1993: Metallogenetic and thermal evolution of the Maritimes Basin: evidence from the Cumberland Basin of Nova Scotia; unpublished Ph.D. thesis, Dalhousie University, 333 p.
- Ryan, R. J. and Boehner, R. C. 1986: Cumberland Basin geology; *in* Mines and Minerals Branch, Report of Activities 1985, ed. J. L. Bates; Nova Scotia Department of Mines and Energy, Report 86-1, p. 73-76.
- Ryan, R. J. and Boehner, R. C. 1988: Cumberland Basin stratigraphy: the classic Joggins section of Logan and Fletcher, and Windsor Group correlation; *in* Programme and Abstracts, Atlantic Geoscience Society Colloquium, Antigonish, Nova Scotia, February 1988, p. 37.
- Ryan, R. J. and Boehner, R. C. 1989: Cumberland and Pictou Group (Upper Carboniferous to Lower Permian) lithostratigraphic revisions in the Cumberland Basin and regional implications; *in* Mines and Minerals Branch, Report of Activities 1989, Part A, eds. D. R. MacDonald and K. A. Mills; Nova Scotia Department of Mines and Energy, Report 89-3, p. 95-101.
- Ryan, R. J. and Boehner, R. C. 1990: Cumberland Basin Geology Map, Tatamagouche and Malagash, Cumberland, Colchester and Pictou Counties; Nova Scotia Department of Mines and Energy Map 90-14, scale 1:50 000.
- Ryan, R. J. and Boehner, R. C. 1991: Metallic mineral resources of Carboniferous basins in Nova Scotia; *in* Nova Scotia's Carboniferous Basins - Opportunities for Today and Tomorrow, Proceedings of the 104th Annual Meeting of the Mining Society of Nova Scotia, p. 7-24.
- Ryan, R. J. and Boehner, R. C. In press.: Economic geology of Late Paleozoic-Early Mesozoic basins in Nova Scotia: metallic minerals; contribution to the Decade of North American Geology, Northern Appalachian Volume, Geological Society of America.
- Ryan, R. J., Boehner, R. C. and Calder, J. H. 1991: Lithostratigraphic revision of the Upper Carboniferous to Lower Permian strata in the Cumberland Basin, Nova Scotia, and the regional implications for the Maritimes Basin in Atlantic Canada; *Bulletin of the Canadian Society of Petroleum Geologists*, v. 39, p. 289-314.
- Ryan, R. J., Boehner, R. C. and Deal, A. 1988a: Preliminary geological maps of the Cumberland Basin (11E/11 and 11E/12), Tatamagouche and Oxford; Nova Scotia Department of Mines and Energy, Open File Maps 88-039, 23 maps and legend, scale 1:10 000.
- Ryan, R. J., Boehner, R. C. and Deal, A. 1988b: Preliminary geological field maps of the Cumberland Basin, (NTS 11E/13 and 14), Pugwash and Malagash, Nova Scotia; Nova Scotia Department of Mines and Energy, Open File Maps 88-40, 21 maps and legend, scale 1:10 000.
- Ryan, R. J., Boehner, R. C. and Deal, A. 1988c: Preliminary geological maps of the Cumberland Basin (NTS 21H/107 and 21H/108), Cape Chignecto and Parrsboro; Nova Scotia Department of Mines and Energy, Open File Maps 88-041, 13 maps and legend, scale 1:10 000.
- Ryan, R. J., Boehner, R. C. and Deal, A. 1988d: Preliminary geological field maps of the Cumberland Basin, (NTS 11E/13 and 11E/14), Springhill and Apple River, Nova Scotia; Nova Scotia Department of Mines and Energy, Open File Maps 88-42, 24 maps and legend, scale 1:10 000.
- Ryan, R. J., Boehner, R. C. and Deal, A. 1990a: Cumberland Basin geology map, Apple River and Cape Chignecto, Cumberland County; Nova Scotia Department of Mines and Energy, Map 90-11, scale 1:50 000.
- Ryan, R. J., Boehner, R. C. and Deal, A. 1990b: Cumberland Basin geology map, Oxford and Pugwash, Cumberland County; Nova Scotia Department of Mines and Energy, Map 90-13, scale 1:50 000.
- Ryan, R. J., Boehner, R. C., Deal, A. and Calder, J. H. 1990a: Cumberland Basin geology map, Amherst, Springhill and Parrsboro, Cumberland County; Nova Scotia Department of Mines and Energy, Map 90-12, scale 1:50 000.
- Ryan, R. J., Boehner, R. C., Stea, R. R. and Rogers, P. J. 1986: Geology, geochemistry and exploration applications for the Permo-Carboniferous stratiform sediment-hosted copper deposits of the Cumberland Basin, northern Nova Scotia, Canada; *The Canadian Mineralogist*, Abstracts, v. 24, p. 203.
- Ryan, R. J., Boehner, R. C., Stea, R. R. and Rogers, P. J. 1989: Geology, geochemistry and exploration applications for the Permo-Carboniferous redbed copper deposits of the Cumberland Basin, Nova Scotia, Canada; *in* Sediment-hosted Stratiform Copper Deposits, eds. R. W. Boyle, A. C. Brown, C. W. Jefferson, E. C. Jowett and R. V. Kirkham; Geological Association of Canada, Special Paper 36, p. 245-256.
- Ryan, R. J., Calder, J. H., Donohoe, H. V., Jr. and Naylor, R. 1987: Sedimentation and basin evolution adjacent to the Cobecquid Highlands Massif, Eastern Canada; *in* Basins and Basin-forming Mechanisms, eds. C. Beaumont and A. Tankard; Canadian Society of Petroleum Geologists, Memoir 12, p. 311-317.
- Ryan, R. J., Grist, A. and Zentilli, M. 1992: The Paleozoic Maritimes Basin of Eastern Canada, metallogenetic implications of a fission track study; *in* Short Course Handbook on Low

- Temperature Thermochronology, eds. M. Zentilli and P. Reynolds; Mineralogical Association of Canada Short Course, v. 20, p. 141-156.
- Ryan, R. J., Turner, R., Stea, R. R. and Rogers, R. J. 1988c: Heavy minerals and sediment dispersal trends as exploration tools for tin and gold paleoplacers in Carboniferous rocks, Nova Scotia; Prospecting in Areas of Glaciated Terrane 1988, eds. D. R. MacDonald and K. A. Mills; Canadian Institute of Mining and Metallurgy, Special Publication, p. 41-56.
- Ryan, R. J. and van de Poll, H. W. 1988: Fluvial channel configurations of the Permo-Carboniferous strata in the Maritime Provinces; Geological Association of Canada-Mineralogical Association of Canada-Canadian Society of Petroleum Geologists Joint Annual Meeting; Program with Abstracts, v. 13, p. 107.
- Rye, R. O. and Ohmoto, H. 1974: Sulfur and carbon isotopes and ore genesis: a review; *Economic Geology*, v. 69, p. 826-842.
- Saarnisto, M. and Taipale, K. 1985: Lithology and trace-metal content in till in Kuhmo granite-greenstone terrain, Eastern Finland; *Journal of Geochemical Exploration*, v. 24, no. 3, p. 317-336.
- Salas C. J. 1986: Braided fluvial architecture in a rapidly subsiding basin, the Pennsylvanian Cumberland Group, southwest of Sand River, Nova Scotia; unpublished M.Sc. thesis, University of Ottawa, 300 p.
- Salas, C. J. and Rust, B. R. 1986: Distal gravelly braidplain deposits, Pennsylvanian Cumberland Group, Sand River, Nova Scotia; Geological Association of Canada, Program and Abstracts 1985, p. A-53.
- Sangster, D. F. and Viallancourt, P. D. 1990: Geology of the Yava sandstone - lead deposit, Cape Breton Island, Nova Scotia; in *Mineral Deposits Study in Nova Scotia*, ed. A. L. Sangster; Geological Survey of Canada, Paper 90-8, p. 203-249.
- Schenk, P. E. 1967: The Macumber Formation of the Maritime Provinces, Canada - A Mississippian analogue to recent strand-line carbonates of the Persian Gulf; *Journal of Sedimentary Petrology*, v. 37, no. 2, p. 365-376.
- Schenk, P. E. 1969: Carbonate-sulphate-redbed facies and cyclic sedimentation of the Windsorian Stage (Middle Carboniferous), Maritime Provinces; *Canadian Journal of Earth Sciences*, v. 6, no. 5, p. 1037-1066.
- Schenk, P. E. 1971: Southeastern Atlantic Canada, northwestern Africa, and continental drift; *Canadian Journal of Earth Sciences*, v. 8, p. 1218-1251.
- Schenk, P. E. 1978: Synthesis of the Canadian Appalachians; IGCP Project 27, Canadian Contribution No. 6, Caledonian-Appalachian Orogen of the North Atlantic Region; in *Geological Survey of Canada, Paper 78-13*, p. 111-136.
- Schenk, P. E. 1978: Synthesis of the Canadian Appalachians; in *Caledonian-Appalachian Orogen of the North Atlantic Region*; Geological Survey of Canada, Paper 78-13, p. 111-136.
- Schenk, P. E. 1984: Carbonate-sulfate relations in the Windsor Group, central Nova Scotia, Canada; in *Compte Rendu, Ninth International Congress on Carboniferous Stratigraphy and Geology*, v. 3, p. 143-162.
- Schenk, P. E. and Hatt, B. L. 1984: Depositional environment of the Gays River Reef, Nova Scotia, Canada; in *Compte Rendu, Ninth International Congress on Carboniferous Stratigraphy and Geology*, v. 3, p. 117-130.
- Schroder, J. F., Jr. 1963: Stratigraphic and tectonic history of the Moncton Group of nonmarine redbeds of New Brunswick, Canada; unpublished M.Sc. thesis, University of Massachusetts, Amherst, Massachusetts, 83 p.
- Schumm, S. A. 1968: Speculations concerning paleohydrologic controls of terrestrial sedimentation; *Geological Society of America Bulletin*, v. 79, p. 1573-1588.
- Schumm, S. A. 1981: Evolution and response of the fluvial system, sedimentologic implications; *Society of Economic Paleontologists and Mineralogists, Special Publication 31*, p. 19-29.
- Schwarz H. P. and Burnie, S. W. 1973: Influence of sedimentary environments on sulphur isotope ratios in clastic rocks: a review; *Mineralium Deposita*, v. 8, p. 264-277.
- Scott, A. C. 1979: The ecology of coal measure floras from northern Britain; in *Proceedings from the Geological Association*, v. 90, p. 97-116.
- Shaw, W. S. 1951a: The Cumberland Basin of deposition; unpublished Ph.D. thesis, Massachusetts Institute of Technology, Cambridge, Massachusetts, U.S.A., 170 p.
- Shaw, W. S. 1951b: Preliminary map, Springhill, Cumberland and Colchester Counties, Nova Scotia; Geological Survey of Canada, Paper 51-11.
- Shea, F. S. 1970: Salt basins in Nova Scotia; in *Third International Symposium on Salt, Volume One*; The Northern Ohio Geological Society, Incorporated, Cleveland, Ohio, p. 306-316.
- Shockney, P. N., Renfro, A. R. and Peterson, R. J. 1974: Copper-silver solution fronts at Paoli, Oklahoma; *Economic Geology*, v. 69, p. 266-268.

- Short, G. 1986: Surface petroleum shows, onshore Nova Scotia; Nova Scotia Department of Mines and Energy, Information Series 11, 29 p.
- Shumway, G. 1951: Sedimentary copper in the Tatamagouche area, Nova Scotia; unpublished M.S. Thesis, Massachusetts Institute of Technology, Cambridge, Massachusetts, U. S. A.
- Smith, A. H. V. and Butterworth, M. A. 1967: Miospores in the coal seams of the Carboniferous of Great Britain; *Special Papers in Paleontology*, no. 1.
- Smith, D. G. and Putman, P. E. 1980: Anastomosed river deposits: modern and ancient examples in Alberta, Canada; *Canadian Journal of Earth Sciences*, v. 17, p. 1396-1406.
- Smith, D. G. and Smith, N. D. 1979: Sedimentation in anastomosed river systems: examples from alluvial valleys near Banff, Alberta; *Journal of Sedimentary Petrology*, v. 50, no. 1, p. 157-164.
- Smith, G. E. 1976: Sabkha and tidal flat facies control on stratiform copper deposits; in *Stratiform Copper Deposits of the Midcontinent Region: A Symposium*, eds. Johnson and Croy; Oklahoma Geological Survey, Circular 77, p. 25-39.
- Smith, G. E. 1977: Sabkha and tidal-flat facies control of stratiform copper deposits in north Texas; Oklahoma Geological Survey, Circular 77, p. 25-39.
- Smith, L. and Collins, J. A. 1979: Unconformities, sedimentary copper mineralization, and thrust faulting in the Horton and Windsor Groups, Cape Breton Island and central Nova Scotia; 9th International Congress on Carboniferous Stratigraphy, IX-ICC, v. 3, p. 105-116.
- Smith, N. D. 1972: Flume experiments on the durability of mud clasts; *Journal of Sedimentary Petrology*, v. 42, p. 378-384.
- Smith, N. D. 1978: Some comments on terminology for bars in shallow rivers; in *Fluvial Sedimentology*, ed. A. D. Miall; Canadian Society of Petroleum Geologists, Memoir 5, p. 85-88.
- Smith, W. D. and Naylor, R. D. 1990: Oil shale resources of Nova Scotia; Nova Scotia Department of Mines and Energy Economic Geology Series 90-3, 73 p.
- Staplin, F. L. 1969: Sedimentology, organic matter, organic metamorphism, and oil and gas formation; *Canadian Petroleum Geology Bulletin*, v. 17, p. 47-66.
- Staplin, F. L. 1982: Determination of thermal alteration index from colour of exinite; in *How to Assess Maturation and Paleotemperature*; Society of Economic Paleontologists and Mineralogists, Short Course 7, p. 7-11.
- Stea, R. R., Day, T. E. and Ryan, R. J. 1986: The relationship of till and bedrock geochemistry in northern Nova Scotia and its metallogenic implications; in *Prospecting in Areas of Glaciated Terrain, 1986*; Institute of Mining and Metallurgy, p. 241-260.
- Stea, R. R. and Finck, P. W. 1984: Patterns of glacial movement in Cumberland, Colchester, Hants, and Pictou Counties, Northern Nova Scotia; in *Current Research, Part A*; Geological Survey of Canada, Paper 84-1A, p. 477-484.
- Stea, R. R. and Finck, P. W. 1985: A northward flowing glacier in Cumberland, Colchester, and Pictou Counties; geological evidence and effects on till geochemistry; in *Mines and Minerals Branch, Report of Activities 1984*, eds. K. A. Mills and J. L. Bates; Nova Scotia Department of Mines and Energy, Report 85-1, p. 69-84.
- Stea, R. R. and Finck, P. W. 1988a: Quaternary geology of northern mainland Nova Scotia, sheet 10; Nova Scotia Department of Mines and Energy, Map 88-13, scale 1:100 000.
- Stea, R. R. and Finck, P. W. 1988b: Quaternary geology of northern mainland Nova Scotia, sheet 11; Nova Scotia Department of Mines and Energy, Map 88-14, scale 1:100 000.
- Stea, R. R., Turner, R. G., Finck, P. W. and Graves, R. M. 1988: Glacial dispersal in Nova Scotia: a zonal concept; in *Prospecting in Areas of Glaciated Terrain 1988*, eds. D. R. MacDonald and K. A. Mills; Canadian Institute of Mining and Metallurgy, p. 57-80.
- Stea, R. R., Finck, P. W. and Wightman, D. M. 1986: Quaternary geology and till geochemistry of the western part of Cumberland County, Nova Scotia; Geological Survey of Canada, Paper 85-17, 58 p.
- Sun Oil Company Limited 1946: Drill logs Sunoco #1 and Sunoco #1A, Minudie Anticline, Nova Scotia, Canada; Nova Scotia Department of Mines and Energy, Assessment Report 21H/16A 39-E-21(02).
- Surdam, R. C. and Stanley, K. O. 1979: Lacustrine sedimentation during the culminating phase, Lake Gosiute, Wyoming; *Geological Society of America*, v. 90, p. 93-110.
- Sweeny, J. J. and Burnham, A. K. 1990: Evaluation of a simple vitrinite reflectance model based on chemical kinetics; *American Association of Petroleum Geologists Bulletin*, v. 74, p. 1559-1570.
- Symons, D. T. A. 1990: Early Permian pole: evidence from Pictou redbeds, Prince Edward Island, Canada; *Geology*, v. 18, p. 234-237.
- Talbot, C. J. 1981: Sliding and deformation mechanisms in a glacier of salt, Iran; in *Thrust and Nappe Tectonics*; Geological Society of London, p. 173-183.

- Talbot, C. J. and Jackson, M. P. A. 1987: Salt tectonics; *Scientific American*, v. 257, no. 2, p. 70-79.
- Talbot, C. J., Tully, C. P. and Woods, P. J. E. 1982: The structural geology of Boulby (potash) Mine, Cleveland, United Kingdom; *Tectonophysics*, v. 85, p. 167-204.
- Tanczyk, E. I. 1988: Paleomagnetic investigations on the Isles de Madalaine, Gulf of St. Lawrence; *in* Current Research, Part B; Geological Survey of Canada, Paper 88-1B, p. 79-89.
- Teichmüller, M. 1978: Nachweis von Graptolithen periderm in gesinie fertsen gestoinen mit hilfe Kohlenpetologische methoden; *Nves johrbuck fur mineralogic, geologic and paleontologic monatscheft* 7, p. 430-577.
- Thibaudeau, J. and Medioli, F. 1986: Carboniferous thecamoebian and marsh foraminifera: new stratiagraphic tools for ancient paralic deposits; *Geological Society of America, Abstracts and Programs*, p. 771.
- Trotter, F. M. 1954: Reddened-beds in coal measures of South Lanchisire; *Bulletin of the Geological Survey of Great Britain*, v. 5, p. 61-80.
- Trusheim, F. 1960: Mechanism of salt migration in northern Germany; *Bulletin of the American Association of Petroleum Geologists*, v. 44, no. 9, p. 1519-1540.
- Turner, P. 1980: Continental redbeds, development; *in* *Sedimentology*, v. 29; Elsevier Scientific Publishing Company, New York, 562 p.
- Utting, J. 1977: Preliminary palynological investigation of the Windsor Group (Mississippian) of Nova Scotia; *in* Report of Activities, Part A; Geological Survey of Canada, Paper 77-1A, p. 347-349.
- Utting, J. 1987: Palynology of the Lower Carboniferous Windsor Group and Windsor - Canso boundary beds of Nova Scotia, and their equivalents in Quebec, New Brunswick and Newfoundland; *Geological Survey of Canada, Bulletin* 374, 93 p.
- Utting, J., Keppie, J. D. and Giles, P. S. 1988: Palynostratigraphy of Lower Carboniferous (Tourmaisian) rocks of Nova Scotia; *Geological Association of Canada-Mineralogical Association of Canada-Canadian Society of Petroleum Geologists Joint Annual Meeting; Program with Abstracts*, v. 13, p. A128.
- Utting, J., Keppie, J. D. and Giles, P. S. 1989: Palynology and age of the Lower Carboniferous Horton Group; *Contributions to Canadian Paleontology*, Geological Survey of Canada, *Bulletin* 396, p. 117-143.
- Van Houten, F. B. 1973: Origin of redbeds: A review - 1961-1972; *Annual Review of Earth and Planetary Science*, v. 1, p. 39-61.
- Van Houten, F. B. 1980: Triassic-Liassic deposits of Morocco and eastern North America: Comparison; *American Association of Petroleum Geologists Bulletin*, v. 61, p. 100-116.
- van de Poll, H. W. 1966: Sedimentation and paleocurrents during Pennsylvanian time in the Moncton Basin, New Brunswick; *New Brunswick Department of Natural Resources, Geological Section, Mines Divison, Report of Investigations* 1, p. 1-31.
- van de Poll, H. W. 1970: Stratigraphical and sedimentological aspects of Pennsylvanian strata in southern New Brunswick; unpublished Ph.D. Thesis, University of Swansea, University of Wales, U. K.
- van de Poll, H. W. 1972: Stratigraphy and economic geology of the Carboniferous basins in the Maritime Provinces; *XXIV International Geological Congress, Montreal 1972, Excursion A60*, 96 p.
- van de Poll, H. W. 1973: Stratigraphy, sediment dispersal and facies analysis of the Pennsylvanian Pictou Group, New Brunswick; *Maritime Sediments*, v. 9, no. 3, p. 72-77.
- van de Poll, H. W. 1978: Paleoclimatic control and stratigraphic limits of synsedimentary mineral occurrences in Mississippian - Early Pennsylvanian strata of eastern Canada; *Economic Geology*, v. 73, p. 1059-1081.
- van de Poll, H. W. 1983: Geology of Prince Edward Island; *Prince Edward Island Department of Energy and Forestry, Report* 83-1, 66 p.
- van de Poll, H. W. 1989: Lithostratigraphy of the Prince Edward Island redbeds; *Atlantic Geology*, v. 25, p. 23-35.
- van de Poll, H. W. and Forbes, W. H. 1984: On the lithostratigraphy, sedimentology, structure, and paleobotany of the Stephanian - Permian redbeds of Prince Edward Island; *9th International Congress on Carboniferous Stratigraphy, IX-ICC*, v. 3, p. 47-60.
- van de Poll, H. W. and Plint, A. G. 1983: Secondary sedimentary structures associated with fluidization zones in Permo-Carboniferous redbeds of Prince Edward Island, Canada; *Maritime Sediments and Atlantic Geology*, v. 19, no. 2, p. 49-58.
- van de Poll, H. W. and Ryan, R. J. 1985: Lithostratigraphic, physical diagenetic and economic aspects of the Pennsylvanian Permian transition sequence of Prince Edward Island and Nova Scotia; *Geological Association of Canada, Guidebook for Excursion* 14, 108 p.
- van de Poll, H. W. and Sutherland H. 1976: Cupriferous reduction spheres in the Upper Mississippian redbeds of the

- Hopewell Group at Dorchester Cape, New Brunswick; *Canadian Journal of Earth Sciences*, v. 13, p. 781-789.
- Wade, J. A., Grant, A. C., Sanford, B. V. and Barss, M. S. 1977: Basement structure of eastern Canada and adjacent areas; *Geological Survey of Canada, Map 1400A*, 1:2 000 000.
- Waldron, J. W. F., Piper, D. J. W. and Pe-Piper, G. 1989: Deformation of the Cape Chignecto pluton, Cobequid Highlands, Nova Scotia: thrusting at the Meguma-Avalon boundary; *Maritime Sediments and Atlantic Geology*, v. 25, p. 51-62.
- Walker, C. W. 1974: Nature and origin of caprock overlying Gulf Coast salt domes; *in Fourth International Symposium on Salt*, v. 1, p. 169-195, Northern Ohio Geological Society, Inc., Cleveland, Ohio.
- Walker, E. 1943: Diamond-drilling: The manganese deposits of Nova Scotia; *Canadian Mining Journal*, p. 487-489.
- Walker, R. G. 1979: Facies and facies models, 1. General introduction; *in Facies Models*, ed. R. G. Walker; *Geoscience Canada Reprint Series No. 1*, p. 1-7.
- Walker, R. G. and Cant, D. J. 1984: Sandy alluvial systems; *in Facies Models*, 2nd Edition, ed. R. G. Walker; *Geoscience Canada Reprint Series No. 1*, p. 71-90.
- Walker, T. R. 1967: Formation of red beds in modern and ancient deserts; *Geological Society of America Bulletin*, v. 78, p. 353-368.
- Walker, T. R. 1974: Formation of redbeds in moist tropical climates: a hypothesis; *Geological Society of America Bulletin*, v. 85, p. 633-638.
- Walton, E. K. and Duff, P. McL. D. 1973: Carboniferous sediments at Joggins, Nova Scotia; *Seventh International Carboniferous Congress*, v. 2, p. 365-379.
- Waples, D. W. 1980: Time and temperature in petroleum formation: Applications of Lopatin's method to petroleum exploration; *American Association of Petroleum Geologists Bulletin*, v. 64, p. 916-926.
- Way, J. M. 1968: Bed thickness analysis of some Carboniferous fluvial sedimentary rocks near Joggins, Nova Scotia; *Journal of Sedimentary Petrology*, v. 38, p. 424-433.
- Webb, G. W. 1963: Occurrence and exploration significance of strike-slip faults in southern New Brunswick, Canada; *American Association of Petroleum Geologists Bulletin*, v. 47, no. 11, p. 1904-1927.
- Webb, G. W. 1969: Paleozoic wrench faults in Canadian Appalachians; *in North American Geology and Continental Drift*; ed. M. Kay; *American Association of Petroleum Geologists, Memoir 12*, p. 754-786.
- Wedepohl, K. H. 1963: *Handbook of Geochemistry, Volume 1*, Springer-Verlag, New York, 231 p.
- Weeks, L. F. 1948: Londonderry and Bass River map areas, Colchester and Hants Counties, Nova Scotia; *Geological Survey of Canada, Memoir 245*, 86 p.
- White, J. 1988: Atlantic Coal Institute report on the vitrinite reflectance of samples from the Cumberland Basin of Nova Scotia; unpublished internal report, Nova Scotia Department of Natural Resources, 34 p.
- White, R. D. 1972: The Cumberland Basin - a possible rift; *Canadian Institute of Mining and Metallurgy, Transactions*, v. 85, p. 267-272.
- White, W. S. 1971: A paleohydrologic model for mineralization at White Pine copper deposit, northern Michigan; *Economic Geology*, v. 66, p. 1-13.
- Wiley, J. A. 1986: Ichnology of non-marine strata of the Late Devonian-Early Carboniferous Albert Formation of southern New Brunswick; unpublished B.Sc. thesis, University of New Brunswick, Fredericton, New Brunswick, 67 p.
- Williams, E. P. 1974: Geology and petroleum possibilities in and around the Gulf of St. Lawrence; *American Association of Petroleum Geologists Bulletin*, v. 58, no. 6, p. 1137-1155.
- Williams, G. L., Fyffe, L. R., Wardle, R. J., Colman-Sadd, S. P. and Bochner, R. C., editors, 1985: *Lexicon of Canadian Stratigraphy, Volume VI, Atlantic Region*; *Canadian Society of Petroleum Geologists, Calgary*, 572 p.
- Williams, H. 1979: Appalachian Orogen in Canada; *Canadian Journal of Earth Sciences*, v. 16, p. 792-807.
- Williams, P. F. and Rust, B. R. 1968: The sedimentology of a braided river; *Journal of Sedimentary Petrology*, v. 39, p. 649-679.
- Woodward, L. A., Kaufman, W. H., Schumacher, O. C. and Talbot, L. 1974: Stratabound copper deposits in Triassic sandstone of Sierra Nacimiento, New Mexico; *Economic Geology*, v. 69, p. 108-120.
- Wright, W. J., Roliff, W. A., Roundy, P. V., Britton, G. C. and Moore, P. D. 1931: Geological map of the Minudic Anticlinorium, Cumberland County, Nova Scotia, and Westmorland County, New Brunswick; unpublished Nova Scotia Department of Mines Assessment File.
- Yeo, G. M. 1985: Upper Carboniferous sedimentation in northern Nova Scotia and the origin of Stellarton Basin; *in Current Research, Part B*; *Geological Survey of Canada, Paper 85-1B*, p. 511-518.

Yeo, G. M. 1986: The Late Carboniferous Pictou Group in Stellarton Gap, Nova Scotia (Abstract); Geological Association of Canada, Program and Abstracts, p. A399.

Yeo, G. M. 1987: Geological map of the New Glasgow-Toney River area (NTS 11E/10 and 11E/15S); Geological Survey of Canada, Open File Map No. 1656, scale 1:50 000.

Yeo, G. M. and Ruixiang, G. 1986: Late Carboniferous dextral movement on the Cobequid-Hollow fault system, Nova Scotia: evidence and implications; *in* Current Research, Part A; Geological Survey of Canada, Paper 86-1A, p. 399-410.

Yeo, G. M. and Ruixiang, G. 1987: The Stellarton Graben: an upper Carboniferous pull-apart basin in northern Nova Scotia;

in Sedimentary Basins and Basin Forming Mechanisms, eds. C. Beaumont and A. J. Tankard; Canadian Society of Petroleum Geologists, Memoir 12, and Atlantic Geoscience Society, Special Publication 5, p. 299-309.

Zielinski, R. A., Bloch, S. and Walker, T. R. 1983: The mobility and distribution of heavy metals during the formation of first cycle redbeds; *Economic Geology*, v. 78, p. 1574-1589.

Zodrow, E. L. and McCandish, K. 1980: Upper Carboniferous fossil flora of Nova Scotia, with special reference to the Sydney Coalfield; Nova Scotia Museum Special Publication, Halifax, 275 p.