



- NOTES:
1. ALSO USED FOR ANY STRUCTURES THAT REQUIRE CAST IN PLACE CONCRETE (INCLUDING FOOTINGS AND FORMATIONS)
  2. THIS CROSS SECTION REPRESENTS MAXIMUM PAY LIMITS FOR FOUNDATION EXCAVATIONS
  3. IF THE BOTTOM WIDTH OF THE EXCAVATION IS LESS OR IF THE SIDE SLOPES ARE STEEPER THAN INDICATED, THE SECTIONAL AREA WILL BE COMPUTED ACCORDINGLY.
  4. EXCEPT IN THOSE CASES WHERE DIMENSIONS FOR EXCAVATION ARE INDICATED ON INDIVIDUAL PLANS, THE DIMENSIONS USED IN COMPUTING THE SECTIONAL AREA OF FOUNDATION EXCAVATION FOR TIMBER STRUCTURES OR STRUCTURES OF ALL SIZES REQUIRING CAST IN PLACE CONCRETE WILL BE AS SHOWN.
  5. ALL DIMENSIONS ARE IN METRES UNLESS OTHERWISE NOTED.

**NOVA SCOTIA**  
 Transportation and Infrastructure Renewal

|     |                     |                |            |
|-----|---------------------|----------------|------------|
| No. | REVISION            | Scale :        | N.T.S.     |
| 1   | HS # ADDED TO TITLE | Drawn by :     | M.W.L.     |
|     |                     | Checked by :   | NAME       |
|     |                     | Date of Plan : | Sept 2009  |
|     |                     | File No. :     | S-2009-142 |

*Debbi Colman*  
 Manager Highway Planning and Design  
 Director Highway Engineering Services  
 Executive Director Highway Engineering and Construction

**FOUNDATION EXCAVATION FOR  
 BUILT-IN-PLACE STRUCTURES HS-203**