

Schedule 3: Motor Coach Daily Inspections

#	Item to be Inspected	Defects	Major Defects
1	Accessibility devices	<ul style="list-style-type: none"> •alarm fails to operate •equipment malfunctions •interlock system malfunctions 	<ul style="list-style-type: none"> •vehicle fails to return to normal level after “kneeling” •extendable lift, ramp or other passenger-loading device fails to retract
2	Air brake system	<ul style="list-style-type: none"> •audible air leak •slow air pressure build-up rate 	<ul style="list-style-type: none"> •any indication of brake adjustment problem •air loss rate exceeds prescribed limit •inoperative towing vehicle (tractor) protection system •low air warning system fails or system activated •inoperative service, parking or emergency brake
3	Coupling devices	<ul style="list-style-type: none"> •coupler or mounting has loose or missing fastener 	<ul style="list-style-type: none"> •coupler insecure or movement exceeds prescribed limit •coupling or locking mechanism damaged or fails to lock •defective, incorrect or missing safety chain/cable
4	Dangerous goods		<ul style="list-style-type: none"> •requirements of <i>Transportation of Dangerous Goods Regulations</i> not met
5	Doors and emergency exits	<ul style="list-style-type: none"> •door, window or hatch fails to open or close securely •alarm inoperative 	<ul style="list-style-type: none"> •required emergency exit fails to function as intended
6	Driver controls	<ul style="list-style-type: none"> •accelerator pedal, clutch, gauges, audible and visual indicators or instruments fail to function properly 	<ul style="list-style-type: none"> •accelerator sticks and engine fails to return to idle
7	Driver seat	<ul style="list-style-type: none"> •seat damaged or fails to remain in set position 	
8	Emergency equipment and safety devices	<ul style="list-style-type: none"> •emergency equipment missing, damaged or defective 	
9	Exhaust system	<ul style="list-style-type: none"> •exhaust leak 	<ul style="list-style-type: none"> •leak that causes exhaust gas to enter occupant compartment
10	Exterior body	<ul style="list-style-type: none"> •insecure or missing body parts •insecure or missing compartment door 	
11	Fuel system		<ul style="list-style-type: none"> •missing fuel tank cap •insecure fuel tank •dripping fuel leak
12	General		<ul style="list-style-type: none"> •serious damage or deterioration that is noticeable and may affect vehicle’s safe operation

13	Glass and mirrors	<ul style="list-style-type: none"> •required mirror or window glass fails to provide required view to driver as a result of being cracked, broken, damaged, missing or maladjusted •broken or damaged attachments of required mirror or glass to vehicle body 	•driver’s view of road obstructed in area swept by windshield wipers
14	Heater/defroster	•control or system failure	•defroster fails to provide unobstructed view through windshield
15	Horn	•vehicle has no operative horn	
16	Lamps and reflectors	<ul style="list-style-type: none"> •required lamp does not function as intended •passenger safety or access lamp does not function 	<p><i>When lamps are required:</i></p> <ul style="list-style-type: none"> •failure of both low-beam headlamps •failure of both rearmost tail lamps <p><i>At all times:</i></p> <ul style="list-style-type: none"> •failure of rearmost turn-indicator lamp •failure of both rearmost brake lamps
17	Passenger compartment	<ul style="list-style-type: none"> •stanchion padding damaged •damaged steps or floor •insecure or damaged overhead luggage rack or compartment •malfunction or absence of required passenger or mobility device restraints •passenger seat insecure 	<p><i>When affected position is occupied:</i></p> <ul style="list-style-type: none"> •malfunction or absence of required passenger or mobility device restraints •passenger seat insecure
18	Steering	•steering wheel lash (free-play) greater than normal	<ul style="list-style-type: none"> •steering wheel insecure, or does not respond normally •steering wheel lash (free-play) exceeds required limit
19	Suspension system	•air leak in air suspension system	•air bag damaged (patched, cut, bruised, cracked to braid), mounted insecurely or deflated
20	Tires	<ul style="list-style-type: none"> •damaged tread or sidewall of tire •tire leaking (other than leak classified as major defect) 	<ul style="list-style-type: none"> •flat tire or tire leak that can be felt or heard •tire tread depth less than wear limit •tire in contact with another tire or any vehicle component other than mud-flap •tire marked “Not for highway use” •tire has exposed cords in tread or outer side wall area
21	Wheels, hubs and fasteners	<ul style="list-style-type: none"> •hub oil below minimum level (when fitted with sight glass) •leaking wheel seal 	<ul style="list-style-type: none"> •wheel has loose, missing or ineffective fastener •damaged, cracked or broken wheel, rim or attaching part •evidence of imminent wheel, hub or bearing failure
22	Windshield wiper/washer	•control or system malfunction	<i>When necessary for prevailing weather conditions:</i>

		•wiper blade damaged, missing or fails to adequately clear driver's field of vision	•wiper or washer fails to adequately clear driver's field of vision in area swept by driver's side wiper
--	--	---	--